

# ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Michael P. Steinkampf, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	27%	Uterine factor	7%	Multiple Factors: Female factors only 21% Female & male factors 43%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	40%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	15%	
				Endometriosis	23%	Unknown factor	8%	

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 75 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		26	11	4	3	0	0
Percentage of cancellations (%)		7.7	3 / 11	2 / 4	1 / 3		
Average number of embryos transferred		2.1	2.3	2.5	4.5		
Percentage of embryos transferred resulting in implantation (%)		41.7	3 / 14	1 / 5	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)		0.0	0 / 6	0 / 1	0 / 2		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3.8	1 / 11	0 / 4	0 / 3		
Percentage of cycles resulting in singleton live births (%)		3.8	1 / 11	0 / 4	0 / 3		
Percentage of cycles resulting in twin live births (%)		30.8	1 / 11	0 / 4	0 / 3		
Percentage of cycles resulting in live births (%)		34.6	2 / 11	0 / 4	0 / 3		
Percentage of cycles resulting in pregnancies (%)		42.3	2 / 11	1 / 4	0 / 3		
<b>Outcomes per Transfer</b>							
Number of transfers		24	6	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4.2	1 / 6	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)		4.2	1 / 6	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)		33.3	1 / 6	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)		37.5	2 / 6	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)		45.8	2 / 6	1 / 2	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		20	3	0	0	0	0
Number of transfers		18	2	0	0	0	0
Estimated average number of transfers per retrieval		2.3	2.0				
Average number of embryos transferred		1.9	2.5				
Percentage of embryos transferred resulting in implantation (%)		28.1	0 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 18	0 / 2				
Percentage of transfers resulting in singleton live births (%)		2 / 18	0 / 2				
Percentage of transfers resulting in twin live births (%)		3 / 18	0 / 2				
Percentage of transfers resulting in live births (%)		5 / 18	0 / 2				
Percentage of transfers resulting in pregnancies (%)		6 / 18	0 / 2				
<b>Number of Egg/Embryo Banking Cycles</b>		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		1			5		
Number of transfers		1			5		
Average number of embryos transferred		3.0			1.2		
Percentage of embryos transferred resulting in implantation (%)		0 / 3			1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1			0 / 5		
Percentage of transfers resulting in singleton live births (%)		0 / 1			0 / 5		
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 5		
Percentage of transfers resulting in live births (%)		0 / 1			0 / 5		
Percentage of transfers resulting in pregnancies (%)		0 / 1			1 / 5		

CURRENT SERVICES & PROFILE		Current Name: Alabama Fertility Specialists					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Virginia L. Houserman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	80%	Tubal factor	29%	Uterine factor	4%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	17%	Male factor	52%
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	67%
				Endometriosis	29%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 411 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	158	58	29	4	6	0
Percentage of cancellations (%)	8.9	12.1	20.7	0 / 4	3 / 6	
Average number of embryos transferred	1.8	2.0	2.4	2.7	3.7	
Percentage of embryos transferred resulting in implantation (%)	36.6	23.3	21.4	0 / 5	0 / 11	
Percentage of elective single embryo transfers (eSET) (%)	16.5	0.0	4.8	0 / 3	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.2	12.1	17.2	0 / 4	0 / 6	
Percentage of cycles resulting in singleton live births (%)	25.3	15.5	20.7	0 / 4	0 / 6	
Percentage of cycles resulting in twin live births (%)	13.3	6.9	3.4	0 / 4	0 / 6	
Percentage of cycles resulting in live births (%)	38.6	22.4	24.1	0 / 4	0 / 6	
Percentage of cycles resulting in pregnancies (%)	41.1	34.5	34.5	1 / 4	0 / 6	
<b>Outcomes per Transfer</b>						
Number of transfers	135	50	23	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.9	14.0	21.7	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	29.6	18.0	26.1	0 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	15.6	8.0	4.3	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	45.2	26.0	30.4	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	48.1	40.0	43.5	1 / 3	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	66	12	8	2	0	1
Number of transfers	57	9	7	2	0	1
Estimated average number of transfers per retrieval	1.6	1.8	1.8	2.0		
Average number of embryos transferred	1.8	1.9	1.9	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	31.2	4 / 14	3 / 13	1 / 4		1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.8	3 / 9	3 / 7	1 / 2		1 / 1
Percentage of transfers resulting in singleton live births (%)	22.8	4 / 9	3 / 7	1 / 2		1 / 1
Percentage of transfers resulting in twin live births (%)	10.5	0 / 9	0 / 7	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	33.3	4 / 9	3 / 7	1 / 2		1 / 1
Percentage of transfers resulting in pregnancies (%)	45.6	5 / 9	3 / 7	1 / 2		1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	2	2	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	25			30		
Number of transfers	21			28		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	36.8			23.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8			7.1		
Percentage of transfers resulting in singleton live births (%)	23.8			21.4		
Percentage of transfers resulting in twin live births (%)	9.5			10.7		
Percentage of transfers resulting in live births (%)	38.1			32.1		
Percentage of transfers resulting in pregnancies (%)	42.9			32.1		

## CURRENT SERVICES & PROFILE

Current Name: ART Fertility Program of Alabama

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF ALABAMA AT BIRMINGHAM

## REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY

### BIRMINGHAM, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Gordon W. Bates, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	24%	Uterine factor	3%	Multiple Factors: Female factors only 19% Female & male factors 22%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	41%	
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	7%	
				Endometriosis	16%	Unknown factor	5%	

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 133 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		46	20	11	3	0	0
Percentage of cancellations (%)		4.3	0.0	3 / 11	0 / 3		
Average number of embryos transferred		1.8	2.1	2.8	3.0		
Percentage of embryos transferred resulting in implantation (%)		34.6	33.3	18.2	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)		20.9	1 / 16	0 / 7	0 / 2		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		23.9	10.0	0 / 11	0 / 3		
Percentage of cycles resulting in singleton live births (%)		30.4	25.0	0 / 11	0 / 3		
Percentage of cycles resulting in twin live births (%)		10.9	15.0	0 / 11	0 / 3		
Percentage of cycles resulting in live births (%)		41.3	40.0	0 / 11	0 / 3		
Percentage of cycles resulting in pregnancies (%)		45.7	45.0	3 / 11	0 / 3		
<b>Outcomes per Transfer</b>							
Number of transfers		44	17	8	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.0	2 / 17	0 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)		31.8	5 / 17	0 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)		11.4	3 / 17	0 / 8	0 / 2		
Percentage of transfers resulting in live births (%)		43.2	8 / 17	0 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)		47.7	9 / 17	3 / 8	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		16	4	1	0	0	0
Number of transfers		15	4	1	0	0	0
Estimated average number of transfers per retrieval		1.2	1.3	1.0	0.0		0.0
Average number of embryos transferred		1.7	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)		20.8	1 / 6	1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 15	1 / 4	0 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 15	1 / 4	1 / 1			
Percentage of transfers resulting in twin live births (%)		2 / 15	0 / 4	0 / 1			
Percentage of transfers resulting in live births (%)		3 / 15	1 / 4	1 / 1			
Percentage of transfers resulting in pregnancies (%)		4 / 15	1 / 4	1 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>		7	0	1	2	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		11			10		
Number of transfers		9			9		
Average number of embryos transferred		1.8			2.1		
Percentage of embryos transferred resulting in implantation (%)		8 / 16			0 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 9			0 / 9		
Percentage of transfers resulting in singleton live births (%)		4 / 9			0 / 9		
Percentage of transfers resulting in twin live births (%)		2 / 9			0 / 9		
Percentage of transfers resulting in live births (%)		6 / 9			0 / 9		
Percentage of transfers resulting in pregnancies (%)		6 / 9			1 / 9		

CURRENT SERVICES & PROFILE				Current Name: University of Alabama at Birmingham, Reproductive Endocrinology and Infertility			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HUNTSVILLE REPRODUCTIVE MEDICINE, PC

## HUNTSVILLE, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2013 ART CYCLE PROFILE

Data verified by Andrew J. Harper, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	88%	Tubal factor	29%	Uterine factor	6%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	23%	Male factor	32%
Used gestational carrier	<1%			Diminished ovarian reserve	39%	Other factor	9%
				Endometriosis	17%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

### 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 157 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	56	19	16	10	1	0
Percentage of cancellations (%)	0.0	1 / 19	0 / 16	1 / 10	0 / 1	
Average number of embryos transferred	2.1	2.2	2.6	2.9	3.0	
Percentage of embryos transferred resulting in implantation (%)	35.9	32.4	36.1	6 / 19	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	5.9	0 / 15	0 / 13	0 / 8	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.1	7 / 19	2 / 16	1 / 10	0 / 1	
Percentage of cycles resulting in singleton live births (%)	21.4	7 / 19	3 / 16	2 / 10	0 / 1	
Percentage of cycles resulting in twin live births (%)	17.9	1 / 19	4 / 16	0 / 10	0 / 1	
Percentage of cycles resulting in live births (%)	39.3	8 / 19	7 / 16	2 / 10	0 / 1	
Percentage of cycles resulting in pregnancies (%)	53.6	9 / 19	8 / 16	6 / 10	1 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	54	17	14	8	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.7	7 / 17	2 / 14	1 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.2	7 / 17	3 / 14	2 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	18.5	1 / 17	4 / 14	0 / 8	0 / 1	
Percentage of transfers resulting in live births (%)	40.7	8 / 17	7 / 14	2 / 8	0 / 1	
Percentage of transfers resulting in pregnancies (%)	55.6	9 / 17	8 / 14	6 / 8	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	9	5	3	0	1
Number of transfers	22	8	5	3	0	1
Estimated average number of transfers per retrieval	3.1	4.0	5.0	3.0		
Average number of embryos transferred	1.7	1.8	2.0	3.0		1.0
Percentage of embryos transferred resulting in implantation (%)	37.5	2 / 14	1 / 10	0 / 9		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	0 / 8	1 / 5	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	31.8	0 / 8	1 / 5	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	4.5	1 / 8	0 / 5	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	36.4	1 / 8	1 / 5	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	59.1	1 / 8	1 / 5	0 / 3		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			9		
Number of transfers	6			8		
Average number of embryos transferred	1.8			1.6		
Percentage of embryos transferred resulting in implantation (%)	4 / 11			3 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6			2 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 6			2 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 8		
Percentage of transfers resulting in live births (%)	2 / 6			2 / 8		
Percentage of transfers resulting in pregnancies (%)	3 / 6			3 / 8		

### CURRENT SERVICES & PROFILE

Current Name: Huntsville Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by George T. Koulouanos, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	85%	Tubal factor	18%	Uterine factor	<1%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	16%	Male factor	42%
Used gestational carrier	3%			Diminished ovarian reserve	18%	Other factor	12%
				Endometriosis	22%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 229 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		87	32	25	10	3	1
Percentage of cancellations (%)		11.5	12.5	16.0	2 / 10	1 / 3	1 / 1
Average number of embryos transferred		1.8	2.0	2.7	3.5	5.0	
Percentage of embryos transferred resulting in implantation (%)		50.4	40.0	23.5	2 / 14	0 / 10	
Percentage of elective single embryo transfers (eSET) (%)		18.1	0.0	0 / 18	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		27.6	9.4	4.0	0 / 10	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)		34.5	15.6	8.0	0 / 10	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)		17.2	18.8	12.0	0 / 10	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)		52.9	34.4	20.0	0 / 10	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)		58.6	40.6	32.0	1 / 10	0 / 3	0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		74	24	20	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		32.4	12.5	5.0	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)		40.5	20.8	10.0	0 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)		20.3	25.0	15.0	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)		62.2	45.8	25.0	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)		68.9	54.2	40.0	1 / 4	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		18	15	3	2	0	2
Number of transfers		18	14	2	2	0	2
Estimated average number of transfers per retrieval		1.4	2.3	2.0	0.7		
Average number of embryos transferred		1.8	1.9	3.0	2.0		2.5
Percentage of embryos transferred resulting in implantation (%)		39.3	16.0	4 / 6	2 / 4		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 18	4 / 14	1 / 2	0 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)		5 / 18	4 / 14	1 / 2	0 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)		2 / 18	0 / 14	0 / 2	1 / 2		0 / 2
Percentage of transfers resulting in live births (%)		7 / 18	4 / 14	1 / 2	1 / 2		0 / 2
Percentage of transfers resulting in pregnancies (%)		11 / 18	5 / 14	2 / 2	1 / 2		1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>		4	1	1	2	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		11			10		
Number of transfers		9			8		
Average number of embryos transferred		1.7			1.6		
Percentage of embryos transferred resulting in implantation (%)		6 / 15			5 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 9			2 / 8		
Percentage of transfers resulting in singleton live births (%)		2 / 9			3 / 8		
Percentage of transfers resulting in twin live births (%)		0 / 9			0 / 8		
Percentage of transfers resulting in live births (%)		3 / 9			3 / 8		
Percentage of transfers resulting in pregnancies (%)		4 / 9			7 / 8		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Botros M. Rizk, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	96%	Tubal factor	32%	Uterine factor	43%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	50%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	7%
				Endometriosis	21%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 32 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	9	1	2	0	0
Percentage of cancellations (%)	1 / 11	0 / 9	0 / 1	0 / 2		
Average number of embryos transferred	2.5	2.3	1.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	24.0	4.8	0 / 1	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 7		0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 11	1 / 9	0 / 1	0 / 2		
Percentage of cycles resulting in singleton live births (%)	2 / 11	1 / 9	0 / 1	0 / 2		
Percentage of cycles resulting in twin live births (%)	2 / 11	0 / 9	0 / 1	0 / 2		
Percentage of cycles resulting in live births (%)	4 / 11	1 / 9	0 / 1	0 / 2		
Percentage of cycles resulting in pregnancies (%)	4 / 11	1 / 9	0 / 1	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	10	9	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10	1 / 9	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 10	1 / 9	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 9	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	4 / 10	1 / 9	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 10	1 / 9	0 / 1	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	0	1	0	0	0
Number of transfers	4	0	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	3.0		3.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 12		0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 4		0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 4		0 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 4		0 / 1			
Percentage of transfers resulting in live births (%)	1 / 4		0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 4		0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PENINSULA MEDICAL CENTER  
JOHN NELS ANDERSON, MD  
SOLDOTNA, ALASKA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2013 ART CYCLE PROFILE**

Data verified by John N. Anderson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	67%	Tubal factor	17%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	47%
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	4%
				Endometriosis	7%	Unknown factor	19%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				0%			
				26%			

**2013 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 72 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	29	9	10	2	0	1
Percentage of cancellations (%)	0.0	0 / 9	1 / 10	0 / 2		0 / 1
Average number of embryos transferred	2.9	2.0	2.3	3.0		1.0
Percentage of embryos transferred resulting in implantation (%)	6.2	1 / 16	1 / 16	0 / 6		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 7	0 / 7	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.8	1 / 9	0 / 10	0 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	17.2	1 / 9	0 / 10	0 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	0 / 9	0 / 10	0 / 2		0 / 1
Percentage of cycles resulting in live births (%)	17.2	1 / 9	0 / 10	0 / 2		0 / 1
Percentage of cycles resulting in pregnancies (%)	20.7	3 / 9	1 / 10	0 / 2		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	29	9	7	2	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.8	1 / 9	0 / 7	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	17.2	1 / 9	0 / 7	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 9	0 / 7	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	17.2	1 / 9	0 / 7	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	20.7	3 / 9	1 / 7	0 / 2		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	2	2	3	0	0
Number of transfers	10	2	2	3	0	0
Estimated average number of transfers per retrieval	2.0	2.0	2.0			
Average number of embryos transferred	2.5	1.5	2.5	2.3		
Percentage of embryos transferred resulting in implantation (%)	4.0	0 / 3	0 / 5	0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 10	0 / 2	0 / 2	0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 10	0 / 2	0 / 2	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 2	0 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	1 / 10	0 / 2	0 / 2	0 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 10	0 / 2	0 / 2	0 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			0		
Number of transfers	3			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3					
Percentage of transfers resulting in singleton live births (%)	0 / 3					
Percentage of transfers resulting in twin live births (%)	1 / 3					
Percentage of transfers resulting in live births (%)	1 / 3					
Percentage of transfers resulting in pregnancies (%)	1 / 3					

**CURRENT SERVICES & PROFILE**

Current Name: Peninsula Medical Center, John Nels Anderson, MD

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TROCHÉ FERTILITY CENTERS GLENDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Vladimir Troché, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	94%	Tubal factor	16%	Uterine factor	<1%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	17%	Male factor	72%
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	4%
				Endometriosis	9%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 242 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		61	25	24	21	4	1
Percentage of cancellations (%)		3.3	0.0	4.2	14.3	0 / 4	1 / 1
Average number of embryos transferred		2.0	2.2	2.6	3.4	2.7	
Percentage of embryos transferred resulting in implantation (%)		33.0	17.8	14.3	6.8	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)		11.3	0.0	0 / 16	0 / 12	0 / 2	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.2	16.0	4.2	14.3	1 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)		29.5	16.0	12.5	14.3	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)		11.5	8.0	4.2	0.0	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)		41.0	24.0	16.7	14.3	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)		44.3	32.0	25.0	14.3	1 / 4	0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		55	22	19	13	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.1	18.2	1 / 19	3 / 13	1 / 3	
Percentage of transfers resulting in singleton live births (%)		32.7	18.2	3 / 19	3 / 13	1 / 3	
Percentage of transfers resulting in twin live births (%)		12.7	9.1	1 / 19	0 / 13	0 / 3	
Percentage of transfers resulting in live births (%)		45.5	27.3	4 / 19	3 / 13	1 / 3	
Percentage of transfers resulting in pregnancies (%)		49.1	36.4	6 / 19	3 / 13	1 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		42	27	9	3	0	2
Number of transfers		36	24	8	3	0	2
Estimated average number of transfers per retrieval		2.8	3.4	2.7	1.0		
Average number of embryos transferred		1.8	1.9	2.0	1.7		1.5
Percentage of embryos transferred resulting in implantation (%)		23.1	15.2	0 / 16	0 / 5		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		16.7	25.0	0 / 8	0 / 3		0 / 2
Percentage of transfers resulting in singleton live births (%)		16.7	25.0	0 / 8	0 / 3		0 / 2
Percentage of transfers resulting in twin live births (%)		8.3	0.0	0 / 8	0 / 3		0 / 2
Percentage of transfers resulting in live births (%)		25.0	25.0	0 / 8	0 / 3		0 / 2
Percentage of transfers resulting in pregnancies (%)		33.3	25.0	0 / 8	0 / 3		0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		14			9		
Number of transfers		13			8		
Average number of embryos transferred		1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)		56.5			5 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 13			1 / 8		
Percentage of transfers resulting in singleton live births (%)		5 / 13			3 / 8		
Percentage of transfers resulting in twin live births (%)		4 / 13			0 / 8		
Percentage of transfers resulting in live births (%)		9 / 13			3 / 8		
Percentage of transfers resulting in pregnancies (%)		9 / 13			4 / 8		

CURRENT SERVICES & PROFILE		Current Name: Troché Fertility Centers					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Drew V. Moffitt, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	59%	Tubal factor	15%	Uterine factor	2%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	21%	Male factor	47%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	7%
				Endometriosis	6%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 327 (includes 13 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	37	38	23	10	2	0
Percentage of cancellations (%)	10.8	10.5	21.7	2 / 10	2 / 2	
Average number of embryos transferred	2.0	2.1	2.4	2.4		
Percentage of embryos transferred resulting in implantation (%)	33.9	17.2	16.3	1 / 19		
Percentage of elective single embryo transfers (eSET) (%)	20.0	10.7	0 / 16	0 / 6		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.3	18.4	21.7	1 / 10	0 / 2	
Percentage of cycles resulting in singleton live births (%)	29.7	21.1	21.7	1 / 10	0 / 2	
Percentage of cycles resulting in twin live births (%)	10.8	2.6	4.3	0 / 10	0 / 2	
Percentage of cycles resulting in live births (%)	40.5	23.7	26.1	1 / 10	0 / 2	
Percentage of cycles resulting in pregnancies (%)	43.2	23.7	26.1	1 / 10	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	32	31	18	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.1	22.6	5 / 18	1 / 8		
Percentage of transfers resulting in singleton live births (%)	34.4	25.8	5 / 18	1 / 8		
Percentage of transfers resulting in twin live births (%)	12.5	3.2	1 / 18	0 / 8		
Percentage of transfers resulting in live births (%)	46.9	29.0	6 / 18	1 / 8		
Percentage of transfers resulting in pregnancies (%)	50.0	29.0	6 / 18	1 / 8		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	59	33	21	7	6	2
Number of transfers	53	32	19	7	6	1
Estimated average number of transfers per retrieval	1.8	1.7	1.5	1.0	1.0	
Average number of embryos transferred	1.5	1.6	1.5	1.6	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	38.3	40.0	39.3	3 / 11	2 / 8	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.9	21.9	5 / 19	1 / 7	2 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	22.6	25.0	6 / 19	3 / 7	2 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	9.4	9.4	2 / 19	0 / 7	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	34.0	34.4	8 / 19	3 / 7	2 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.4	46.9	9 / 19	3 / 7	2 / 6	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	8	11	6	6	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	12			13		
Number of transfers	12			12		
Average number of embryos transferred	1.8			1.5		
Percentage of embryos transferred resulting in implantation (%)	52.4			8 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 12			3 / 12		
Percentage of transfers resulting in singleton live births (%)	4 / 12			4 / 12		
Percentage of transfers resulting in twin live births (%)	2 / 12			1 / 12		
Percentage of transfers resulting in live births (%)	6 / 12			5 / 12		
Percentage of transfers resulting in pregnancies (%)	7 / 12			8 / 12		

## CURRENT SERVICES & PROFILE

Current Name: Arizona Reproductive Medicine Specialists

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Sujatha Gunnala, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	61%	Tubal factor	16%	Uterine factor	10%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	10%	Male factor	30%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	19%
				Endometriosis	26%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 75 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	25	8	12	4	1	1
Percentage of cancellations (%)	0.0	0 / 8	2 / 12	0 / 4	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.5	2.4	3.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	35.9	25.0	0.0	0 / 9	0 / 2	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	0 / 8	0 / 7	0 / 3	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.0	3 / 8	0 / 12	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.0	3 / 8	0 / 12	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	8.0	1 / 8	0 / 12	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	36.0	4 / 8	0 / 12	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	36.0	4 / 8	0 / 12	0 / 4	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	20	8	10	3	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.0	3 / 8	0 / 10	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.0	3 / 8	0 / 10	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	10.0	1 / 8	0 / 10	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	45.0	4 / 8	0 / 10	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.0	4 / 8	0 / 10	0 / 3	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	3	2	1	0	0
Number of transfers	4	3	1	1	0	0
Estimated average number of transfers per retrieval	0.8		0.3	1.0		
Average number of embryos transferred	1.8	2.0	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 7	3 / 6	0 / 1	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 4	1 / 3	0 / 1	1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 4	1 / 3	0 / 1	1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 4	1 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 4	2 / 3	0 / 1	1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 3	0 / 1	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	3	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			1		
Number of transfers	5			1		
Average number of embryos transferred	2.2			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 11			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5			1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 5			1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 5			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 5			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 5			1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Southwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED FERTILITY CARE SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2013 ART CYCLE PROFILE

Data verified by Frederick W. Larsen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	69%	Tubal factor	19%	Uterine factor	21%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	10%	Male factor	54%
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	5%
				Endometriosis	8%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

### 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 292 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	100	43	24	9	2	0
Percentage of cancellations (%)	4.0	7.0	16.7	2 / 9	0 / 2	
Average number of embryos transferred	1.6	1.6	2.1	2.5	2.5	
Percentage of embryos transferred resulting in implantation (%)	44.6	35.3	20.0	1 / 15	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	35.4	36.7	0 / 18	0 / 6	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.0	25.6	12.5	1 / 9	0 / 2	
Percentage of cycles resulting in singleton live births (%)	33.0	30.2	12.5	1 / 9	0 / 2	
Percentage of cycles resulting in twin live births (%)	10.0	4.7	4.2	0 / 9	0 / 2	
Percentage of cycles resulting in live births (%)	43.0	34.9	16.7	1 / 9	0 / 2	
Percentage of cycles resulting in pregnancies (%)	49.0	37.2	29.2	1 / 9	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	82	31	18	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.1	35.5	3 / 18	1 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	40.2	41.9	3 / 18	1 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.2	6.5	1 / 18	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	52.4	48.4	4 / 18	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	59.8	51.6	7 / 18	1 / 6	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	38	21	9	1	0	0
Number of transfers	38	21	9	1	0	0
Estimated average number of transfers per retrieval	2.0	1.6	2.3	1.0		
Average number of embryos transferred	1.6	1.7	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	38.5	48.6	9 / 14	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.9	33.3	3 / 9	0 / 1		
Percentage of transfers resulting in singleton live births (%)	31.6	38.1	3 / 9	0 / 1		
Percentage of transfers resulting in twin live births (%)	7.9	9.5	1 / 9	0 / 1		
Percentage of transfers resulting in live births (%)	39.5	47.6	4 / 9	0 / 1		
Percentage of transfers resulting in pregnancies (%)	52.6	61.9	6 / 9	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	4	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	14			25		
Number of transfers	13			23		
Average number of embryos transferred	1.5			1.5		
Percentage of embryos transferred resulting in implantation (%)	70.0			31.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 13			34.8		
Percentage of transfers resulting in singleton live births (%)	5 / 13			43.5		
Percentage of transfers resulting in twin live births (%)	2 / 13			0.0		
Percentage of transfers resulting in live births (%)	7 / 13			43.5		
Percentage of transfers resulting in pregnancies (%)	10 / 13			52.2		

### CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Ketan S. Patel, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	69%	Tubal factor	5%	Uterine factor	2%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	7%	Male factor	34%
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	6%
				Endometriosis	4%	Unknown factor	22%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 297 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	70	41	25	13	4	3
Percentage of cancellations (%)	8.6	19.5	12.0	1 / 13	2 / 4	2 / 3
Average number of embryos transferred	1.8	1.9	2.3	2.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	45.6	28.3	26.7	39.3	1 / 4	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	14.5	7.4	1 / 19	0 / 10	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	9.8	28.0	3 / 13	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	31.4	14.6	32.0	3 / 13	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	14.3	9.8	4.0	1 / 13	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	45.7	24.4	36.0	4 / 13	0 / 4	0 / 3
Percentage of cycles resulting in pregnancies (%)	51.4	29.3	48.0	7 / 13	1 / 4	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	57	31	21	10	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.1	12.9	33.3	3 / 10	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.6	19.4	38.1	3 / 10	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	17.5	12.9	4.8	1 / 10	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	56.1	32.3	42.9	4 / 10	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	63.2	38.7	57.1	7 / 10	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	41	20	15	5	1	0
Number of transfers	41	20	14	5	1	0
Estimated average number of transfers per retrieval	1.2	1.3	0.9	0.8	1.0	
Average number of embryos transferred	1.9	1.6	1.9	3.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	49.3	50.0	48.1	2 / 15	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.5	30.0	3 / 14	1 / 5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	51.2	40.0	5 / 14	1 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)	14.6	10.0	3 / 14	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	65.9	50.0	8 / 14	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	73.2	70.0	9 / 14	1 / 5	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	18	8	14	5	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	11			2		
Number of transfers	11			2		
Average number of embryos transferred	1.5			1.5		
Percentage of embryos transferred resulting in implantation (%)	10 / 16			2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 11			0 / 2		
Percentage of transfers resulting in singleton live births (%)	7 / 11			0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 11			1 / 2		
Percentage of transfers resulting in live births (%)	8 / 11			1 / 2		
Percentage of transfers resulting in pregnancies (%)	8 / 11			1 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARIZONA CENTER FOR FERTILITY STUDIES SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Jay S. Nemiro, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	100%	Tubal factor	15%	Uterine factor	4%
Unstimulated	0%	Used PGD	25%	Ovulatory dysfunction	14%	Male factor	24%
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	15%
				Endometriosis	9%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 226 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	1	0	0	0	0
Percentage of cancellations (%)	0 / 3	0 / 1				
Average number of embryos transferred	2.0	3.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 6	0 / 3				
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 1				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 3	0 / 1				
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 1				
Percentage of cycles resulting in live births (%)	1 / 3	0 / 1				
Percentage of cycles resulting in pregnancies (%)	1 / 3	0 / 1				
<b>Outcomes per Transfer</b>						
Number of transfers	3	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 1				
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 3	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 3	0 / 1				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	30	14	6	5	4	3
Number of transfers	30	14	6	5	4	3
Estimated average number of transfers per retrieval	0.8	0.5	0.2	0.3	0.2	0.2
Average number of embryos transferred	2.0	1.6	1.7	2.0	1.5	2.7
Percentage of embryos transferred resulting in implantation (%)	55.9	52.2	4 / 10	3 / 10	4 / 6	2 / 8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	4 / 14	2 / 6	1 / 5	4 / 4	1 / 3
Percentage of transfers resulting in singleton live births (%)	36.7	5 / 14	2 / 6	1 / 5	4 / 4	1 / 3
Percentage of transfers resulting in twin live births (%)	26.7	2 / 14	1 / 6	0 / 5	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	63.3	7 / 14	3 / 6	1 / 5	4 / 4	1 / 3
Percentage of transfers resulting in pregnancies (%)	76.7	9 / 14	3 / 6	3 / 5	4 / 4	1 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	35	28	30	20	18	16
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			11		
Number of transfers	2			11		
Average number of embryos transferred	1.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 3			54.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			2 / 11		
Percentage of transfers resulting in singleton live births (%)	0 / 2			4 / 11		
Percentage of transfers resulting in twin live births (%)	1 / 2			3 / 11		
Percentage of transfers resulting in live births (%)	1 / 2			7 / 11		
Percentage of transfers resulting in pregnancies (%)	2 / 2			8 / 11		

## CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Fertility Studies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



## FERTILITY CENTERS OF ARIZONA SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2013 ART CYCLE PROFILE

Data verified by Daniel F. Rychlik, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	100%	Tubal factor	18%	Uterine factor	0%
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	8%	Male factor	14%
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	2%
				Endometriosis	4%	Unknown factor	31%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

### 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 53 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	6	5	1	1	0
Percentage of cancellations (%)	0 / 19	0 / 6	0 / 5	0 / 1	0 / 1	
Average number of embryos transferred	2.0	2.3	2.5	2.0	5.0	
Percentage of embryos transferred resulting in implantation (%)	44.1	1 / 7	1 / 5	2 / 2	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	0 / 16	0 / 3	0 / 1	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 19	0 / 6	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	6 / 19	1 / 6	1 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	4 / 19	0 / 6	0 / 5	1 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	10 / 19	1 / 6	1 / 5	1 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	10 / 19	1 / 6	1 / 5	1 / 1	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	17	3	2	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 17	0 / 3	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 17	1 / 3	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	4 / 17	0 / 3	0 / 2	1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	10 / 17	1 / 3	1 / 2	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	10 / 17	1 / 3	1 / 2	1 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	4	6	0	0	0
Number of transfers	7	4	6	0	0	0
Estimated average number of transfers per retrieval	3.5	4.0	1.2			
Average number of embryos transferred	1.9	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	7 / 13	4 / 7	4 / 12			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7	0 / 4	0 / 6			
Percentage of transfers resulting in singleton live births (%)	3 / 7	1 / 4	4 / 6			
Percentage of transfers resulting in twin live births (%)	2 / 7	1 / 4	0 / 6			
Percentage of transfers resulting in live births (%)	5 / 7	2 / 4	4 / 6			
Percentage of transfers resulting in pregnancies (%)	5 / 7	2 / 4	4 / 6			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				1 / 2		

### CURRENT SERVICES & PROFILE

**Current Name:** This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVF PHOENIX SCOTTSDALE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by John L. Couvaras, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	78%	Tubal factor	16%	Uterine factor	10%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	2%	Male factor	48%
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	9%
				Endometriosis	0%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 104 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	21	5	11	5	5	3
Percentage of cancellations (%)	9.5	0 / 5	1 / 11	2 / 5	4 / 5	1 / 3
Average number of embryos transferred	1.5	2.0	1.8	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 19	4 / 10	3 / 16	0 / 4	0 / 3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	6 / 13	0 / 5	1 / 8	0 / 2	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	0 / 5	2 / 11	0 / 5	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	23.8	0 / 5	3 / 11	0 / 5	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	4.8	1 / 5	0 / 11	0 / 5	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	28.6	1 / 5	3 / 11	0 / 5	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	33.3	2 / 5	3 / 11	0 / 5	0 / 5	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	13	5	9	2	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 13	0 / 5	2 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 13	0 / 5	3 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 5	0 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	6 / 13	1 / 5	3 / 9	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 13	2 / 5	3 / 9	0 / 2	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	5	7	1	1	0
Number of transfers	15	5	6	1	1	0
Estimated average number of transfers per retrieval	1.2	1.7	1.0			
Average number of embryos transferred	1.3	1.8	2.3	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	25.0	0 / 6	2 / 14	0 / 1	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 15	0 / 5	1 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 15	0 / 5	2 / 6	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 5	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 15	0 / 5	2 / 6	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 15	2 / 5	2 / 6	0 / 1	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	0	4	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			8		
Number of transfers	4			8		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 6			2 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4			0 / 8		
Percentage of transfers resulting in singleton live births (%)	1 / 4			1 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 8		
Percentage of transfers resulting in live births (%)	1 / 4			1 / 8		
Percentage of transfers resulting in pregnancies (%)	4 / 4			2 / 8		

## CURRENT SERVICES & PROFILE

Current Name: IVF Phoenix

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY TREATMENT CENTER TEMPE, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Randall Craig, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	97%	Tubal factor	4%	Uterine factor	8%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	79%	Male factor	2%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	19%
				Endometriosis	14%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				46%			
				1%			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 763 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	16	3	7	1	3	0
Percentage of cancellations (%)	0 / 16	0 / 3	0 / 7	1 / 1	0 / 3	
Average number of embryos transferred	2.1	2.3	1.9		1.0	
Percentage of embryos transferred resulting in implantation (%)	24.2	2 / 7	0 / 13		0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	2 / 16	0 / 3	1 / 6		1 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 16	0 / 3	0 / 7	0 / 1	0 / 3	
Percentage of cycles resulting in singleton live births (%)	3 / 16	0 / 3	0 / 7	0 / 1	0 / 3	
Percentage of cycles resulting in twin live births (%)	2 / 16	1 / 3	0 / 7	0 / 1	0 / 3	
Percentage of cycles resulting in live births (%)	5 / 16	1 / 3	0 / 7	0 / 1	0 / 3	
Percentage of cycles resulting in pregnancies (%)	5 / 16	1 / 3	0 / 7	0 / 1	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	16	3	7	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 16	0 / 3	0 / 7		0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 16	0 / 3	0 / 7		0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 16	1 / 3	0 / 7		0 / 2	
Percentage of transfers resulting in live births (%)	5 / 16	1 / 3	0 / 7		0 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 16	1 / 3	0 / 7		0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	140	61	61	25	20	1
Number of transfers	131	58	59	23	19	1
Estimated average number of transfers per retrieval	1.0	0.8	0.8	0.4	0.6	0.1
Average number of embryos transferred	2.2	2.3	2.5	2.6	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	37.3	30.1	19.7	24.1	18.9	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.2	17.2	15.3	17.4	2 / 19	0 / 1
Percentage of transfers resulting in singleton live births (%)	32.1	27.6	23.7	17.4	2 / 19	0 / 1
Percentage of transfers resulting in twin live births (%)	14.5	6.9	5.1	8.7	1 / 19	0 / 1
Percentage of transfers resulting in live births (%)	49.6	34.5	30.5	26.1	3 / 19	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.8	55.2	42.4	52.2	8 / 19	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	122	76	70	56	30	13
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	15			43		
Number of transfers	13			41		
Average number of embryos transferred	2.2			2.6		
Percentage of embryos transferred resulting in implantation (%)	71.4			38.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13			22.0		
Percentage of transfers resulting in singleton live births (%)	5 / 13			36.6		
Percentage of transfers resulting in twin live births (%)	5 / 13			14.6		
Percentage of transfers resulting in live births (%)	10 / 13			56.1		
Percentage of transfers resulting in pregnancies (%)	12 / 13			68.3		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Treatment Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Timothy J. Gelety, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	52%	Tubal factor	17%	Uterine factor	9%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	12%	Male factor	17%
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	2%
				Endometriosis	51%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 304 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	82	28	41	26	9	9
Percentage of cancellations (%)	0.0	0.0	0.0	0.0	1 / 9	2 / 9
Average number of embryos transferred	2.7	2.7	3.0	3.7	3.7	1.3
Percentage of embryos transferred resulting in implantation (%)	36.2	30.6	18.2	11.3	9.1	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0.0	0 / 6	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.5	25.0	14.6	11.5	1 / 9	0 / 9
Percentage of cycles resulting in singleton live births (%)	37.8	32.1	22.0	19.2	1 / 9	0 / 9
Percentage of cycles resulting in twin live births (%)	17.1	7.1	9.8	3.8	0 / 9	0 / 9
Percentage of cycles resulting in live births (%)	56.1	39.3	31.7	23.1	1 / 9	0 / 9
Percentage of cycles resulting in pregnancies (%)	65.9	57.1	41.5	38.5	2 / 9	0 / 9
<b>Outcomes per Transfer</b>						
Number of transfers	75	24	40	26	6	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	29.2	15.0	11.5	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	41.3	37.5	22.5	19.2	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	18.7	8.3	10.0	3.8	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	61.3	45.8	32.5	23.1	1 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	72.0	66.7	42.5	38.5	2 / 6	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	45	23	5	6	3	0
Number of transfers	45	22	5	6	3	0
Estimated average number of transfers per retrieval	2.3	2.4	2.5	2.0	3.0	
Average number of embryos transferred	2.7	2.7	2.6	3.3	2.7	
Percentage of embryos transferred resulting in implantation (%)	19.0	13.6	4 / 13	10.0	0 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.6	27.3	3 / 5	2 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	17.8	36.4	4 / 5	2 / 6	0 / 3	
Percentage of transfers resulting in twin live births (%)	6.7	0.0	0 / 5	0 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	26.7	36.4	4 / 5	2 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	37.8	36.4	4 / 5	2 / 6	0 / 3	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			16		
Number of transfers	8			16		
Average number of embryos transferred	2.6			3.1		
Percentage of embryos transferred resulting in implantation (%)	28.6			10.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 8			2 / 16		
Percentage of transfers resulting in singleton live births (%)	0 / 8			3 / 16		
Percentage of transfers resulting in twin live births (%)	2 / 8			0 / 16		
Percentage of transfers resulting in live births (%)	2 / 8			3 / 16		
Percentage of transfers resulting in pregnancies (%)	3 / 8			5 / 16		

## CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ARIZONA REPRODUCTIVE INSTITUTE  
TUCSON, ARIZONA**

---

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.



# REPRODUCTIVE HEALTH CENTER TUCSON, ARIZONA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Scot M. Hutchison, MD						
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>						
IVF	100%	With ICSI	79%	Tubal factor	17%	Uterine factor	7%	Multiple Factors:		
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	51%	Female factors only		6%
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	14%	Female & male factors		24%
				Endometriosis	17%	Unknown factor	6%			
2013 ART SUCCESS RATES <sup>c</sup>				Total number of cycles <sup>d</sup> : 295 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				21	6	6	0	1	0	
Percentage of cancellations (%)				9.5	2 / 6	3 / 6		0 / 1		
Average number of embryos transferred				1.3	2.0	1.7		2.0		
Percentage of embryos transferred resulting in implantation (%)				8 / 16	0 / 8	1 / 3		0 / 2		
Percentage of elective single embryo transfers (eSET) (%)				6 / 10	0 / 4	0 / 2		0 / 1		
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)				23.8	0 / 6	1 / 6		0 / 1		
Percentage of cycles resulting in singleton live births (%)				23.8	0 / 6	1 / 6		0 / 1		
Percentage of cycles resulting in twin live births (%)				4.8	0 / 6	0 / 6		0 / 1		
Percentage of cycles resulting in live births (%)				28.6	0 / 6	1 / 6		0 / 1		
Percentage of cycles resulting in pregnancies (%)				33.3	0 / 6	2 / 6		0 / 1		
Outcomes per Transfer										
Number of transfers				12	4	3	0	1	0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				5 / 12	0 / 4	1 / 3		0 / 1		
Percentage of transfers resulting in singleton live births (%)				5 / 12	0 / 4	1 / 3		0 / 1		
Percentage of transfers resulting in twin live births (%)				1 / 12	0 / 4	0 / 3		0 / 1		
Percentage of transfers resulting in live births (%)				6 / 12	0 / 4	1 / 3		0 / 1		
Percentage of transfers resulting in pregnancies (%)				7 / 12	0 / 4	2 / 3		0 / 1		
Frozen Embryos from Nondonor Eggs										
Number of cycles				65	37	25	7	3	0	
Number of transfers				64	37	25	7	3	0	
Estimated average number of transfers per retrieval				1.4	2.3	1.5	3.5			
Average number of embryos transferred				1.5	1.3	1.5	1.6	1.0		
Percentage of embryos transferred resulting in implantation (%)				46.3	25.0	18.8	0 / 11	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				28.1	21.6	24.0	0 / 7	0 / 3		
Percentage of transfers resulting in singleton live births (%)				34.4	27.0	24.0	0 / 7	1 / 3		
Percentage of transfers resulting in twin live births (%)				9.4	0.0	0.0	0 / 7	0 / 3		
Percentage of transfers resulting in live births (%)				43.8	27.0	24.0	0 / 7	1 / 3		
Percentage of transfers resulting in pregnancies (%)				62.5	40.5	36.0	0 / 7	1 / 3		
Number of Egg/Embryo Banking Cycles				42	13	14	2	0	0	
Donor Eggs				Fresh Embryos <sup>f</sup>			Frozen Embryos <sup>f</sup>			
Number of cycles				20			33			
Number of transfers				18			33			
Average number of embryos transferred				1.4			1.5			
Percentage of embryos transferred resulting in implantation (%)				57.7			25.5			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				8 / 18			24.2			
Percentage of transfers resulting in singleton live births (%)				9 / 18			30.3			
Percentage of transfers resulting in twin live births (%)				1 / 18			0.0			
Percentage of transfers resulting in live births (%)				10 / 18			30.3			
Percentage of transfers resulting in pregnancies (%)				13 / 18			39.4			

CURRENT SERVICES & PROFILE				Current Name: Reproductive Health Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARKANSAS FERTILITY CENTER LITTLE ROCK FERTILITY CENTER LITTLE ROCK, ARKANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Dean M. Moutos, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	48%	Tubal factor	18%	Uterine factor	1%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	15%	Male factor	21%
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	3%
				Endometriosis	10%	Unknown factor	30%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 288 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	115	35	23	4	4	0
Percentage of cancellations (%)	3.5	2.9	0.0	0 / 4	1 / 4	
Average number of embryos transferred	1.7	2.3	2.1	1.7	4.0	
Percentage of embryos transferred resulting in implantation (%)	39.1	31.7	22.2	0 / 5	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	21.7	3.7	0 / 19	0 / 2	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.6	20.0	13.0	0 / 4	0 / 4	
Percentage of cycles resulting in singleton live births (%)	33.9	25.7	26.1	0 / 4	1 / 4	
Percentage of cycles resulting in twin live births (%)	7.0	14.3	4.3	0 / 4	0 / 4	
Percentage of cycles resulting in live births (%)	42.6	40.0	30.4	0 / 4	1 / 4	
Percentage of cycles resulting in pregnancies (%)	47.8	42.9	34.8	0 / 4	1 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	104	27	21	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.7	25.9	14.3	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.5	33.3	28.6	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	7.7	18.5	4.8	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	47.1	51.9	33.3	0 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	52.9	55.6	38.1	0 / 3	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	41	22	10	7	0	0
Number of transfers	41	22	8	7	0	0
Estimated average number of transfers per retrieval	2.2	5.5	8.0			
Average number of embryos transferred	1.7	1.6	1.3	2.1		
Percentage of embryos transferred resulting in implantation (%)	17.1	11.4	2 / 7	1 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.5	4.5	1 / 8	1 / 7		
Percentage of transfers resulting in singleton live births (%)	24.4	9.1	2 / 8	1 / 7		
Percentage of transfers resulting in twin live births (%)	2.4	4.5	0 / 8	0 / 7		
Percentage of transfers resulting in live births (%)	26.8	13.6	2 / 8	1 / 7		
Percentage of transfers resulting in pregnancies (%)	29.3	13.6	4 / 8	1 / 7		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	12			11		
Number of transfers	10			9		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	13 / 19			5 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 10			3 / 9		
Percentage of transfers resulting in singleton live births (%)	4 / 10			3 / 9		
Percentage of transfers resulting in twin live births (%)	3 / 10			1 / 9		
Percentage of transfers resulting in live births (%)	7 / 10			4 / 9		
Percentage of transfers resulting in pregnancies (%)	8 / 10			4 / 9		

## CURRENT SERVICES & PROFILE

Current Name: Arkansas Fertility Center, Little Rock Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Anita P. Singh, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	35%	Tubal factor	17%	Uterine factor	0%
Unstimulated	0%	Used PGD	18%	Ovulatory dysfunction	13%	Male factor	30%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	17%
				Endometriosis	4%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 24 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	8	4	2	1	2	0
Percentage of cancellations (%)	0 / 8	0 / 4	0 / 2	0 / 1	0 / 2	
Average number of embryos transferred	1.3	2.0	1.5	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 10	3 / 4	2 / 3	1 / 2	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	6 / 8	0 / 2	0 / 1	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8	1 / 4	0 / 2	0 / 1	1 / 2	
Percentage of cycles resulting in singleton live births (%)	4 / 8	1 / 4	0 / 2	0 / 1	1 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 8	1 / 4	1 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	4 / 8	2 / 4	1 / 2	0 / 1	1 / 2	
Percentage of cycles resulting in pregnancies (%)	4 / 8	2 / 4	1 / 2	1 / 1	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	8	2	2	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8	1 / 2	0 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 8	1 / 2	0 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 2	1 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 8	2 / 2	1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 8	2 / 2	1 / 2	1 / 1	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	1	0	0	0	0
Number of transfers	3	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0	1.0				
Average number of embryos transferred	1.7	1.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 5	0 / 1				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 3	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 3	0 / 1				
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	1.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: LifeStart Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Ryszard J. Chetkowski, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	84%	Tubal factor	2%	Uterine factor	5%
Unstimulated	2%	Used PGD	5%	Ovulatory dysfunction	15%	Male factor	31%
Used gestational carrier	4%			Diminished ovarian reserve	45%	Other factor	15%
				Endometriosis	3%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 146 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	15	11	11	15	3	2
Percentage of cancellations (%)	0 / 15	1 / 11	3 / 11	3 / 15	0 / 3	0 / 2
Average number of embryos transferred	1.8	1.9	2.6	3.4	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	4.3	3 / 17	9.5	17.6	0 / 5	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	4 / 13	2 / 8	0 / 7	0 / 7	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 15	0 / 11	2 / 11	2 / 15	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 15	1 / 11	2 / 11	2 / 15	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 15	1 / 11	0 / 11	2 / 15	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	1 / 15	2 / 11	2 / 11	4 / 15	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	1 / 15	2 / 11	2 / 11	4 / 15	0 / 3	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	13	9	8	10	2	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 13	0 / 9	2 / 8	2 / 10	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 13	1 / 9	2 / 8	2 / 10	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 13	1 / 9	0 / 8	2 / 10	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	1 / 13	2 / 9	2 / 8	4 / 10	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 13	2 / 9	2 / 8	4 / 10	0 / 2	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	13	3	3	1	0
Number of transfers	16	13	3	3	1	0
Estimated average number of transfers per retrieval	1.0	1.3			0.5	
Average number of embryos transferred	1.9	1.7	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	27.3	2 / 7	2 / 6	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 16	2 / 13	1 / 3	2 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	9 / 16	2 / 13	1 / 3	2 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 16	2 / 13	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	9 / 16	4 / 13	1 / 3	2 / 3	1 / 1	
Percentage of transfers resulting in pregnancies (%)	11 / 16	4 / 13	2 / 3	2 / 3	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	8	6	0	0	2	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	16			20		
Number of transfers	14			17		
Average number of embryos transferred	1.7			1.7		
Percentage of embryos transferred resulting in implantation (%)	33.3			31.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 14			4 / 17		
Percentage of transfers resulting in singleton live births (%)	7 / 14			5 / 17		
Percentage of transfers resulting in twin live births (%)	0 / 14			1 / 17		
Percentage of transfers resulting in live births (%)	7 / 14			6 / 17		
Percentage of transfers resulting in pregnancies (%)	9 / 14			7 / 17		

## CURRENT SERVICES & PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BEVERLY HILLS REPRODUCTIVE FERTILITY CENTER

## CENTER FOR REPRODUCTION

### BEVERLY HILLS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Peyman Saadat, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	>99%	With ICSI	96%	Tubal factor	13%	Uterine factor	4%
Unstimulated	1%	Used PGD	7%	Ovulatory dysfunction	9%	Male factor	35%
Used gestational carrier	2%			Diminished ovarian reserve	49%	Other factor	14%
				Endometriosis	5%	Unknown factor	5%
						Multiple Factors:	
						Female factors only	8%
						Female & male factors	19%

  

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 378 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		69	44	51	27	18	15
Percentage of cancellations (%)		0.0	0.0	2.0	0.0	0 / 18	0 / 15
Average number of embryos transferred		2.6	2.8	2.8	2.4	3.1	2.4
Percentage of embryos transferred resulting in implantation (%)		34.7	31.0	23.3	18.8	4.4	0.0
Percentage of elective single embryo transfers (eSET) (%)		0.0	0.0	2.2	0 / 18	0 / 11	0 / 8
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.0	29.5	23.5	14.8	1 / 18	0 / 15
Percentage of cycles resulting in singleton live births (%)		36.2	36.4	31.4	18.5	1 / 18	0 / 15
Percentage of cycles resulting in twin live births (%)		13.0	15.9	9.8	3.7	0 / 18	0 / 15
Percentage of cycles resulting in live births (%)		53.6	52.3	41.2	22.2	1 / 18	0 / 15
Percentage of cycles resulting in pregnancies (%)		60.9	59.1	51.0	48.1	3 / 18	0 / 15
<b>Outcomes per Transfer</b>							
Number of transfers		69	43	48	25	15	13
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.0	30.2	25.0	16.0	1 / 15	0 / 13
Percentage of transfers resulting in singleton live births (%)		36.2	37.2	33.3	20.0	1 / 15	0 / 13
Percentage of transfers resulting in twin live births (%)		13.0	16.3	10.4	4.0	0 / 15	0 / 13
Percentage of transfers resulting in live births (%)		53.6	53.5	43.8	24.0	1 / 15	0 / 13
Percentage of transfers resulting in pregnancies (%)		60.9	60.5	54.2	52.0	3 / 15	0 / 13
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		22	13	15	4	4	3
Number of transfers		22	13	15	4	4	3
Estimated average number of transfers per retrieval		1.2	0.9	0.6	0.3	0.3	0.3
Average number of embryos transferred		2.6	2.3	3.1	2.0	3.0	2.3
Percentage of embryos transferred resulting in implantation (%)		37.3	25.0	22.7	0 / 8	1 / 12	0 / 7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		22.7	1 / 13	3 / 15	0 / 4	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)		22.7	2 / 13	4 / 15	0 / 4	1 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)		27.3	0 / 13	2 / 15	0 / 4	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)		50.0	3 / 13	6 / 15	0 / 4	1 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)		68.2	6 / 13	8 / 15	0 / 4	1 / 4	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>		12	11	13	9	9	9
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		19			9		
Number of transfers		19			9		
Average number of embryos transferred		2.1			2.1		
Percentage of embryos transferred resulting in implantation (%)		59.0			7 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 19			3 / 9		
Percentage of transfers resulting in singleton live births (%)		6 / 19			4 / 9		
Percentage of transfers resulting in twin live births (%)		7 / 19			1 / 9		
Percentage of transfers resulting in live births (%)		13 / 19			5 / 9		
Percentage of transfers resulting in pregnancies (%)		15 / 19			5 / 9		

CURRENT SERVICES & PROFILE		Current Name: Beverly Hills Reproductive Fertility Center, Center for Reproduction					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY  
(CRH&G)  
BEVERLY HILLS, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2013 ART CYCLE PROFILE**

Data verified by Sam Najmabadi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	53%	Tubal factor	22%	Uterine factor	0%
Unstimulated	0%	Used PGD	30%	Ovulatory dysfunction	3%	Male factor	51%
Used gestational carrier	1%			Diminished ovarian reserve	49%	Other factor	32%
				Endometriosis	2%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				18%			
				35%			

**2013 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 142 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	14	12	24	11	7	5
Percentage of cancellations (%)	0 / 14	0 / 12	12.5	2 / 11	2 / 7	2 / 5
Average number of embryos transferred	1.9	2.0	2.3	1.4	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	50.0	32.6	4 / 13	1 / 4	1 / 2
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	1 / 10	0 / 18	1 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 14	5 / 12	33.3	1 / 11	0 / 7	1 / 5
Percentage of cycles resulting in singleton live births (%)	6 / 14	5 / 12	33.3	1 / 11	0 / 7	1 / 5
Percentage of cycles resulting in twin live births (%)	3 / 14	2 / 12	8.3	1 / 11	0 / 7	0 / 5
Percentage of cycles resulting in live births (%)	9 / 14	7 / 12	41.7	2 / 11	0 / 7	1 / 5
Percentage of cycles resulting in pregnancies (%)	10 / 14	8 / 12	54.2	3 / 11	1 / 7	1 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	14	11	20	9	2	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 14	5 / 11	40.0	1 / 9	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 14	5 / 11	40.0	1 / 9	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	3 / 14	2 / 11	10.0	1 / 9	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	9 / 14	7 / 11	50.0	2 / 9	0 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	10 / 14	8 / 11	65.0	3 / 9	1 / 2	1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	2	3	5	0	0
Number of transfers	5	2	3	4	0	0
Estimated average number of transfers per retrieval	0.6	0.1	0.4	0.7	0.0	0.0
Average number of embryos transferred	2.0	1.5	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 10	1 / 3	2 / 6	1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 5	1 / 2	2 / 3	1 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 5	1 / 2	2 / 3	1 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 2	0 / 3	0 / 4		
Percentage of transfers resulting in live births (%)	4 / 5	1 / 2	2 / 3	1 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 5	1 / 2	2 / 3	1 / 4		
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	13	5	5	6	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	11			6		
Number of transfers	11			5		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	52.4			3 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 11			2 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 11			3 / 5		
Percentage of transfers resulting in twin live births (%)	4 / 11			0 / 5		
Percentage of transfers resulting in live births (%)	7 / 11			3 / 5		
Percentage of transfers resulting in pregnancies (%)	7 / 11			3 / 5		

**CURRENT SERVICES & PROFILE**

Current Name: Center for Reproductive Health & Gynecology, (CRH&G)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Mark W. Surrey, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	63%	Tubal factor	6%	Uterine factor	5%
Unstimulated	0%	Used PGD	39%	Ovulatory dysfunction	10%	Male factor	21%
Used gestational carrier	4%			Diminished ovarian reserve	41%	Other factor	10%
				Endometriosis	6%	Unknown factor	13%
						Multiple Factors:	
						Female factors only	4%
						Female & male factors	7%

  

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 529 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		47	28	73	33	14	5
Percentage of cancellations (%)		0.0	3.6	12.3	3.0	1 / 14	0 / 5
Average number of embryos transferred		1.5	1.8	1.8	2.3	2.5	5.0
Percentage of embryos transferred resulting in implantation (%)		81.1	36.0	41.2	5 / 16	4 / 15	1 / 5
Percentage of elective single embryo transfers (eSET) (%)		40.9	4 / 13	9.5	0 / 5	0 / 4	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		21.3	25.0	13.7	3.0	2 / 14	0 / 5
Percentage of cycles resulting in singleton live births (%)		25.5	25.0	17.8	3.0	2 / 14	0 / 5
Percentage of cycles resulting in twin live births (%)		14.9	3.6	2.7	0.0	1 / 14	0 / 5
Percentage of cycles resulting in live births (%)		40.4	28.6	21.9	3.0	3 / 14	0 / 5
Percentage of cycles resulting in pregnancies (%)		46.8	28.6	23.3	12.1	3 / 14	1 / 5
<b>Outcomes per Transfer</b>							
Number of transfers		24	14	28	7	6	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		41.7	7 / 14	35.7	1 / 7	2 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)		50.0	7 / 14	46.4	1 / 7	2 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)		29.2	1 / 14	7.1	0 / 7	1 / 6	0 / 1
Percentage of transfers resulting in live births (%)		79.2	8 / 14	57.1	1 / 7	3 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)		91.7	8 / 14	60.7	4 / 7	3 / 6	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		37	35	47	26	4	0
Number of transfers		37	35	44	25	4	0
Estimated average number of transfers per retrieval		1.0	0.5	0.7	0.8	0.4	
Average number of embryos transferred		1.4	1.3	1.3	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)		74.0	46.8	73.7	43.2	4 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		56.8	34.3	43.2	40.0	1 / 4	
Percentage of transfers resulting in singleton live births (%)		64.9	42.9	54.5	48.0	1 / 4	
Percentage of transfers resulting in twin live births (%)		10.8	5.7	11.4	4.0	1 / 4	
Percentage of transfers resulting in live births (%)		78.4	48.6	65.9	52.0	2 / 4	
Percentage of transfers resulting in pregnancies (%)		81.1	57.1	77.3	56.0	3 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>							
		15	56	33	7	9	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		40			20		
Number of transfers		36			20		
Average number of embryos transferred		1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)		66.7			53.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		61.1			35.0		
Percentage of transfers resulting in singleton live births (%)		72.2			55.0		
Percentage of transfers resulting in twin live births (%)		8.3			5.0		
Percentage of transfers resulting in live births (%)		80.6			60.0		
Percentage of transfers resulting in pregnancies (%)		80.6			65.0		

CURRENT SERVICES & PROFILE				Current Name: Southern California Reproductive Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by C. Terence Lee, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	63%	Tubal factor	18%	Uterine factor	2%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	8%	Male factor	21%
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	11%
				Endometriosis	<1%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 179 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	10	8	16	7	2	0
Percentage of cancellations (%)	2 / 10	0 / 8	5 / 16	5 / 7	1 / 2	
Average number of embryos transferred	1.9	2.4	2.5	3.5	4.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 13	5 / 19	16.0	0 / 7	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 8	1 / 10	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10	2 / 8	0 / 16	0 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	3 / 10	4 / 8	0 / 16	0 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 8	2 / 16	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	4 / 10	4 / 8	2 / 16	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	5 / 10	5 / 8	2 / 16	0 / 7	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	7	8	10	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7	2 / 8	0 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	4 / 8	0 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 8	2 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 7	4 / 8	2 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 7	5 / 8	2 / 10	0 / 2	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	18	17	5	0	2
Number of transfers	24	17	17	5	0	1
Estimated average number of transfers per retrieval	1.6	2.4	0.7	1.0	0.0	0.2
Average number of embryos transferred	1.4	1.9	2.0	1.4		2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	51.9	41.2	1 / 3		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.5	4 / 17	6 / 17	0 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	41.7	5 / 17	6 / 17	1 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	2 / 17	3 / 17	0 / 5		0 / 1
Percentage of transfers resulting in live births (%)	54.2	8 / 17	9 / 17	1 / 5		0 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	12 / 17	10 / 17	4 / 5		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	6	19	5	2	5
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	5			17		
Number of transfers	3			15		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 3			9 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3			4 / 15		
Percentage of transfers resulting in singleton live births (%)	2 / 3			5 / 15		
Percentage of transfers resulting in twin live births (%)	0 / 3			2 / 15		
Percentage of transfers resulting in live births (%)	2 / 3			7 / 15		
Percentage of transfers resulting in pregnancies (%)	3 / 3			10 / 15		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Care of Orange County

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTRAL CALIFORNIA IVF PROGRAM WOMEN'S SPECIALTY AND FERTILITY CENTER CLOVIS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by H. Michael Synn, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	0%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	37%
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	0%
				Endometriosis	6%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 231 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	78	37	26	7	3	2
Percentage of cancellations (%)	5.1	16.2	15.4	1 / 7	1 / 3	2 / 2
Average number of embryos transferred	2.0	2.2	2.5	2.8	3.0	
Percentage of embryos transferred resulting in implantation (%)	52.7	21.7	31.8	3 / 17	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	4.4	0.0	0 / 18	0 / 6	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.4	0.0	23.1	1 / 7	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	25.6	13.5	23.1	1 / 7	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	21.8	10.8	7.7	1 / 7	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	48.7	24.3	34.6	2 / 7	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	64.1	27.0	42.3	2 / 7	0 / 3	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	70	28	19	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.1	0.0	6 / 19	1 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	28.6	17.9	6 / 19	1 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	24.3	14.3	2 / 19	1 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	54.3	32.1	9 / 19	2 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	71.4	35.7	11 / 19	2 / 6	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	27	11	7	3	0	0
Number of transfers	27	11	7	3	0	0
Estimated average number of transfers per retrieval	1.8	2.8	1.0	1.0		
Average number of embryos transferred	1.7	2.0	1.9	2.3		
Percentage of embryos transferred resulting in implantation (%)	18.6	31.8	1 / 13	0 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.8	4 / 11	1 / 7	0 / 3		
Percentage of transfers resulting in singleton live births (%)	14.8	4 / 11	1 / 7	0 / 3		
Percentage of transfers resulting in twin live births (%)	7.4	1 / 11	0 / 7	0 / 3		
Percentage of transfers resulting in live births (%)	22.2	5 / 11	1 / 7	0 / 3		
Percentage of transfers resulting in pregnancies (%)	29.6	6 / 11	1 / 7	0 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	17			11		
Number of transfers	15			11		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	51.7			5 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 15			1 / 11		
Percentage of transfers resulting in singleton live births (%)	7 / 15			1 / 11		
Percentage of transfers resulting in twin live births (%)	3 / 15			2 / 11		
Percentage of transfers resulting in live births (%)	10 / 15			3 / 11		
Percentage of transfers resulting in pregnancies (%)	12 / 15			5 / 11		

## CURRENT SERVICES & PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CALIFORNIA IVF FERTILITY CENTER, INC. DAVIS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Ernest J. Zeringue, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				Multiple Factors:	
IVF	100%	With ICSI	65%	Tubal factor	8%	Uterine factor	3%	Female factors only	17%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	10%	Male factor	34%	Female & male factors	21%
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	53%		
				Endometriosis	8%	Unknown factor	5%		

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 583 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	91	34	42	11	8	0
Percentage of cancellations (%)	1.1	0.0	0.0	1 / 11	2 / 8	
Average number of embryos transferred	2.0	2.0	2.3	2.1	2.0	
Percentage of embryos transferred resulting in implantation (%)	25.7	45.2	13.7	2 / 19	1 / 7	
Percentage of elective single embryo transfers (eSET) (%)	5.0	6.9	2.9	0 / 6	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.6	26.5	9.5	1 / 11	0 / 8	
Percentage of cycles resulting in singleton live births (%)	22.0	32.4	14.3	1 / 11	0 / 8	
Percentage of cycles resulting in twin live births (%)	7.7	23.5	2.4	0 / 11	0 / 8	
Percentage of cycles resulting in live births (%)	29.7	55.9	16.7	1 / 11	0 / 8	
Percentage of cycles resulting in pregnancies (%)	38.5	58.8	33.3	2 / 11	2 / 8	
<b>Outcomes per Transfer</b>						
Number of transfers	82	31	37	9	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.5	29.0	10.8	1 / 9	0 / 4	
Percentage of transfers resulting in singleton live births (%)	24.4	35.5	16.2	1 / 9	0 / 4	
Percentage of transfers resulting in twin live births (%)	8.5	25.8	2.7	0 / 9	0 / 4	
Percentage of transfers resulting in live births (%)	32.9	61.3	18.9	1 / 9	0 / 4	
Percentage of transfers resulting in pregnancies (%)	42.7	64.5	37.8	2 / 9	2 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	65	19	20	8	0	0
Number of transfers	64	19	20	8	0	0
Estimated average number of transfers per retrieval	1.6	1.9	1.4	2.3	0.0	0.0
Average number of embryos transferred	1.9	1.7	1.7	2.1		
Percentage of embryos transferred resulting in implantation (%)	28.7	29.0	23.3	3 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.3	6 / 19	10.0	1 / 8		
Percentage of transfers resulting in singleton live births (%)	25.0	9 / 19	15.0	2 / 8		
Percentage of transfers resulting in twin live births (%)	12.5	0 / 19	0.0	0 / 8		
Percentage of transfers resulting in live births (%)	37.5	9 / 19	15.0	2 / 8		
Percentage of transfers resulting in pregnancies (%)	42.2	10 / 19	40.0	3 / 8		
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	5	4	2	1	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		138		122		
Number of transfers		137		122		
Average number of embryos transferred		1.8		1.7		
Percentage of embryos transferred resulting in implantation (%)		54.6		27.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		32.8		17.2		
Percentage of transfers resulting in singleton live births (%)		43.8		24.6		
Percentage of transfers resulting in twin live births (%)		21.9		5.7		
Percentage of transfers resulting in live births (%)		65.7		30.3		
Percentage of transfers resulting in pregnancies (%)		72.3		41.0		

## CURRENT SERVICES & PROFILE

Current Name: California IVF Fertility Center, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Lori L. Arnold, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	95%	Tubal factor	5%	Uterine factor	19%
Unstimulated	0%	Used PGD	16%	Ovulatory dysfunction	8%	Male factor	20%
Used gestational carrier	16%			Diminished ovarian reserve	48%	Other factor	31%
				Endometriosis	2%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				23%			
				8%			

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 83 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		6	4	5	3	0	1
Percentage of cancellations (%)		1 / 6	0 / 4	0 / 5	0 / 3		0 / 1
Average number of embryos transferred		2.2	2.8	2.4	2.3		1.0
Percentage of embryos transferred resulting in implantation (%)		4 / 11	2 / 4	2 / 8	4 / 7		0 / 1
Percentage of elective single embryo transfers (eSET) (%)		0 / 5	0 / 3	0 / 4	0 / 3		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 6	2 / 4	2 / 5	2 / 3		0 / 1
Percentage of cycles resulting in singleton live births (%)		2 / 6	2 / 4	2 / 5	2 / 3		0 / 1
Percentage of cycles resulting in twin live births (%)		1 / 6	0 / 4	0 / 5	1 / 3		0 / 1
Percentage of cycles resulting in live births (%)		3 / 6	2 / 4	2 / 5	3 / 3		0 / 1
Percentage of cycles resulting in pregnancies (%)		3 / 6	4 / 4	3 / 5	3 / 3		0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		5	4	5	3	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 5	2 / 4	2 / 5	2 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)		2 / 5	2 / 4	2 / 5	2 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)		1 / 5	0 / 4	0 / 5	1 / 3		0 / 1
Percentage of transfers resulting in live births (%)		3 / 5	2 / 4	2 / 5	3 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)		3 / 5	4 / 4	3 / 5	3 / 3		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		5	4	3	2	0	1
Number of transfers		5	4	3	2	0	1
Estimated average number of transfers per retrieval		1.7	0.7	1.0		0.0	0.2
Average number of embryos transferred		3.0	2.5	1.7	2.0		3.0
Percentage of embryos transferred resulting in implantation (%)		10 / 15	2 / 10	2 / 5	0 / 1		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 5	0 / 4	0 / 3	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 5	0 / 4	0 / 3	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)		4 / 5	1 / 4	1 / 3	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)		5 / 5	1 / 4	1 / 3	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)		5 / 5	1 / 4	1 / 3	1 / 2		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>		2	6	3	0	2	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		19			11		
Number of transfers		19			11		
Average number of embryos transferred		1.9			2.2		
Percentage of embryos transferred resulting in implantation (%)		52.8			9 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		8 / 19			5 / 11		
Percentage of transfers resulting in singleton live births (%)		11 / 19			5 / 11		
Percentage of transfers resulting in twin live births (%)		2 / 19			1 / 11		
Percentage of transfers resulting in live births (%)		13 / 19			6 / 11		
Percentage of transfers resulting in pregnancies (%)		13 / 19			9 / 11		

CURRENT SERVICES & PROFILE		Current Name: California Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Jeffrey Steinberg, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	96%	Tubal factor	3%	Uterine factor	3%
Unstimulated	0%	Used PGD	74%	Ovulatory dysfunction	1%	Male factor	2%
Used gestational carrier	7%			Diminished ovarian reserve	19%	Other factor	73%
				Endometriosis	1%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 121 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	25	15	9	5	0	0
Percentage of cancellations (%)	0.0	0 / 15	0 / 9	0 / 5		
Average number of embryos transferred	1.7	1.7	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	42.9	15.4	3 / 16	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	2 / 16	1 / 12	1 / 7	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.0	2 / 15	2 / 9	1 / 5		
Percentage of cycles resulting in singleton live births (%)	24.0	2 / 15	2 / 9	1 / 5		
Percentage of cycles resulting in twin live births (%)	12.0	1 / 15	0 / 9	0 / 5		
Percentage of cycles resulting in live births (%)	36.0	3 / 15	2 / 9	1 / 5		
Percentage of cycles resulting in pregnancies (%)	44.0	3 / 15	3 / 9	1 / 5		
<b>Outcomes per Transfer</b>						
Number of transfers	23	15	8	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.1	2 / 15	2 / 8	1 / 3		
Percentage of transfers resulting in singleton live births (%)	26.1	2 / 15	2 / 8	1 / 3		
Percentage of transfers resulting in twin live births (%)	13.0	1 / 15	0 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	39.1	3 / 15	2 / 8	1 / 3		
Percentage of transfers resulting in pregnancies (%)	47.8	3 / 15	3 / 8	1 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	3	3	0	0	1
Number of transfers	5	3	3	0	0	1
Estimated average number of transfers per retrieval	0.5	0.6	0.5	0.0		0.5
Average number of embryos transferred	2.0	2.0	2.3			2.0
Percentage of embryos transferred resulting in implantation (%)	6 / 10	2 / 6	3 / 7			0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 5	1 / 3	0 / 3			0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 5	2 / 3	0 / 3			0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 3	0 / 3			0 / 1
Percentage of transfers resulting in live births (%)	3 / 5	2 / 3	1 / 3			0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 5	2 / 3	1 / 3			0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	5	6	9	0	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	22			2		
Number of transfers	21			2		
Average number of embryos transferred	2.0			2.5		
Percentage of embryos transferred resulting in implantation (%)	47.5			0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.0			0 / 2		
Percentage of transfers resulting in singleton live births (%)	23.8			0 / 2		
Percentage of transfers resulting in twin live births (%)	19.0			0 / 2		
Percentage of transfers resulting in live births (%)	42.9			0 / 2		
Percentage of transfers resulting in pregnancies (%)	61.9			0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HRC FERTILITY-ENCINO ENCINO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Michael A. Feinman, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	82%	Tubal factor	0%	Uterine factor	0%	Multiple Factors:	
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	0%	Male factor	<1%	Female factors only	
Used gestational carrier	2%			Diminished ovarian reserve	1%	Other factor	<1%	Female & male factors	
				Endometriosis	1%	Unknown factor	97%	0%	
2013 ART SUCCESS RATES <sup>c</sup>				Total number of cycles <sup>d</sup> : 402 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle				Age of Woman					
				<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs									
Number of cycles				62	50	45	22	22	5
Percentage of cancellations (%)				1.6	4.0	4.4	4.5	18.2	1 / 5
Average number of embryos transferred				2.3	2.3	2.4	2.8	3.3	3.0
Percentage of embryos transferred resulting in implantation (%)				44.9	49.4	34.8	14.6	0.0	0 / 6
Percentage of elective single embryo transfers (eSET) (%)				11.3	9.1	4.8	0 / 15	0 / 9	0 / 1
Outcomes per Cycle									
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)				37.1	28.0	22.2	18.2	0.0	0 / 5
Percentage of cycles resulting in singleton live births (%)				38.7	30.0	31.1	18.2	0.0	0 / 5
Percentage of cycles resulting in twin live births (%)				21.0	16.0	6.7	4.5	0.0	0 / 5
Percentage of cycles resulting in live births (%)				61.3	50.0	40.0	22.7	0.0	0 / 5
Percentage of cycles resulting in pregnancies (%)				67.7	58.0	44.4	27.3	0.0	0 / 5
Outcomes per Transfer									
Number of transfers				56	38	30	16	11	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				41.1	36.8	33.3	4 / 16	0 / 11	0 / 2
Percentage of transfers resulting in singleton live births (%)				42.9	39.5	46.7	4 / 16	0 / 11	0 / 2
Percentage of transfers resulting in twin live births (%)				23.2	21.1	10.0	1 / 16	0 / 11	0 / 2
Percentage of transfers resulting in live births (%)				67.9	65.8	60.0	5 / 16	0 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)				75.0	76.3	66.7	6 / 16	0 / 11	0 / 2
Frozen Embryos from Nondonor Eggs									
Number of cycles				38	15	23	20	7	10
Number of transfers				35	15	21	14	7	10
Estimated average number of transfers per retrieval				2.7	0.8	1.8	2.0	1.8	
Average number of embryos transferred				2.2	2.6	2.6	2.5	2.7	2.1
Percentage of embryos transferred resulting in implantation (%)				37.3	9.7	22.7	40.0	2 / 19	3 / 16
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				22.9	3 / 15	33.3	0 / 14	0 / 7	1 / 10
Percentage of transfers resulting in singleton live births (%)				25.7	3 / 15	38.1	2 / 14	0 / 7	1 / 10
Percentage of transfers resulting in twin live births (%)				22.9	0 / 15	4.8	3 / 14	1 / 7	1 / 10
Percentage of transfers resulting in live births (%)				48.6	3 / 15	42.9	5 / 14	1 / 7	2 / 10
Percentage of transfers resulting in pregnancies (%)				62.9	6 / 15	61.9	10 / 14	1 / 7	4 / 10
Number of Egg/Embryo Banking Cycles				0	1	1	1	3	0
Donor Eggs				Fresh Embryos <sup>f</sup>			Frozen Embryos <sup>f</sup>		
Number of cycles				42			33		
Number of transfers				36			25		
Average number of embryos transferred				1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)				54.1			31.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				33.3			36.0		
Percentage of transfers resulting in singleton live births (%)				47.2			44.0		
Percentage of transfers resulting in twin live births (%)				22.2			8.0		
Percentage of transfers resulting in live births (%)				69.4			52.0		
Percentage of transfers resulting in pregnancies (%)				75.0			52.0		

CURRENT SERVICES & PROFILE				Current Name: HRC Fertility-Encino			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ZOUVES FERTILITY CENTER FOSTER CITY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Christo Zouves, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	6%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 10%
Unstimulated	0%	Used PGD	25%	Ovulatory dysfunction	16%	Male factor	30%	
Used gestational carrier	25%			Diminished ovarian reserve	35%	Other factor	9%	
				Endometriosis	15%	Unknown factor	5%	

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 746 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	0	2	1	0
Percentage of cancellations (%)	0 / 1			1 / 2	1 / 1	
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1					
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 1			0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 1			0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 1			0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	1 / 1			0 / 2	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	1	0	0	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	58	50	67	16	12	0
Number of transfers	57	49	66	15	11	0
Estimated average number of transfers per retrieval	1.0	0.5	0.5	0.2	0.2	0.0
Average number of embryos transferred	1.5	1.4	1.8	1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)	34.5	47.8	33.3	9 / 19	5 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.5	34.7	24.2	4 / 15	4 / 11	
Percentage of transfers resulting in singleton live births (%)	26.3	42.9	30.3	5 / 15	4 / 11	
Percentage of transfers resulting in twin live births (%)	8.8	6.1	9.1	1 / 15	0 / 11	
Percentage of transfers resulting in live births (%)	35.1	49.0	39.4	6 / 15	4 / 11	
Percentage of transfers resulting in pregnancies (%)	42.1	59.2	50.0	9 / 15	6 / 11	
<b>Number of Egg/Embryo Banking Cycles</b>						
	59	91	124	68	59	17
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	17			101		
Number of transfers	15			99		
Average number of embryos transferred	2.1			1.7		
Percentage of embryos transferred resulting in implantation (%)	57.1			24.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 15			20.2		
Percentage of transfers resulting in singleton live births (%)	4 / 15			24.2		
Percentage of transfers resulting in twin live births (%)	5 / 15			6.1		
Percentage of transfers resulting in live births (%)	9 / 15			30.3		
Percentage of transfers resulting in pregnancies (%)	12 / 15			38.4		

## CURRENT SERVICES & PROFILE

Current Name: Zouves Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by David G. Diaz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	93%	Tubal factor	19%	Uterine factor	9%
Unstimulated	3%	Used PGD	23%	Ovulatory dysfunction	22%	Male factor	28%
Used gestational carrier	4%			Diminished ovarian reserve	36%	Other factor	17%
				Endometriosis	10%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 196 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	30	13	11	12	4	3
Percentage of cancellations (%)	3.3	0 / 13	0 / 11	0 / 12	1 / 4	2 / 3
Average number of embryos transferred	1.6	1.7	1.8	2.2	3.3	6.0
Percentage of embryos transferred resulting in implantation (%)	32.3	30.0	1 / 9	1 / 11	0 / 10	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	4 / 13	0 / 5	0 / 4	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.7	3 / 13	1 / 11	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	16.7	4 / 13	1 / 11	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	6.7	0 / 13	0 / 11	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	23.3	4 / 13	1 / 11	0 / 12	0 / 4	0 / 3
Percentage of cycles resulting in pregnancies (%)	26.7	7 / 13	2 / 11	1 / 12	0 / 4	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	20	13	6	5	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	3 / 13	1 / 6	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	4 / 13	1 / 6	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	10.0	0 / 13	0 / 6	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	35.0	4 / 13	1 / 6	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	40.0	7 / 13	2 / 6	1 / 5	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	17	15	3	0	1
Number of transfers	21	16	14	3	0	1
Estimated average number of transfers per retrieval	1.2	2.3	1.1	0.4		1.0
Average number of embryos transferred	1.6	1.7	1.6	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)	39.4	25.9	4 / 19	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	4 / 16	3 / 14	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	5 / 16	3 / 14	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	4.8	1 / 16	0 / 14	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	38.1	6 / 16	3 / 14	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	47.6	6 / 16	6 / 14	0 / 3		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	6	9	4	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		6		14		
Number of transfers		6		13		
Average number of embryos transferred		1.7		1.8		
Percentage of embryos transferred resulting in implantation (%)		7 / 10		36.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 6		2 / 13		
Percentage of transfers resulting in singleton live births (%)		1 / 6		4 / 13		
Percentage of transfers resulting in twin live births (%)		1 / 6		1 / 13		
Percentage of transfers resulting in live births (%)		2 / 6		5 / 13		
Percentage of transfers resulting in pregnancies (%)		4 / 6		7 / 13		

## CURRENT SERVICES & PROFILE

Current Name: West Coast Fertility Centers

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



**XPert FERTILITY CARE OF CALIFORNIA**  
**MINH N. HO, MD, FACOG**  
**FOUNTAIN VALLEY, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Minh N. Ho, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	16%	Uterine factor	8%	Multiple Factors:
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	24%	Male factor	56%	Female factors only
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	4%	Female & male factors
				Endometriosis	4%	Unknown factor	4%	40%

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 25 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		4	2	2	0	1	0
Percentage of cancellations (%)		0 / 4	0 / 2	0 / 2		0 / 1	
Average number of embryos transferred		2.3	2.0	2.0		4.0	
Percentage of embryos transferred resulting in implantation (%)		4 / 9	1 / 4	1 / 4		0 / 4	
Percentage of elective single embryo transfers (eSET) (%)		0 / 4	0 / 2	0 / 1		0 / 1	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 4	1 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in singleton live births (%)		1 / 4	1 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in twin live births (%)		1 / 4	0 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in live births (%)		2 / 4	1 / 2	0 / 2		0 / 1	
Percentage of cycles resulting in pregnancies (%)		3 / 4	1 / 2	1 / 2		0 / 1	
<b>Outcomes per Transfer</b>							
Number of transfers		4	2	2	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 4	1 / 2	0 / 2		0 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 4	1 / 2	0 / 2		0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 4	0 / 2	0 / 2		0 / 1	
Percentage of transfers resulting in live births (%)		2 / 4	1 / 2	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)		3 / 4	1 / 2	1 / 2		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		7	0	1	0	0	0
Number of transfers		7	0	1	0	0	0
Estimated average number of transfers per retrieval		3.5		1.0			
Average number of embryos transferred		2.1		2.0			
Percentage of embryos transferred resulting in implantation (%)		8 / 15		1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 7		0 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 7		1 / 1			
Percentage of transfers resulting in twin live births (%)		3 / 7		0 / 1			
Percentage of transfers resulting in live births (%)		4 / 7		1 / 1			
Percentage of transfers resulting in pregnancies (%)		5 / 7		1 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		5			3		
Number of transfers		4			3		
Average number of embryos transferred		2.3			3.3		
Percentage of embryos transferred resulting in implantation (%)		1 / 9			1 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 4			0 / 3		
Percentage of transfers resulting in singleton live births (%)		1 / 4			0 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 4			0 / 3		
Percentage of transfers resulting in live births (%)		1 / 4			0 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 4			1 / 3		

CURRENT SERVICES & PROFILE		Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Lisa Farah-Eways, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	80%	Tubal factor	10%	Uterine factor	8%
Unstimulated	<1%	Used PGD	2%	Ovulatory dysfunction	11%	Male factor	43%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	7%
				Endometriosis	3%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 942 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	223	150	155	79	26	5
Percentage of cancellations (%)	4.9	8.0	16.1	16.5	23.1	1 / 5
Average number of embryos transferred	1.8	2.2	2.9	3.8	4.6	4.7
Percentage of embryos transferred resulting in implantation (%)	45.3	35.7	28.3	17.1	6.7	0 / 14
Percentage of elective single embryo transfers (eSET) (%)	25.7	12.7	3.5	0.0	1 / 17	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	24.7	18.1	15.2	15.4	0 / 5
Percentage of cycles resulting in singleton live births (%)	34.5	30.0	22.6	17.7	19.2	0 / 5
Percentage of cycles resulting in twin live births (%)	11.2	12.7	9.7	7.6	0.0	0 / 5
Percentage of cycles resulting in live births (%)	45.7	43.3	32.9	25.3	19.2	0 / 5
Percentage of cycles resulting in pregnancies (%)	54.7	50.7	42.6	36.7	23.1	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	191	129	118	60	17	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.1	28.7	23.7	20.0	4 / 17	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.3	34.9	29.7	23.3	5 / 17	0 / 3
Percentage of transfers resulting in twin live births (%)	13.1	14.7	12.7	10.0	0 / 17	0 / 3
Percentage of transfers resulting in live births (%)	53.4	50.4	43.2	33.3	5 / 17	0 / 3
Percentage of transfers resulting in pregnancies (%)	63.9	58.9	55.9	48.3	6 / 17	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	88	64	55	21	3	5
Number of transfers	84	61	51	20	3	4
Estimated average number of transfers per retrieval	1.8	2.3	2.4	5.0	1.0	
Average number of embryos transferred	1.7	1.7	1.9	1.8	3.7	1.8
Percentage of embryos transferred resulting in implantation (%)	54.3	37.5	31.5	25.0	1 / 11	1 / 7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.7	26.2	31.4	25.0	1 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	46.4	27.9	33.3	25.0	1 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	16.7	8.2	9.8	0.0	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)	63.1	37.7	43.1	25.0	1 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	72.6	47.5	52.9	45.0	1 / 3	1 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	1	3	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	43			14		
Number of transfers	40			14		
Average number of embryos transferred	1.4			1.8		
Percentage of embryos transferred resulting in implantation (%)	69.6			64.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	47.5			8 / 14		
Percentage of transfers resulting in singleton live births (%)	52.5			10 / 14		
Percentage of transfers resulting in twin live births (%)	17.5			2 / 14		
Percentage of transfers resulting in live births (%)	70.0			12 / 14		
Percentage of transfers resulting in pregnancies (%)	80.0			12 / 14		

## CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CARE FERTILITY GLENDALE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Rudy Quintero, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	79%	Tubal factor	15%	Uterine factor	2%
Unstimulated	5%	Used PGD	3%	Ovulatory dysfunction	10%	Male factor	17%
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	11%
				Endometriosis	1%	Unknown factor	22%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 393 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	35	25	18	10	8	5
Percentage of cancellations (%)	5.7	4.0	2 / 18	0 / 10	2 / 8	0 / 5
Average number of embryos transferred	1.7	2.3	2.4	2.3	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	27.8	20.6	20.7	1 / 14	0 / 6	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	3 / 18	0 / 14	1 / 11	0 / 4	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.7	12.0	2 / 18	0 / 10	0 / 8	0 / 5
Percentage of cycles resulting in singleton live births (%)	11.4	12.0	2 / 18	0 / 10	0 / 8	0 / 5
Percentage of cycles resulting in twin live births (%)	5.7	8.0	1 / 18	0 / 10	0 / 8	0 / 5
Percentage of cycles resulting in live births (%)	17.1	20.0	3 / 18	0 / 10	0 / 8	0 / 5
Percentage of cycles resulting in pregnancies (%)	28.6	24.0	4 / 18	1 / 10	0 / 8	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	23	16	12	6	5	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.7	3 / 16	2 / 12	0 / 6	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	17.4	3 / 16	2 / 12	0 / 6	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	8.7	2 / 16	1 / 12	0 / 6	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	26.1	5 / 16	3 / 12	0 / 6	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.5	6 / 16	4 / 12	1 / 6	0 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	72	54	20	10	0	1
Number of transfers	70	50	18	10	0	1
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.8	0.0	
Average number of embryos transferred	1.8	1.9	2.1	2.2		2.0
Percentage of embryos transferred resulting in implantation (%)	35.8	34.8	24.2	15.0		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	24.0	4 / 18	1 / 10		0 / 1
Percentage of transfers resulting in singleton live births (%)	32.9	28.0	4 / 18	1 / 10		0 / 1
Percentage of transfers resulting in twin live births (%)	4.3	8.0	0 / 18	1 / 10		0 / 1
Percentage of transfers resulting in live births (%)	37.1	36.0	4 / 18	2 / 10		0 / 1
Percentage of transfers resulting in pregnancies (%)	54.3	52.0	8 / 18	3 / 10		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	44	39	18	9	2	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			14		
Number of transfers	2			13		
Average number of embryos transferred	1.5			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 3			7 / 18		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			2 / 13		
Percentage of transfers resulting in singleton live births (%)	0 / 2			3 / 13		
Percentage of transfers resulting in twin live births (%)	1 / 2			2 / 13		
Percentage of transfers resulting in live births (%)	1 / 2			5 / 13		
Percentage of transfers resulting in pregnancies (%)	1 / 2			7 / 13		

## CURRENT SERVICES & PROFILE

Current Name: CARE Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

# MARIN FERTILITY CENTER GREENBRAE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Peter S. Uzelac, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	68%	Tubal factor	8%	Uterine factor	3%
Unstimulated	5%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	<1%
				Endometriosis	3%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 139 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	8	16	6	10	6
Percentage of cancellations (%)	0 / 13	0 / 8	0 / 16	1 / 6	0 / 10	1 / 6
Average number of embryos transferred	1.7	2.3	2.5	3.5	3.1	1.8
Percentage of embryos transferred resulting in implantation (%)	25.0	3 / 18	28.0	1 / 11	3.6	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	0 / 7	0 / 9	0 / 4	0 / 8	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13	1 / 8	3 / 16	1 / 6	0 / 10	0 / 6
Percentage of cycles resulting in singleton live births (%)	4 / 13	2 / 8	5 / 16	1 / 6	1 / 10	0 / 6
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 8	1 / 16	0 / 6	0 / 10	0 / 6
Percentage of cycles resulting in live births (%)	4 / 13	2 / 8	6 / 16	1 / 6	1 / 10	0 / 6
Percentage of cycles resulting in pregnancies (%)	5 / 13	2 / 8	8 / 16	2 / 6	1 / 10	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	12	8	12	4	9	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 12	1 / 8	3 / 12	1 / 4	0 / 9	0 / 4
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 8	5 / 12	1 / 4	1 / 9	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 8	1 / 12	0 / 4	0 / 9	0 / 4
Percentage of transfers resulting in live births (%)	4 / 12	2 / 8	6 / 12	1 / 4	1 / 9	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 12	2 / 8	8 / 12	2 / 4	1 / 9	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	11	1	4	2	1
Number of transfers	12	11	1	4	2	1
Estimated average number of transfers per retrieval	0.9	1.0	0.3	1.0	2.0	0.3
Average number of embryos transferred	1.5	1.5	2.0	1.5	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	4 / 17	1 / 17	1 / 2	0 / 6	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 12	1 / 11	1 / 1	0 / 4	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 11	1 / 1	0 / 4	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 11	0 / 1	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	3 / 12	1 / 11	1 / 1	0 / 4	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 12	1 / 11	1 / 1	0 / 4	1 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	8	4	3	1	4
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			11		
Number of transfers	9			11		
Average number of embryos transferred	1.4			1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 12			1 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 9			1 / 11		
Percentage of transfers resulting in singleton live births (%)	3 / 9			1 / 11		
Percentage of transfers resulting in twin live births (%)	0 / 9			0 / 11		
Percentage of transfers resulting in live births (%)	3 / 9			1 / 11		
Percentage of transfers resulting in pregnancies (%)	5 / 9			1 / 11		

## CURRENT SERVICES & PROFILE

Current Name: Marin Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Lawrence B. Werlin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	90%	Tubal factor	7%	Uterine factor	3%
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	3%	Male factor	22%
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	15%
				Endometriosis	4%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 228 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	32	28	29	11	3	0
Percentage of cancellations (%)	3.1	10.7	6.9	2 / 11	0 / 3	
Average number of embryos transferred	2.1	2.2	2.6	2.9	1.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	12.0	8.8	0.0	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 6		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.6	10.7	10.3	0 / 11	0 / 3	
Percentage of cycles resulting in singleton live births (%)	18.8	10.7	10.3	0 / 11	0 / 3	
Percentage of cycles resulting in twin live births (%)	15.6	0.0	0.0	0 / 11	0 / 3	
Percentage of cycles resulting in live births (%)	34.4	10.7	10.3	0 / 11	0 / 3	
Percentage of cycles resulting in pregnancies (%)	43.8	17.9	13.8	0 / 11	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	28	23	22	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.9	13.0	13.6	0 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	21.4	13.0	13.6	0 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	17.9	0.0	0.0	0 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	39.3	13.0	13.6	0 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	21.7	18.2	0 / 7	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	19	15	14	7	2	0
Number of transfers	17	14	13	6	2	0
Estimated average number of transfers per retrieval	1.1	0.9	1.4	1.0		
Average number of embryos transferred	2.2	2.4	2.1	2.3	2.5	
Percentage of embryos transferred resulting in implantation (%)	29.7	21.2	33.3	3 / 14	1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 17	1 / 14	4 / 13	1 / 6	1 / 2	
Percentage of transfers resulting in singleton live births (%)	6 / 17	2 / 14	4 / 13	1 / 6	1 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 14	1 / 13	1 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	8 / 17	3 / 14	5 / 13	2 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	9 / 17	4 / 14	6 / 13	2 / 6	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	10	11	6	6	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	16			19		
Number of transfers	16			18		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation (%)	37.5			25.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 16			4 / 18		
Percentage of transfers resulting in singleton live births (%)	5 / 16			4 / 18		
Percentage of transfers resulting in twin live births (%)	2 / 16			2 / 18		
Percentage of transfers resulting in live births (%)	7 / 16			6 / 18		
Percentage of transfers resulting in pregnancies (%)	9 / 16			8 / 18		

## CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF SOUTHERN CALIFORNIA IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Ilene E. Hatch, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	96%	Tubal factor	5%	Uterine factor	3%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	21%
				Endometriosis	9%	Unknown factor	17%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 200 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	16	11	17	5	5	1
Percentage of cancellations (%)	2 / 16	0 / 11	0 / 17	0 / 5	0 / 5	0 / 1
Average number of embryos transferred	1.9	2.3	2.8	2.2	4.8	
Percentage of embryos transferred resulting in implantation (%)	53.8	28.0	25.6	2 / 11	0.0	
Percentage of elective single embryo transfers (eSET) (%)	3 / 14	1 / 11	1 / 16	0 / 5	0 / 5	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 16	5 / 11	5 / 17	2 / 5	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	5 / 16	6 / 11	6 / 17	2 / 5	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	4 / 16	0 / 11	2 / 17	0 / 5	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	9 / 16	6 / 11	8 / 17	2 / 5	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	9 / 16	6 / 11	10 / 17	2 / 5	0 / 5	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	14	11	17	5	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 14	5 / 11	5 / 17	2 / 5	0 / 5	
Percentage of transfers resulting in singleton live births (%)	5 / 14	6 / 11	6 / 17	2 / 5	0 / 5	
Percentage of transfers resulting in twin live births (%)	4 / 14	0 / 11	2 / 17	0 / 5	0 / 5	
Percentage of transfers resulting in live births (%)	9 / 14	6 / 11	8 / 17	2 / 5	0 / 5	
Percentage of transfers resulting in pregnancies (%)	9 / 14	6 / 11	10 / 17	2 / 5	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	14	19	18	7	7	0
Number of transfers	12	18	15	7	7	0
Estimated average number of transfers per retrieval	1.1	1.4	0.6	1.0	0.6	0.0
Average number of embryos transferred	1.3	1.9	1.6	2.1	3.3	
Percentage of embryos transferred resulting in implantation (%)	9 / 16	26.5	37.5	7 / 13	4.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 12	3 / 18	6 / 15	2 / 7	0 / 7	
Percentage of transfers resulting in singleton live births (%)	2 / 12	3 / 18	7 / 15	2 / 7	0 / 7	
Percentage of transfers resulting in twin live births (%)	3 / 12	3 / 18	1 / 15	2 / 7	0 / 7	
Percentage of transfers resulting in live births (%)	5 / 12	6 / 18	8 / 15	4 / 7	0 / 7	
Percentage of transfers resulting in pregnancies (%)	6 / 12	7 / 18	8 / 15	5 / 7	1 / 7	
<b>Number of Egg/Embryo Banking Cycles</b>						
	8	11	21	7	10	4
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			9		
Number of transfers	9			8		
Average number of embryos transferred	1.6			1.8		
Percentage of embryos transferred resulting in implantation (%)	12 / 14			4 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 9			2 / 8		
Percentage of transfers resulting in singleton live births (%)	4 / 9			2 / 8		
Percentage of transfers resulting in twin live births (%)	4 / 9			1 / 8		
Percentage of transfers resulting in live births (%)	8 / 9			3 / 8		
Percentage of transfers resulting in pregnancies (%)	8 / 9			4 / 8		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Southern California

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

# LIFE IVF CENTER IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Frank D. Yelian, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	>99%	Tubal factor	17%	Uterine factor	13%
Unstimulated	87%	Used PGD	5%	Ovulatory dysfunction	7%	Male factor	24%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	22%
				Endometriosis	15%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 2,539 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	53	40	49	26	23	30
Percentage of cancellations (%)	0.0	0.0	0.0	0.0	0.0	0.0
Average number of embryos transferred	1.2	1.4	1.2	1.3	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	37.5	36.5	20.4	25.0	7.7	0.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	4 / 18	4 / 14	1 / 9	1 / 7	0 / 10
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.7	37.5	14.3	15.4	8.7	0.0
Percentage of cycles resulting in singleton live births (%)	41.5	45.0	14.3	23.1	8.7	0.0
Percentage of cycles resulting in twin live births (%)	0.0	0.0	2.0	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	41.5	45.0	16.3	23.1	8.7	0.0
Percentage of cycles resulting in pregnancies (%)	45.3	52.5	28.6	30.8	17.4	3.3
<b>Outcomes per Transfer</b>						
Number of transfers	53	40	49	26	23	30
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.7	37.5	14.3	15.4	8.7	0.0
Percentage of transfers resulting in singleton live births (%)	41.5	45.0	14.3	23.1	8.7	0.0
Percentage of transfers resulting in twin live births (%)	0.0	0.0	2.0	0.0	0.0	0.0
Percentage of transfers resulting in live births (%)	41.5	45.0	16.3	23.1	8.7	0.0
Percentage of transfers resulting in pregnancies (%)	45.3	52.5	28.6	30.8	17.4	3.3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	94	81	102	59	76	52
Number of transfers	93	77	100	58	69	46
Estimated average number of transfers per retrieval	0.4	0.3	0.2	0.2	0.2	0.2
Average number of embryos transferred	1.3	1.2	1.2	1.3	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	61.0	49.4	35.8	21.1	16.9	8.2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.4	33.8	22.0	13.8	8.7	6.5
Percentage of transfers resulting in singleton live births (%)	47.3	40.3	30.0	19.0	10.1	8.7
Percentage of transfers resulting in twin live births (%)	10.8	2.6	1.0	0.0	1.4	0.0
Percentage of transfers resulting in live births (%)	59.1	42.9	31.0	19.0	11.6	8.7
Percentage of transfers resulting in pregnancies (%)	64.5	57.1	45.0	31.0	24.6	13.0
<b>Number of Egg/Embryo Banking Cycles</b>						
	230	257	412	353	339	238
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			22		
Number of transfers	1			20		
Average number of embryos transferred	1.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			73.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			35.0		
Percentage of transfers resulting in singleton live births (%)	0 / 1			55.0		
Percentage of transfers resulting in twin live births (%)	0 / 1			20.0		
Percentage of transfers resulting in live births (%)	0 / 1			75.0		
Percentage of transfers resulting in pregnancies (%)	0 / 1			75.0		

## CURRENT SERVICES & PROFILE

Current Name: Life IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE FERTILITY CENTER-OC IRVINE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by James Lin, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	94%	Tubal factor	9%	Uterine factor	3%
Unstimulated	1%	Used PGD	14%	Ovulatory dysfunction	6%	Male factor	25%
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	18%
				Endometriosis	4%	Unknown factor	18%
						Multiple Factors:	
						Female factors only	9%
						Female & male factors	12%

  

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 526 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		159	80	55	45	24	7
Percentage of cancellations (%)		0.6	1.3	0.0	6.7	8.3	0 / 7
Average number of embryos transferred		2.1	2.4	2.5	2.7	2.8	2.6
Percentage of embryos transferred resulting in implantation (%)		34.9	27.6	24.2	11.4	5.1	0 / 13
Percentage of elective single embryo transfers (eSET) (%)		8.5	1.4	0.0	0.0	0 / 14	0 / 4
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		23.3	28.8	18.2	6.7	4.2	0 / 7
Percentage of cycles resulting in singleton live births (%)		28.9	33.8	23.6	6.7	4.2	0 / 7
Percentage of cycles resulting in twin live births (%)		11.9	6.3	10.9	2.2	0.0	0 / 7
Percentage of cycles resulting in live births (%)		40.9	41.3	36.4	8.9	4.2	0 / 7
Percentage of cycles resulting in pregnancies (%)		47.8	48.8	38.2	15.6	8.3	0 / 7
<b>Outcomes per Transfer</b>							
Number of transfers		143	72	48	26	14	5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.9	31.9	20.8	11.5	1 / 14	0 / 5
Percentage of transfers resulting in singleton live births (%)		32.2	37.5	27.1	11.5	1 / 14	0 / 5
Percentage of transfers resulting in twin live births (%)		13.3	6.9	12.5	3.8	0 / 14	0 / 5
Percentage of transfers resulting in live births (%)		45.5	45.8	41.7	15.4	1 / 14	0 / 5
Percentage of transfers resulting in pregnancies (%)		53.1	54.2	43.8	26.9	2 / 14	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		24	13	6	4	1	0
Number of transfers		24	12	6	4	1	0
Estimated average number of transfers per retrieval		1.4	3.0	0.5	0.3	0.5	0.0
Average number of embryos transferred		2.1	2.3	2.0	2.8	3.0	
Percentage of embryos transferred resulting in implantation (%)		17.6	14.8	3 / 12	0 / 11	2 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		8.3	1 / 12	2 / 6	0 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)		12.5	2 / 12	2 / 6	0 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)		0.0	1 / 12	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)		16.7	3 / 12	2 / 6	0 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)		29.2	3 / 12	2 / 6	0 / 4	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>		3	2	12	12	2	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		57			16		
Number of transfers		51			15		
Average number of embryos transferred		2.1			2.3		
Percentage of embryos transferred resulting in implantation (%)		46.7			23.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		23.5			4 / 15		
Percentage of transfers resulting in singleton live births (%)		35.3			4 / 15		
Percentage of transfers resulting in twin live births (%)		21.6			2 / 15		
Percentage of transfers resulting in live births (%)		56.9			6 / 15		
Percentage of transfers resulting in pregnancies (%)		66.7			6 / 15		

CURRENT SERVICES & PROFILE				Current Name: Reproductive Fertility Center-OC			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



**LA JOLLA IVF  
LA JOLLA, CALIFORNIA**

---

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

# REPRODUCTIVE PARTNERS-UCSD REGIONAL FERTILITY CENTER LA JOLLA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by V. Gabriel Garzo, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	69%	Tubal factor	6%	Uterine factor	5%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	9%	Male factor	30%
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	18%
				Endometriosis	8%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 935 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	28	18	13	8	2
Percentage of cancellations (%)	13.0	21.4	7 / 18	10 / 13	6 / 8	1 / 2
Average number of embryos transferred	1.3	1.2	1.8	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	47.7	60.9	8 / 18	0 / 5	0 / 2	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	65.6	85.0	1 / 9	0 / 2	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.3	28.6	5 / 18	0 / 13	0 / 8	0 / 2
Percentage of cycles resulting in singleton live births (%)	43.5	39.3	5 / 18	0 / 13	0 / 8	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	3.6	1 / 18	0 / 13	0 / 8	0 / 2
Percentage of cycles resulting in live births (%)	43.5	42.9	6 / 18	0 / 13	0 / 8	0 / 2
Percentage of cycles resulting in pregnancies (%)	45.7	42.9	6 / 18	0 / 13	1 / 8	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	33	20	10	2	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	57.6	40.0	5 / 10	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	60.6	55.0	5 / 10	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	5.0	1 / 10	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	60.6	60.0	6 / 10	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	63.6	60.0	6 / 10	0 / 2	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	164	105	102	55	31	5
Number of transfers	134	91	84	35	20	3
Estimated average number of transfers per retrieval	1.2	1.4	1.0	0.6	1.5	0.8
Average number of embryos transferred	1.3	1.3	1.5	1.6	2.1	1.7
Percentage of embryos transferred resulting in implantation (%)	60.3	47.3	43.7	28.1	5.7	2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	45.5	34.1	36.9	34.3	10.0	0 / 3
Percentage of transfers resulting in singleton live births (%)	51.5	39.6	40.5	34.3	10.0	0 / 3
Percentage of transfers resulting in twin live births (%)	5.2	3.3	3.6	2.9	0.0	1 / 3
Percentage of transfers resulting in live births (%)	56.7	42.9	44.0	37.1	10.0	1 / 3
Percentage of transfers resulting in pregnancies (%)	70.9	60.4	59.5	42.9	25.0	2 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	93	58	82	56	12	4
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	19			33		
Number of transfers	11			25		
Average number of embryos transferred	1.0			1.2		
Percentage of embryos transferred resulting in implantation (%)	11 / 10			58.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 11			52.0		
Percentage of transfers resulting in singleton live births (%)	7 / 11			56.0		
Percentage of transfers resulting in twin live births (%)	1 / 11			8.0		
Percentage of transfers resulting in live births (%)	8 / 11			64.0		
Percentage of transfers resulting in pregnancies (%)	11 / 11			64.0		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Partners-UCSD Regional Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE SCIENCES CENTER LA JOLLA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Samuel H. Wood, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	92%	Tubal factor	12%	Uterine factor	13%
Unstimulated	0%	Used PGD	64%	Ovulatory dysfunction	15%	Male factor	33%
Used gestational carrier	8%			Diminished ovarian reserve	37%	Other factor	33%
				Endometriosis	3%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 91 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	4	9	6	3	2	1
Percentage of cancellations (%)	0 / 4	0 / 9	0 / 6	0 / 3	0 / 2	1 / 1
Average number of embryos transferred	2.0	1.9	1.3	2.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	5 / 8	8 / 17	6 / 8	1 / 5	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	2 / 9	2 / 4	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4	4 / 9	2 / 6	1 / 3	1 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 4	5 / 9	3 / 6	1 / 3	1 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 4	0 / 9	1 / 6	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	3 / 4	6 / 9	4 / 6	1 / 3	1 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	3 / 4	6 / 9	5 / 6	1 / 3	1 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	4	9	6	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4	4 / 9	2 / 6	1 / 2	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 4	5 / 9	3 / 6	1 / 2	1 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 9	1 / 6	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	3 / 4	6 / 9	4 / 6	1 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)	3 / 4	6 / 9	5 / 6	1 / 2	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	4	8	0	0	0
Number of transfers	5	4	8	0	0	0
Estimated average number of transfers per retrieval		0.8	1.6	0.0	0.0	0.0
Average number of embryos transferred	2.0	1.8	2.3			
Percentage of embryos transferred resulting in implantation (%)	4 / 9	2 / 7	3 / 18			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	1 / 4	1 / 8			
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 4	1 / 8			
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 4	1 / 8			
Percentage of transfers resulting in live births (%)	3 / 5	1 / 4	2 / 8			
Percentage of transfers resulting in pregnancies (%)	4 / 5	1 / 4	2 / 8			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	3	2	5	1	5
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	15			18		
Number of transfers	13			17		
Average number of embryos transferred	1.8			2.1		
Percentage of embryos transferred resulting in implantation (%)	50.0			66.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 13			9 / 17		
Percentage of transfers resulting in singleton live births (%)	6 / 13			9 / 17		
Percentage of transfers resulting in twin live births (%)	2 / 13			5 / 17		
Percentage of transfers resulting in live births (%)	8 / 13			14 / 17		
Percentage of transfers resulting in pregnancies (%)	10 / 13			16 / 17		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Sciences Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

# LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by John D. Jacobson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	89%	Tubal factor	24%	Uterine factor	9%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	24%	Male factor	36%
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	4%
				Endometriosis	10%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 179 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	50	33	17	6	1	2
Percentage of cancellations (%)	4.0	9.1	2 / 17	0 / 6	0 / 1	1 / 2
Average number of embryos transferred	2.1	2.3	2.9	3.7		5.0
Percentage of embryos transferred resulting in implantation (%)	38.9	26.2	22.5	0 / 11		0 / 5
Percentage of elective single embryo transfers (eSET) (%)	2.3	0.0	0 / 11	0 / 2		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.0	27.3	3 / 17	0 / 6	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	34.0	33.3	3 / 17	0 / 6	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	12.0	6.1	2 / 17	0 / 6	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	46.0	39.4	5 / 17	0 / 6	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	58.0	42.4	6 / 17	0 / 6	0 / 1	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	46	28	14	3	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4	32.1	3 / 14	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	37.0	39.3	3 / 14	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	13.0	7.1	2 / 14	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	50.0	46.4	5 / 14	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	63.0	50.0	6 / 14	0 / 3		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	13	4	1	0	0
Number of transfers	19	13	4	1	0	0
Estimated average number of transfers per retrieval	1.5	1.6	0.7		0.0	
Average number of embryos transferred	2.2	2.2	2.5	3.0		
Percentage of embryos transferred resulting in implantation (%)	31.0	20.0	2 / 10			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 19	4 / 13	2 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	9 / 19	4 / 13	2 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 19	0 / 13	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	10 / 19	4 / 13	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	11 / 19	6 / 13	2 / 4	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	5	4	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	5			10		
Number of transfers	5			9		
Average number of embryos transferred	2.0			2.6		
Percentage of embryos transferred resulting in implantation (%)	5 / 10			21.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5			3 / 9		
Percentage of transfers resulting in singleton live births (%)	2 / 5			3 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 5			0 / 9		
Percentage of transfers resulting in live births (%)	3 / 5			3 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 5			5 / 9		

## CURRENT SERVICES & PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Richard P. Marrs, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	80%	Tubal factor	10%	Uterine factor	28%
Unstimulated	1%	Used PGD	14%	Ovulatory dysfunction	4%	Male factor	26%
Used gestational carrier	16%			Diminished ovarian reserve	58%	Other factor	19%
				Endometriosis	8%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,004 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	54	60	107	80	69	26
Percentage of cancellations (%)	5.6	10.0	19.6	15.0	33.3	30.8
Average number of embryos transferred	1.9	2.3	2.9	3.7	3.8	4.1
Percentage of embryos transferred resulting in implantation (%)	31.8	27.4	23.2	10.0	4.9	0.0
Percentage of elective single embryo transfers (eSET) (%)	15.2	4.0	1.5	0.0	3.0	0 / 11
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.8	21.7	14.0	11.3	1.4	0.0
Percentage of cycles resulting in singleton live births (%)	18.5	23.3	18.7	13.8	2.9	0.0
Percentage of cycles resulting in twin live births (%)	13.0	10.0	3.7	1.3	1.4	0.0
Percentage of cycles resulting in live births (%)	33.3	33.3	23.4	15.0	4.3	0.0
Percentage of cycles resulting in pregnancies (%)	38.9	40.0	35.5	26.3	10.1	0.0
<b>Outcomes per Transfer</b>						
Number of transfers	47	52	71	61	39	11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.0	25.0	21.1	14.8	2.6	0 / 11
Percentage of transfers resulting in singleton live births (%)	21.3	26.9	28.2	18.0	5.1	0 / 11
Percentage of transfers resulting in twin live births (%)	14.9	11.5	5.6	1.6	2.6	0 / 11
Percentage of transfers resulting in live births (%)	38.3	38.5	35.2	19.7	7.7	0 / 11
Percentage of transfers resulting in pregnancies (%)	44.7	46.2	53.5	34.4	17.9	0 / 11
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	13	37	9	6	8
Number of transfers	23	13	28	6	5	7
Estimated average number of transfers per retrieval	0.6	0.3	0.4	0.2	0.2	0.2
Average number of embryos transferred	1.9	2.4	2.4	3.0	2.6	2.4
Percentage of embryos transferred resulting in implantation (%)	34.9	40.7	16.9	1 / 15	0 / 13	1 / 17
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4	1 / 13	25.0	0 / 6	0 / 5	0 / 7
Percentage of transfers resulting in singleton live births (%)	34.8	2 / 13	28.6	0 / 6	0 / 5	0 / 7
Percentage of transfers resulting in twin live births (%)	4.3	3 / 13	3.6	0 / 6	0 / 5	0 / 7
Percentage of transfers resulting in live births (%)	39.1	5 / 13	32.1	0 / 6	0 / 5	0 / 7
Percentage of transfers resulting in pregnancies (%)	52.2	9 / 13	35.7	2 / 6	0 / 5	1 / 7
<b>Number of Egg/Embryo Banking Cycles</b>						
	30	31	55	34	24	29
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	163			141		
Number of transfers	149			124		
Average number of embryos transferred	1.7			1.9		
Percentage of embryos transferred resulting in implantation (%)	56.1			39.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.5			27.4		
Percentage of transfers resulting in singleton live births (%)	38.3			37.1		
Percentage of transfers resulting in twin live births (%)	20.8			12.1		
Percentage of transfers resulting in live births (%)	59.1			49.2		
Percentage of transfers resulting in pregnancies (%)	71.1			58.1		

## CURRENT SERVICES & PROFILE

Current Name: California Fertility Partners

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CEDARS SINAI MEDICAL CENTER**  
**CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE**  
**LOS ANGELES, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Margareta D. Pisarska, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				Multiple Factors:	
IVF	100%	With ICSI	68%	Tubal factor	14%	Uterine factor	14%	Female factors only	10%
Unstimulated	0%	Used PGD	9%	Ovulatory dysfunction	14%	Male factor	54%	Female & male factors	36%
Used gestational carrier	2%			Diminished ovarian reserve	45%	Other factor	9%		
				Endometriosis	3%	Unknown factor	8%		

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 94 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	12	14	18	7	2	0
Percentage of cancellations (%)	1 / 12	2 / 14	0 / 18	1 / 7	1 / 2	
Average number of embryos transferred	1.9	1.8	2.2	3.2	3.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 19	6 / 16	16.7	0 / 12	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	3 / 10	1 / 14	0 / 5	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 12	4 / 14	5 / 18	0 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 12	4 / 14	6 / 18	0 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	1 / 12	1 / 14	0 / 18	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	2 / 12	5 / 14	6 / 18	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	3 / 12	6 / 14	7 / 18	1 / 7	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	10	10	17	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 10	4 / 10	5 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 10	4 / 10	6 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 10	1 / 10	0 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 10	5 / 10	6 / 17	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 10	6 / 10	7 / 17	1 / 5	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	5	3	1	1	1
Number of transfers	6	5	3	1	1	1
Estimated average number of transfers per retrieval	0.5	1.3	0.3	1.0		
Average number of embryos transferred	1.7	1.4	2.0	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 8	1 / 6	1 / 6	1 / 2	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	1 / 5	0 / 3	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 5	0 / 3	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 5	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	2 / 6	1 / 5	0 / 3	1 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 6	2 / 5	1 / 3	1 / 1	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	1	9	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			5		
Number of transfers	2			5		
Average number of embryos transferred	1.5			2.2		
Percentage of embryos transferred resulting in implantation (%)	1 / 3			2 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			1 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 2			2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 5		
Percentage of transfers resulting in live births (%)	1 / 2			2 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 2			3 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Vicken P. Sepilian, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	93%	Tubal factor	2%	Uterine factor	2%
Unstimulated	1%	Used PGD	14%	Ovulatory dysfunction	5%	Male factor	16%
Used gestational carrier	2%			Diminished ovarian reserve	62%	Other factor	8%
				Endometriosis	<1%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 353 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	22	17	23	17	5	5
Percentage of cancellations (%)	0.0	0 / 17	0.0	0 / 17	0 / 5	0 / 5
Average number of embryos transferred	2.1	2.1	2.8	2.0	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	42.5	35.3	22.4	16.7	0 / 7	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 15	0.0	0 / 9	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	6 / 17	21.7	2 / 17	0 / 5	0 / 5
Percentage of cycles resulting in singleton live births (%)	27.3	7 / 17	26.1	2 / 17	0 / 5	0 / 5
Percentage of cycles resulting in twin live births (%)	18.2	2 / 17	8.7	0 / 17	0 / 5	0 / 5
Percentage of cycles resulting in live births (%)	45.5	9 / 17	34.8	2 / 17	0 / 5	0 / 5
Percentage of cycles resulting in pregnancies (%)	54.5	10 / 17	47.8	4 / 17	0 / 5	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	19	16	21	15	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 19	6 / 16	23.8	2 / 15	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	7 / 16	28.6	2 / 15	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 19	2 / 16	9.5	0 / 15	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	10 / 19	9 / 16	38.1	2 / 15	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	12 / 19	10 / 16	52.4	4 / 15	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	40	11	5	4	1	3
Number of transfers	39	11	5	4	1	3
Estimated average number of transfers per retrieval	1.4	1.4	2.5	0.6	0.1	0.2
Average number of embryos transferred	1.9	2.2	2.4	2.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	43.7	45.8	6 / 12	3 / 10	0 / 3	1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.0	4 / 11	0 / 5	2 / 4	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	43.6	6 / 11	0 / 5	2 / 4	0 / 1	1 / 3
Percentage of transfers resulting in twin live births (%)	10.3	1 / 11	2 / 5	0 / 4	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	53.8	7 / 11	2 / 5	2 / 4	0 / 1	1 / 3
Percentage of transfers resulting in pregnancies (%)	64.1	8 / 11	3 / 5	3 / 4	0 / 1	1 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	24	8	2	5	10	15
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	59			77		
Number of transfers	54			76		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	52.8			38.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3			34.2		
Percentage of transfers resulting in singleton live births (%)	46.3			36.8		
Percentage of transfers resulting in twin live births (%)	22.2			13.2		
Percentage of transfers resulting in live births (%)	68.5			50.0		
Percentage of transfers resulting in pregnancies (%)	77.8			60.5		

## CURRENT SERVICES & PROFILE

Current Name: CHA Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Vicken Sahakian, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	85%	Tubal factor	7%	Uterine factor	2%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	2%	Male factor	19%
Used gestational carrier	3%			Diminished ovarian reserve	5%	Other factor	53%
				Endometriosis	1%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 437 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	84	62	48	32	11	0
Percentage of cancellations (%)	0.0	0.0	0.0	0.0	0 / 11	
Average number of embryos transferred	1.8	2.0	2.4	2.1	3.2	
Percentage of embryos transferred resulting in implantation (%)	35.5	37.7	26.1	8.5	0.0	
Percentage of elective single embryo transfers (eSET) (%)	13.5	12.5	2.7	0 / 17	0 / 8	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.1	21.0	12.5	0.0	0 / 11	
Percentage of cycles resulting in singleton live births (%)	23.8	29.0	22.9	3.1	0 / 11	
Percentage of cycles resulting in twin live births (%)	8.3	11.3	6.3	0.0	0 / 11	
Percentage of cycles resulting in live births (%)	32.1	40.3	29.2	3.1	0 / 11	
Percentage of cycles resulting in pregnancies (%)	40.5	48.4	33.3	15.6	0 / 11	
<b>Outcomes per Transfer</b>						
Number of transfers	75	55	39	24	9	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.7	23.6	15.4	0.0	0 / 9	
Percentage of transfers resulting in singleton live births (%)	26.7	32.7	28.2	4.2	0 / 9	
Percentage of transfers resulting in twin live births (%)	9.3	12.7	7.7	0.0	0 / 9	
Percentage of transfers resulting in live births (%)	36.0	45.5	35.9	4.2	0 / 9	
Percentage of transfers resulting in pregnancies (%)	45.3	54.5	41.0	20.8	0 / 9	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	15	17	4	2	1
Number of transfers	32	15	15	3	2	1
Estimated average number of transfers per retrieval	2.3	0.8	0.9	3.0		
Average number of embryos transferred	2.0	1.3	1.9	1.7	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	26.2	6 / 19	23.1	1 / 5	0 / 4	2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.4	1 / 15	2 / 15	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	2 / 15	3 / 15	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	9.4	2 / 15	1 / 15	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	34.4	4 / 15	4 / 15	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	40.6	5 / 15	6 / 15	1 / 3	0 / 2	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	8	6	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	84			25		
Number of transfers	76			25		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	62.3			45.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.5			8.0		
Percentage of transfers resulting in singleton live births (%)	28.9			24.0		
Percentage of transfers resulting in twin live births (%)	21.1			20.0		
Percentage of transfers resulting in live births (%)	51.3			44.0		
Percentage of transfers resulting in pregnancies (%)	76.3			64.0		

## CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by T.C. Jackson Wu, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	62%	Tubal factor	4%	Uterine factor	3%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	11%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	48%
				Endometriosis	7%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 195 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	22	25	20	18	9	3
Percentage of cancellations (%)	0.0	4.0	0.0	0 / 18	0 / 9	0 / 3
Average number of embryos transferred	1.3	1.6	2.0	2.4	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 19	34.5	25.8	30.0	0.0	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	12 / 16	7 / 17	1 / 14	1 / 13	0 / 7	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.7	20.0	20.0	4 / 18	0 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	22.7	24.0	25.0	4 / 18	0 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	0.0	8.0	5.0	0 / 18	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	22.7	32.0	30.0	4 / 18	0 / 9	0 / 3
Percentage of cycles resulting in pregnancies (%)	27.3	32.0	40.0	7 / 18	0 / 9	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	16	18	17	13	9	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 16	5 / 18	4 / 17	4 / 13	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 16	6 / 18	5 / 17	4 / 13	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	2 / 18	1 / 17	0 / 13	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	5 / 16	8 / 18	6 / 17	4 / 13	0 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 16	8 / 18	8 / 17	7 / 13	0 / 9	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	15	12	8	4	2
Number of transfers	20	15	12	8	4	2
Estimated average number of transfers per retrieval	0.9	1.0	0.7	0.9	2.0	2.0
Average number of embryos transferred	1.7	1.6	1.3	1.8	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	29.2	6 / 16	3 / 14	0 / 5	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.0	3 / 15	4 / 12	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.0	4 / 15	5 / 12	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	15.0	1 / 15	0 / 12	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	55.0	5 / 15	5 / 12	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	60.0	6 / 15	6 / 12	2 / 8	0 / 4	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	7	9	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			6		
Number of transfers	2			6		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			2 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			2 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 2			2 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 6		
Percentage of transfers resulting in live births (%)	1 / 2			2 / 6		
Percentage of transfers resulting in pregnancies (%)	1 / 2			2 / 6		

## CURRENT SERVICES & PROFILE

Current Name: UCLA Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Richard J. Paulson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	83%	Tubal factor	12%	Uterine factor	11%
Unstimulated	<1%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	54%
Used gestational carrier	4%			Diminished ovarian reserve	61%	Other factor	10%
				Endometriosis	10%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 630 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	61	54	65	50	24	14
Percentage of cancellations (%)	3.3	9.3	3.1	6.0	8.3	5 / 14
Average number of embryos transferred	2.0	2.5	3.1	3.7	4.5	4.0
Percentage of embryos transferred resulting in implantation (%)	28.2	21.2	15.5	9.3	4.9	0.0
Percentage of elective single embryo transfers (eSET) (%)	10.2	0.0	0.0	0.0	0 / 19	0 / 8
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.5	20.4	16.9	14.0	0.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	31.1	24.1	16.9	14.0	8.3	0 / 14
Percentage of cycles resulting in twin live births (%)	11.5	7.4	7.7	4.0	0.0	0 / 14
Percentage of cycles resulting in live births (%)	42.6	31.5	24.6	18.0	8.3	0 / 14
Percentage of cycles resulting in pregnancies (%)	42.6	37.0	36.9	22.0	25.0	0 / 14
<b>Outcomes per Transfer</b>						
Number of transfers	59	48	63	44	20	9
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.5	22.9	17.5	15.9	0.0	0 / 9
Percentage of transfers resulting in singleton live births (%)	32.2	27.1	17.5	15.9	10.0	0 / 9
Percentage of transfers resulting in twin live births (%)	11.9	8.3	7.9	4.5	0.0	0 / 9
Percentage of transfers resulting in live births (%)	44.1	35.4	25.4	20.5	10.0	0 / 9
Percentage of transfers resulting in pregnancies (%)	44.1	41.7	38.1	25.0	30.0	0 / 9
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	59	31	35	17	8	1
Number of transfers	59	31	35	17	8	1
Estimated average number of transfers per retrieval	1.2	0.5	0.6	1.2	0.9	0.1
Average number of embryos transferred	1.9	2.1	3.0	3.0	3.8	3.0
Percentage of embryos transferred resulting in implantation (%)	25.9	19.7	7.1	7.8	3.3	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.7	22.6	17.1	1 / 17	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.1	25.8	17.1	1 / 17	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	5.1	3.2	0.0	1 / 17	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	32.2	29.0	17.1	2 / 17	0 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	39.0	35.5	25.7	3 / 17	1 / 8	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	28	50	37	9	6	9
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	29			37		
Number of transfers	29			37		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	37.7			11.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.3			10.8		
Percentage of transfers resulting in singleton live births (%)	24.1			13.5		
Percentage of transfers resulting in twin live births (%)	17.2			2.7		
Percentage of transfers resulting in live births (%)	41.4			16.2		
Percentage of transfers resulting in pregnancies (%)	51.7			21.6		

## CURRENT SERVICES & PROFILE

Current Name: USC Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

# THE FERTILITY AND GYNECOLOGY CENTER MONTEREY BAY IVF PROGRAM MONTEREY, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Edward J. Ramirez, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	66%	Tubal factor	19%	Uterine factor	0%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	36%	Male factor	55%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	55%
				Endometriosis	8%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 82 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	17	14	5	1	0
Percentage of cancellations (%)	1 / 19	4 / 17	3 / 14	4 / 5	0 / 1	
Average number of embryos transferred	2.4	2.8	2.6	4.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	31.7	18.2	12.0	0 / 4	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	2 / 17	0 / 11	0 / 7	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 19	3 / 17	1 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)	8 / 19	4 / 17	1 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)	2 / 19	1 / 17	1 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)	10 / 19	5 / 17	2 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancies (%)	11 / 19	5 / 17	3 / 14	0 / 5	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	17	12	10	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 17	3 / 12	1 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	8 / 17	4 / 12	1 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 12	1 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	10 / 17	5 / 12	2 / 10	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	11 / 17	5 / 12	3 / 10	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	9	5	3	0	0	0
Number of transfers	8	5	2	0	0	0
Estimated average number of transfers per retrieval	1.3	1.3	0.4			
Average number of embryos transferred	2.0	1.6	1.5			
Percentage of embryos transferred resulting in implantation (%)	4 / 16	3 / 8	0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 8	0 / 5	0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 5	0 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 5	0 / 2			
Percentage of transfers resulting in live births (%)	2 / 8	1 / 5	0 / 2			
Percentage of transfers resulting in pregnancies (%)	3 / 8	1 / 5	0 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			5		
Number of transfers	2			4		
Average number of embryos transferred	3.0			3.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 6			0 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			0 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 2			0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 4		
Percentage of transfers resulting in live births (%)	0 / 2			0 / 4		
Percentage of transfers resulting in pregnancies (%)	0 / 2			0 / 4		

## CURRENT SERVICES & PROFILE

Current Name: The Fertility and Gynecology Center, Monterey Bay IVF Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NOVA IN VITRO FERTILIZATION MOUNTAIN VIEW, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Richard J. Schmidt, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	35%	Tubal factor	24%	Uterine factor	6%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	15%	Male factor	13%
Used gestational carrier	2%			Diminished ovarian reserve	41%	Other factor	8%
				Endometriosis	12%	Unknown factor	6%
						Multiple Factors:	
						Female factors only	17%
						Female & male factors	6%

  

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 524 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		87	44	59	24	18	8
Percentage of cancellations (%)		0.0	2.3	0.0	4.2	2 / 18	1 / 8
Average number of embryos transferred		2.0	2.4	2.9	3.0	4.9	3.9
Percentage of embryos transferred resulting in implantation (%)		36.6	37.6	23.1	14.3	6.6	0.0
Percentage of elective single embryo transfers (eSET) (%)		13.6	7.1	0.0	0.0	0 / 14	0 / 6
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.9	27.3	33.9	25.0	2 / 18	0 / 8
Percentage of cycles resulting in singleton live births (%)		34.5	36.4	33.9	25.0	2 / 18	0 / 8
Percentage of cycles resulting in twin live births (%)		12.6	18.2	1.7	0.0	0 / 18	0 / 8
Percentage of cycles resulting in live births (%)		48.3	54.5	35.6	29.2	2 / 18	0 / 8
Percentage of cycles resulting in pregnancies (%)		56.3	61.4	54.2	33.3	4 / 18	0 / 8
<b>Outcomes per Transfer</b>							
Number of transfers		86	43	59	23	14	7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.2	27.9	33.9	26.1	2 / 14	0 / 7
Percentage of transfers resulting in singleton live births (%)		34.9	37.2	33.9	26.1	2 / 14	0 / 7
Percentage of transfers resulting in twin live births (%)		12.8	18.6	1.7	0.0	0 / 14	0 / 7
Percentage of transfers resulting in live births (%)		48.8	55.8	35.6	30.4	2 / 14	0 / 7
Percentage of transfers resulting in pregnancies (%)		57.0	62.8	54.2	34.8	4 / 14	0 / 7
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		61	41	37	5	7	9
Number of transfers		61	41	36	5	7	9
Estimated average number of transfers per retrieval		1.2	1.3	0.9	0.3	0.5	1.1
Average number of embryos transferred		2.0	2.5	2.7	4.0	4.1	3.0
Percentage of embryos transferred resulting in implantation (%)		26.9	19.4	21.5	1 / 17	6.9	7.7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		18.0	17.1	25.0	0 / 5	1 / 7	0 / 9
Percentage of transfers resulting in singleton live births (%)		27.9	22.0	27.8	0 / 5	1 / 7	0 / 9
Percentage of transfers resulting in twin live births (%)		6.6	7.3	5.6	0 / 5	0 / 7	0 / 9
Percentage of transfers resulting in live births (%)		34.4	29.3	36.1	0 / 5	1 / 7	0 / 9
Percentage of transfers resulting in pregnancies (%)		45.9	39.0	44.4	2 / 5	2 / 7	3 / 9
<b>Number of Egg/Embryo Banking Cycles</b>		18	20	18	12	13	7
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		20			15		
Number of transfers		20			15		
Average number of embryos transferred		1.7			2.1		
Percentage of embryos transferred resulting in implantation (%)		58.8			31.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.0			8 / 15		
Percentage of transfers resulting in singleton live births (%)		25.0			8 / 15		
Percentage of transfers resulting in twin live births (%)		35.0			0 / 15		
Percentage of transfers resulting in live births (%)		60.0			8 / 15		
Percentage of transfers resulting in pregnancies (%)		65.0			10 / 15		

CURRENT SERVICES & PROFILE				Current Name: Nova In Vitro Fertilization			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HRC FERTILITY-ORANGE COUNTY NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Daniel A. Potter, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	95%	Tubal factor	0%	Uterine factor	<1%
Unstimulated	0%	Used PGD	58%	Ovulatory dysfunction	0%	Male factor	0%
Used gestational carrier	2%			Diminished ovarian reserve	0%	Other factor	<1%
				Endometriosis	<1%	Unknown factor	>99%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 396 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	92	64	46	28	11	3
Percentage of cancellations (%)	0.0	1.6	2.2	10.7	1 / 11	0 / 3
Average number of embryos transferred	1.5	1.6	1.6	1.9	2.8	1.0
Percentage of embryos transferred resulting in implantation (%)	59.8	54.3	42.1	23.3	9.1	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	45.5	33.3	34.5	2 / 10	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.1	45.3	30.4	14.3	0 / 11	0 / 3
Percentage of cycles resulting in singleton live births (%)	52.2	54.7	39.1	25.0	0 / 11	0 / 3
Percentage of cycles resulting in twin live births (%)	15.2	10.9	6.5	0.0	1 / 11	0 / 3
Percentage of cycles resulting in live births (%)	68.5	65.6	45.7	25.0	1 / 11	0 / 3
Percentage of cycles resulting in pregnancies (%)	69.6	71.9	54.3	32.1	1 / 11	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	89	61	41	18	8	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.4	47.5	34.1	4 / 18	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	53.9	57.4	43.9	7 / 18	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	15.7	11.5	7.3	0 / 18	1 / 8	0 / 1
Percentage of transfers resulting in live births (%)	70.8	68.9	51.2	7 / 18	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	71.9	75.4	61.0	9 / 18	1 / 8	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	37	19	15	6	2	1
Number of transfers	37	18	15	6	2	1
Estimated average number of transfers per retrieval	1.8	1.6	2.1	0.5	2.0	1.0
Average number of embryos transferred	1.7	1.7	1.5	1.3	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	60.9	45.2	55.0	6 / 8	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	48.6	9 / 18	6 / 15	2 / 6	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	56.8	10 / 18	7 / 15	4 / 6	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	24.3	2 / 18	2 / 15	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	81.1	12 / 18	9 / 15	5 / 6	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	81.1	12 / 18	10 / 15	5 / 6	1 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	13	8	5	11	1	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		22			11	
Number of transfers		22			10	
Average number of embryos transferred		1.4			1.5	
Percentage of embryos transferred resulting in implantation (%)		79.3			6 / 15	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		40.9			5 / 10	
Percentage of transfers resulting in singleton live births (%)		54.5			6 / 10	
Percentage of transfers resulting in twin live births (%)		22.7			0 / 10	
Percentage of transfers resulting in live births (%)		77.3			6 / 10	
Percentage of transfers resulting in pregnancies (%)		90.9			6 / 10	

## CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Orange County

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEWPORT FERTILITY CENTER NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Mark T. Kan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	100%	Tubal factor	6%	Uterine factor	15%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	12%
Used gestational carrier	3%			Diminished ovarian reserve	66%	Other factor	16%
				Endometriosis	9%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 110 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	15	5	10	4	3	0
Percentage of cancellations (%)	0 / 15	0 / 5	0 / 10	0 / 4	0 / 3	
Average number of embryos transferred	1.7	1.6	2.3	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	34.6	2 / 8	25.0	2 / 9	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	3 / 14	0 / 3	0 / 10	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 15	2 / 5	3 / 10	2 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)	4 / 15	2 / 5	3 / 10	2 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)	2 / 15	0 / 5	1 / 10	0 / 4	0 / 3	
Percentage of cycles resulting in live births (%)	6 / 15	2 / 5	4 / 10	2 / 4	0 / 3	
Percentage of cycles resulting in pregnancies (%)	7 / 15	2 / 5	5 / 10	2 / 4	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	15	5	10	4	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 15	2 / 5	3 / 10	2 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)	4 / 15	2 / 5	3 / 10	2 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 15	0 / 5	1 / 10	0 / 4	0 / 3	
Percentage of transfers resulting in live births (%)	6 / 15	2 / 5	4 / 10	2 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	7 / 15	2 / 5	5 / 10	2 / 4	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	2	8	3	0	1
Number of transfers	20	2	8	3	0	1
Estimated average number of transfers per retrieval	1.2	2.0	0.7		0.0	1.0
Average number of embryos transferred	1.7	1.0	1.8	2.0		3.0
Percentage of embryos transferred resulting in implantation (%)	51.5	1 / 2	6 / 14	1 / 4		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	50.0	0 / 2	2 / 8	1 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	55.0	0 / 2	2 / 8	1 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	15.0	0 / 2	2 / 8	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	70.0	0 / 2	4 / 8	1 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	75.0	1 / 2	4 / 8	2 / 3		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	1	9	0	5	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			5		
Number of transfers	6			5		
Average number of embryos transferred	1.7			1.4		
Percentage of embryos transferred resulting in implantation (%)	5 / 10			5 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6			2 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 6			2 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 6			1 / 5		
Percentage of transfers resulting in live births (%)	4 / 6			3 / 5		
Percentage of transfers resulting in pregnancies (%)	4 / 6			4 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Newport Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**OC FERTILITY  
DR. SHARON MOAYERI  
NEWPORT BEACH, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2013 ART CYCLE PROFILE**

Data verified by Sharon E. Moayeri, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	84%	Tubal factor	5%	Uterine factor	7%
Unstimulated	5%	Used PGD	26%	Ovulatory dysfunction	15%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	25%
				Endometriosis	12%	Unknown factor	12%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

**2013 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 168 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	5	6	1	0	0
Percentage of cancellations (%)	1 / 7	1 / 5	1 / 6	0 / 1		
Average number of embryos transferred	1.6	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 8	0 / 5	1 / 6			
Percentage of elective single embryo transfers (eSET) (%)	2 / 5	0 / 2	0 / 3			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 7	0 / 5	0 / 6	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 7	0 / 5	1 / 6	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 7	0 / 5	0 / 6	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 7	0 / 5	1 / 6	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 7	0 / 5	1 / 6	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	5	3	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5	0 / 3	0 / 3			
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 3	1 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 3	0 / 3			
Percentage of transfers resulting in live births (%)	2 / 5	0 / 3	1 / 3			
Percentage of transfers resulting in pregnancies (%)	2 / 5	0 / 3	1 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	26	14	14	7	1	1
Number of transfers	26	12	11	7	1	1
Estimated average number of transfers per retrieval	1.4	0.6	0.5	0.6	0.1	0.3
Average number of embryos transferred	1.2	1.3	1.3	1.4	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	70.0	13 / 16	9 / 11	5 / 9	1 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0.0	0 / 12	0 / 11	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	61.5	6 / 12	7 / 11	3 / 7	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	3 / 12	1 / 11	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	69.2	9 / 12	8 / 11	3 / 7	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	73.1	10 / 12	9 / 11	6 / 7	1 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	14	19	23	10	10	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			6		
Number of transfers	1			6		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			4 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 1			2 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 1			1 / 6		
Percentage of transfers resulting in live births (%)	1 / 1			3 / 6		
Percentage of transfers resulting in pregnancies (%)	1 / 1			3 / 6		

**CURRENT SERVICES & PROFILE**

Current Name: OC Fertility, Dr. Sharon Moayeri

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	No	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Beth A. Ary, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	72%	Tubal factor	0%	Uterine factor	6%
Unstimulated	0%	Used PGD	25%	Ovulatory dysfunction	14%	Male factor	58%
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	17%
				Endometriosis	14%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 68 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	4	10	4	2	1
Percentage of cancellations (%)	0 / 11	0 / 4	0 / 10	1 / 4	0 / 2	0 / 1
Average number of embryos transferred	2.9	2.3	2.2	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	20.7	5 / 7	18.2	2 / 5	0 / 4	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 3	0 / 6	0 / 1	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 11	1 / 4	1 / 10	1 / 4	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 11	1 / 4	1 / 10	1 / 4	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 11	2 / 4	0 / 10	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	5 / 11	3 / 4	2 / 10	1 / 4	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	5 / 11	3 / 4	2 / 10	2 / 4	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	10	3	10	2	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 10	1 / 3	1 / 10	1 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 10	1 / 3	1 / 10	1 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 10	2 / 3	0 / 10	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	5 / 10	3 / 3	2 / 10	1 / 2	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 10	3 / 3	2 / 10	2 / 2	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	9	0	5	1	0	0
Number of transfers	9	0	5	1	0	0
Estimated average number of transfers per retrieval	3.0		1.3			
Average number of embryos transferred	2.2		2.2	1.0		
Percentage of embryos transferred resulting in implantation (%)	10.0		1 / 11	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 9		1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 9		1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 9		0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 9		1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 9		1 / 5	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			11		
Number of transfers	8			11		
Average number of embryos transferred	2.4			1.9		
Percentage of embryos transferred resulting in implantation (%)	9 / 19			19.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 8			3 / 11		
Percentage of transfers resulting in singleton live births (%)	5 / 8			4 / 11		
Percentage of transfers resulting in twin live births (%)	2 / 8			0 / 11		
Percentage of transfers resulting in live births (%)	7 / 8			4 / 11		
Percentage of transfers resulting in pregnancies (%)	7 / 8			4 / 11		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Robert E. Anderson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	72%	Tubal factor	4%	Uterine factor	7%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	11%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	32%
				Endometriosis	9%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 514 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	8	3	10	1	3	0
Percentage of cancellations (%)	1 / 8	1 / 3	3 / 10	0 / 1	2 / 3	
Average number of embryos transferred	1.9	2.5	2.3	4.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 11	1 / 5	1 / 9	0 / 4	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 2	0 / 5	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 8	1 / 3	1 / 10	0 / 1	1 / 3	
Percentage of cycles resulting in singleton live births (%)	3 / 8	1 / 3	1 / 10	0 / 1	1 / 3	
Percentage of cycles resulting in twin live births (%)	1 / 8	0 / 3	0 / 10	0 / 1	0 / 3	
Percentage of cycles resulting in live births (%)	4 / 8	1 / 3	1 / 10	0 / 1	1 / 3	
Percentage of cycles resulting in pregnancies (%)	5 / 8	1 / 3	3 / 10	0 / 1	1 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	7	2	6	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7	1 / 2	1 / 6	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	1 / 2	1 / 6	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 2	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 7	1 / 2	1 / 6	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 7	1 / 2	3 / 6	0 / 1	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	68	68	50	20	2	1
Number of transfers	62	61	44	16	1	1
Estimated average number of transfers per retrieval	1.0	1.4	0.8	0.4	0.1	0.1
Average number of embryos transferred	1.4	1.4	1.3	1.4	4.0	2.0
Percentage of embryos transferred resulting in implantation (%)	69.4	64.6	64.3	63.6	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	61.3	39.3	59.1	3 / 16	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	62.9	45.9	63.6	3 / 16	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	12.9	14.8	6.8	5 / 16	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	75.8	60.7	70.5	8 / 16	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	77.4	73.8	75.0	10 / 16	0 / 1	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	64	42	55	38	11	7
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	19			40		
Number of transfers	19			35		
Average number of embryos transferred	1.6			1.5		
Percentage of embryos transferred resulting in implantation (%)	67.7			46.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8 / 19			28.6		
Percentage of transfers resulting in singleton live births (%)	9 / 19			40.0		
Percentage of transfers resulting in twin live births (%)	6 / 19			11.4		
Percentage of transfers resulting in live births (%)	15 / 19			51.4		
Percentage of transfers resulting in pregnancies (%)	15 / 19			60.0		

## CURRENT SERVICES & PROFILE

Current Name: Southern California Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

# LANE FERTILITY INSTITUTE NOVATO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Danielle E. Lane, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	100%	Tubal factor	10%	Uterine factor	3%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	3%	Male factor	14%
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	6%
				Endometriosis	1%	Unknown factor	28%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 96 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	8	7	12	7	3	0
Percentage of cancellations (%)	0 / 8	0 / 7	0 / 12	0 / 7	0 / 3	
Average number of embryos transferred	2.1	2.1	2.6	3.4	4.3	
Percentage of embryos transferred resulting in implantation (%)	7 / 17	4 / 15	19.4	4.2	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 7	2 / 12	1 / 7	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8	0 / 7	1 / 12	1 / 7	0 / 3	
Percentage of cycles resulting in singleton live births (%)	3 / 8	0 / 7	2 / 12	1 / 7	0 / 3	
Percentage of cycles resulting in twin live births (%)	2 / 8	1 / 7	0 / 12	0 / 7	0 / 3	
Percentage of cycles resulting in live births (%)	5 / 8	1 / 7	2 / 12	1 / 7	0 / 3	
Percentage of cycles resulting in pregnancies (%)	5 / 8	2 / 7	5 / 12	1 / 7	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	8	7	12	7	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8	0 / 7	1 / 12	1 / 7	0 / 3	
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 7	2 / 12	1 / 7	0 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 8	1 / 7	0 / 12	0 / 7	0 / 3	
Percentage of transfers resulting in live births (%)	5 / 8	1 / 7	2 / 12	1 / 7	0 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 8	2 / 7	5 / 12	1 / 7	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	4	4	7	0	2
Number of transfers	6	4	4	7	0	2
Estimated average number of transfers per retrieval	0.9	0.7	0.6	1.0	0.0	
Average number of embryos transferred	1.8	2.0	1.8	2.9		1.5
Percentage of embryos transferred resulting in implantation (%)	2 / 11	1 / 8	2 / 6	15.0		2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	1 / 4	1 / 4	1 / 7		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 4	1 / 4	1 / 7		0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 4	0 / 4	1 / 7		0 / 2
Percentage of transfers resulting in live births (%)	1 / 6	1 / 4	1 / 4	2 / 7		0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 6	1 / 4	3 / 4	2 / 7		1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	6	6	5	2	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			1		
Number of transfers	9			1		
Average number of embryos transferred	1.7			2.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 15			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 9			0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 9			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 9			0 / 1		
Percentage of transfers resulting in live births (%)	3 / 9			0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 9			0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Lane Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVF-ORANGE SURGERY CENTER ORANGE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Darush L. Mohyi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	8%
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	67%
				Endometriosis	0%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 12 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	1	1	0	0	0
Percentage of cancellations (%)	0 / 3	0 / 1	0 / 1			
Average number of embryos transferred	3.7	3.0	5.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 11	0 / 3	1 / 5			
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 1	0 / 1			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	0 / 1	1 / 1			
Percentage of cycles resulting in singleton live births (%)	1 / 3	0 / 1	1 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 1	0 / 1			
Percentage of cycles resulting in live births (%)	1 / 3	0 / 1	1 / 1			
Percentage of cycles resulting in pregnancies (%)	1 / 3	0 / 1	1 / 1			
<b>Outcomes per Transfer</b>						
Number of transfers	3	1	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	0 / 1	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 3	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 3	0 / 1	1 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	1	0	0	0	0
Number of transfers	1	1	0	0	0	0
Estimated average number of transfers per retrieval	1.0	1.0				
Average number of embryos transferred	3.0	5.0				
Percentage of embryos transferred resulting in implantation (%)		0 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			3		
Number of transfers	2			3		
Average number of embryos transferred	2.5			4.3		
Percentage of embryos transferred resulting in implantation (%)	0 / 5			0 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 2			0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 3		
Percentage of transfers resulting in live births (%)	0 / 2			0 / 3		
Percentage of transfers resulting in pregnancies (%)	0 / 2			0 / 3		

## CURRENT SERVICES & PROFILE

Current Name: IVF-Orange Surgery Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# AMERICAN REPRODUCTIVE CENTERS PALM SPRINGS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Maher A. Abdallah, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				Multiple Factors:	
IVF	100%	With ICSI	95%	Tubal factor	18%	Uterine factor	23%	Female factors only	39%
Unstimulated	0%	Used PGD	52%	Ovulatory dysfunction	14%	Male factor	30%	Female & male factors	22%
Used gestational carrier	<1%			Diminished ovarian reserve	55%	Other factor	26%		
				Endometriosis	7%	Unknown factor	6%		

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 211 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	78	41	31	5	12	7
Percentage of cancellations (%)	0.0	2.4	0.0	1 / 5	0 / 12	0 / 7
Average number of embryos transferred	1.9	2.0	2.2	1.7	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	48.0	38.5	21.7	0 / 4	2 / 7	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	6.9	0.0	0 / 17	0 / 1	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.1	19.5	19.4	0 / 5	2 / 12	0 / 7
Percentage of cycles resulting in singleton live births (%)	37.2	22.0	22.6	0 / 5	2 / 12	0 / 7
Percentage of cycles resulting in twin live births (%)	15.4	12.2	3.2	0 / 5	0 / 12	0 / 7
Percentage of cycles resulting in live births (%)	52.6	36.6	25.8	0 / 5	2 / 12	0 / 7
Percentage of cycles resulting in pregnancies (%)	59.0	43.9	29.0	0 / 5	2 / 12	0 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	66	32	21	3	6	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.9	25.0	28.6	0 / 3	2 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.9	28.1	33.3	0 / 3	2 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	18.2	15.6	4.8	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	62.1	46.9	38.1	0 / 3	2 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	69.7	56.3	42.9	0 / 3	2 / 6	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	2	0	1	0	0
Number of transfers	1	1	0	1	0	0
Estimated average number of transfers per retrieval	0.2	0.3	0.0	0.3	0.0	0.0
Average number of embryos transferred	1.0	2.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1	0 / 2		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1		0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1		0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	3	5	3	5	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			1		
Number of transfers	9			1		
Average number of embryos transferred	1.9			3.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 17			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9			0 / 1		
Percentage of transfers resulting in singleton live births (%)	5 / 9			0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 9			0 / 1		
Percentage of transfers resulting in live births (%)	7 / 9			0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 9			0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: American Reproductive Centers

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# BAY IN VITRO FERTILIZATION CENTER FOR REPRODUCTIVE MEDICINE PALO ALTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Francis Polansky, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	57%	Tubal factor	24%	Uterine factor	2%
Unstimulated	0%	Used PGD	17%	Ovulatory dysfunction	22%	Male factor	34%
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	15%
				Endometriosis	<1%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 144 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	23	31	12	8	2
Percentage of cancellations (%)	7.7	0.0	6.5	0 / 12	1 / 8	0 / 2
Average number of embryos transferred	1.7	2.0	2.0	2.4	2.7	3.0
Percentage of embryos transferred resulting in implantation (%)	30.0	22.2	11.3	1 / 19	2 / 12	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	5 / 19	3 / 18	28.0	0 / 6	0 / 4	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	8.7	16.1	1 / 12	0 / 8	0 / 2
Percentage of cycles resulting in singleton live births (%)	38.5	26.1	16.1	1 / 12	1 / 8	0 / 2
Percentage of cycles resulting in twin live births (%)	3.8	8.7	0.0	0 / 12	0 / 8	0 / 2
Percentage of cycles resulting in live births (%)	42.3	34.8	16.1	1 / 12	1 / 8	0 / 2
Percentage of cycles resulting in pregnancies (%)	42.3	34.8	22.6	1 / 12	3 / 8	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	24	23	27	8	6	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.2	8.7	18.5	1 / 8	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	41.7	26.1	18.5	1 / 8	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	4.2	8.7	0.0	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	45.8	34.8	18.5	1 / 8	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	45.8	34.8	25.9	1 / 8	3 / 6	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	2	7	2	1	1
Number of transfers	6	2	7	2	1	1
Estimated average number of transfers per retrieval	1.2	1.0	0.8	0.3		
Average number of embryos transferred	2.8	3.5	1.4	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 17	1 / 7	2 / 10	1 / 4	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 6	1 / 2	2 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 2	2 / 7	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 2	0 / 7	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 6	1 / 2	2 / 7	1 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 6	1 / 2	2 / 7	1 / 2	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	1	4	5	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			4		
Number of transfers	6			4		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 12			5 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 6			4 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 6			4 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 4		
Percentage of transfers resulting in live births (%)	3 / 6			4 / 4		
Percentage of transfers resulting in pregnancies (%)	3 / 6			4 / 4		

## CURRENT SERVICES & PROFILE

Current Name: Bay In Vitro Fertilization Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PALO ALTO MEDICAL FOUNDATION REPRODUCTIVE ENDOCRINOLOGY & FERTILITY PALO ALTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Salli I. Tazuke, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	66%	Tubal factor	15%	Uterine factor	6%
Unstimulated	0%	Used PGD	10%	Ovulatory dysfunction	7%	Male factor	26%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	17%
				Endometriosis	4%	Unknown factor	18%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 119 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	20	26	12	5	1
Percentage of cancellations (%)	2 / 18	10.0	19.2	2 / 12	2 / 5	0 / 1
Average number of embryos transferred	1.7	2.0	2.8	3.8	1.5	4.0
Percentage of embryos transferred resulting in implantation (%)	5 / 17	15.4	24.0	3.3	0 / 3	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	3 / 10	4 / 12	0 / 16	0 / 8	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 18	5.0	7.7	0 / 12	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 18	5.0	7.7	0 / 12	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 18	5.0	7.7	0 / 12	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	4 / 18	10.0	15.4	0 / 12	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	6 / 18	15.0	26.9	1 / 12	0 / 5	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	11	13	18	8	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 11	1 / 13	2 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 11	1 / 13	2 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 13	2 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	4 / 11	2 / 13	4 / 18	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 11	3 / 13	7 / 18	1 / 8	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	10	4	1	2	0
Number of transfers	9	10	4	1	2	0
Estimated average number of transfers per retrieval	1.8	2.0	0.6	0.3	2.0	
Average number of embryos transferred	1.8	1.6	1.5	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 16	6 / 16	2 / 6	1 / 1	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 9	2 / 10	2 / 4	1 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	6 / 9	2 / 10	2 / 4	1 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 10	0 / 4	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	7 / 9	3 / 10	2 / 4	1 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	7 / 9	5 / 10	2 / 4	1 / 1	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	3	3	3	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

**Current Name:** This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**STANFORD FERTILITY AND REPRODUCTIVE MEDICINE CENTER  
STANFORD UNIVERSITY DEPARTMENT OF GYNECOLOGY AND OBSTETRICS  
PALO ALTO, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2013 ART CYCLE PROFILE**

Data verified by Valerie Baker, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	51%	Tubal factor	13%	Uterine factor	6%
Unstimulated	<1%	Used PGD	22%	Ovulatory dysfunction	11%	Male factor	61%
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	17%
				Endometriosis	10%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

**2013 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 949 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	94	95	99	67	59	19
Percentage of cancellations (%)	4.3	5.3	7.1	17.9	11.9	1 / 19
Average number of embryos transferred	1.5	1.8	2.0	2.4	2.9	2.8
Percentage of embryos transferred resulting in implantation (%)	40.0	21.8	19.1	17.0	5.3	2.8
Percentage of elective single embryo transfers (eSET) (%)	56.2	30.0	12.5	0.0	0.0	0 / 11
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.3	13.7	13.1	4.5	10.2	0 / 19
Percentage of cycles resulting in singleton live births (%)	25.5	15.8	14.1	7.5	10.2	0 / 19
Percentage of cycles resulting in twin live births (%)	6.4	5.3	5.1	6.0	0.0	0 / 19
Percentage of cycles resulting in live births (%)	31.9	21.1	19.2	13.4	10.2	0 / 19
Percentage of cycles resulting in pregnancies (%)	37.2	28.4	25.3	17.9	11.9	1 / 19
<b>Outcomes per Transfer</b>						
Number of transfers	78	82	74	40	40	13
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	15.9	17.6	7.5	15.0	0 / 13
Percentage of transfers resulting in singleton live births (%)	30.8	18.3	18.9	12.5	15.0	0 / 13
Percentage of transfers resulting in twin live births (%)	7.7	6.1	6.8	10.0	0.0	0 / 13
Percentage of transfers resulting in live births (%)	38.5	24.4	25.7	22.5	15.0	0 / 13
Percentage of transfers resulting in pregnancies (%)	44.9	32.9	33.8	30.0	17.5	1 / 13
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	70	84	68	14	19	8
Number of transfers	65	70	59	12	14	7
Estimated average number of transfers per retrieval	0.8	0.9	0.8	0.4	1.0	1.0
Average number of embryos transferred	1.2	1.4	1.5	1.7	2.2	1.4
Percentage of embryos transferred resulting in implantation (%)	42.7	33.3	32.9	4 / 14	17.2	0 / 10
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	28.6	23.7	2 / 12	2 / 14	0 / 7
Percentage of transfers resulting in singleton live births (%)	44.6	30.0	30.5	4 / 12	2 / 14	0 / 7
Percentage of transfers resulting in twin live births (%)	0.0	5.7	5.1	0 / 12	1 / 14	0 / 7
Percentage of transfers resulting in live births (%)	44.6	35.7	35.6	4 / 12	3 / 14	0 / 7
Percentage of transfers resulting in pregnancies (%)	52.3	44.3	45.8	7 / 12	5 / 14	0 / 7
<b>Number of Egg/Embryo Banking Cycles</b>						
	52	45	52	24	11	5
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		24		35		
Number of transfers		23		27		
Average number of embryos transferred		1.4		1.7		
Percentage of embryos transferred resulting in implantation (%)		41.4		34.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.1		33.3		
Percentage of transfers resulting in singleton live births (%)		43.5		37.0		
Percentage of transfers resulting in twin live births (%)		0.0		3.7		
Percentage of transfers resulting in live births (%)		43.5		44.4		
Percentage of transfers resulting in pregnancies (%)		56.5		48.1		

**CURRENT SERVICES & PROFILE**

**Current Name:** This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HRC FERTILITY-PASADENA PASADENA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Bradford A. Kolb, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				Multiple Factors:	
IVF	100%	With ICSI	85%	Tubal factor	0%	Uterine factor	<1%	Female factors only	<1%
Unstimulated	0%	Used PGD	12%	Ovulatory dysfunction	<1%	Male factor	<1%	Female & male factors	0%
Used gestational carrier	3%			Diminished ovarian reserve	24%	Other factor	<1%		
				Endometriosis	<1%	Unknown factor	74%		

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 632 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	153	104	83	46	34	11
Percentage of cancellations (%)	3.9	7.7	8.4	4.3	5.9	4 / 11
Average number of embryos transferred	1.8	2.0	2.3	2.3	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)	47.1	30.6	20.0	9.6	11.4	2 / 8
Percentage of elective single embryo transfers (eSET) (%)	14.9	10.2	9.5	1 / 18	0 / 14	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.8	17.3	12.0	8.7	2.9	0 / 11
Percentage of cycles resulting in singleton live births (%)	32.0	26.0	15.7	8.7	5.9	0 / 11
Percentage of cycles resulting in twin live births (%)	12.4	4.8	3.6	0.0	2.9	1 / 11
Percentage of cycles resulting in live births (%)	44.4	30.8	19.3	8.7	8.8	1 / 11
Percentage of cycles resulting in pregnancies (%)	46.4	34.6	26.5	15.2	17.6	2 / 11
<b>Outcomes per Transfer</b>						
Number of transfers	108	66	50	24	18	5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.2	27.3	20.0	16.7	1 / 18	0 / 5
Percentage of transfers resulting in singleton live births (%)	45.4	40.9	26.0	16.7	2 / 18	0 / 5
Percentage of transfers resulting in twin live births (%)	17.6	7.6	6.0	0.0	1 / 18	1 / 5
Percentage of transfers resulting in live births (%)	63.0	48.5	32.0	16.7	3 / 18	1 / 5
Percentage of transfers resulting in pregnancies (%)	65.7	54.5	44.0	29.2	6 / 18	2 / 5
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	31	20	17	15	3	12
Number of transfers	27	19	16	11	2	10
Estimated average number of transfers per retrieval	1.1	0.8	0.9	0.9	0.5	3.3
Average number of embryos transferred	2.0	1.7	2.0	1.6	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	41.3	38.7	25.8	2 / 18	0 / 1	8 / 15
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.9	7 / 19	4 / 16	1 / 11	0 / 2	3 / 10
Percentage of transfers resulting in singleton live births (%)	37.0	10 / 19	4 / 16	2 / 11	0 / 2	4 / 10
Percentage of transfers resulting in twin live births (%)	11.1	1 / 19	2 / 16	0 / 11	0 / 2	2 / 10
Percentage of transfers resulting in live births (%)	51.9	11 / 19	6 / 16	2 / 11	0 / 2	6 / 10
Percentage of transfers resulting in pregnancies (%)	66.7	12 / 19	7 / 16	2 / 11	1 / 2	8 / 10
<b>Number of Egg/Embryo Banking Cycles</b>						
	15	17	11	7	4	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		40			6	
Number of transfers		30			5	
Average number of embryos transferred		1.8			1.8	
Percentage of embryos transferred resulting in implantation (%)		59.6			5 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.0			2 / 5	
Percentage of transfers resulting in singleton live births (%)		40.0			3 / 5	
Percentage of transfers resulting in twin live births (%)		30.0			1 / 5	
Percentage of transfers resulting in live births (%)		70.0			4 / 5	
Percentage of transfers resulting in pregnancies (%)		76.7			4 / 5	

## CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Pasadena

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE PARTNERS-REDONDO BEACH REDONDO BEACH, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Bill Yee, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	54%	Tubal factor	7%	Uterine factor	2%
Unstimulated	2%	Used PGD	<1%	Ovulatory dysfunction	5%	Male factor	13%
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	38%
				Endometriosis	4%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,577 (includes 32 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	124	104	124	92	44	17
Percentage of cancellations (%)	8.1	7.7	16.9	14.1	25.0	15 / 17
Average number of embryos transferred	1.6	2.0	2.4	3.2	3.1	2.0
Percentage of embryos transferred resulting in implantation (%)	51.8	38.7	19.4	13.6	8.7	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	39.0	15.4	3.8	1.5	0 / 19	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.7	30.8	12.9	12.0	2.3	0 / 17
Percentage of cycles resulting in singleton live births (%)	34.7	31.7	16.1	12.0	4.5	0 / 17
Percentage of cycles resulting in twin live births (%)	14.5	12.5	3.2	1.1	0.0	0 / 17
Percentage of cycles resulting in live births (%)	49.2	44.2	19.4	13.0	4.5	0 / 17
Percentage of cycles resulting in pregnancies (%)	54.0	48.1	29.8	31.5	11.4	0 / 17
<b>Outcomes per Transfer</b>						
Number of transfers	102	84	91	69	22	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.2	38.1	17.6	15.9	4.5	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.2	39.3	22.0	15.9	9.1	0 / 1
Percentage of transfers resulting in twin live births (%)	17.6	15.5	4.4	1.4	0.0	0 / 1
Percentage of transfers resulting in live births (%)	59.8	54.8	26.4	17.4	9.1	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.7	59.5	40.7	42.0	22.7	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	126	95	86	58	36	16
Number of transfers	112	80	71	49	30	12
Estimated average number of transfers per retrieval	1.0	0.7	0.5	0.4	0.3	0.2
Average number of embryos transferred	1.6	1.7	1.9	2.4	3.2	3.1
Percentage of embryos transferred resulting in implantation (%)	38.9	27.6	29.0	18.3	8.7	0.0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.5	16.3	25.4	20.4	6.7	0 / 12
Percentage of transfers resulting in singleton live births (%)	31.3	21.3	31.0	22.4	10.0	0 / 12
Percentage of transfers resulting in twin live births (%)	5.4	5.0	5.6	2.0	0.0	0 / 12
Percentage of transfers resulting in live births (%)	37.5	26.3	36.6	24.5	10.0	0 / 12
Percentage of transfers resulting in pregnancies (%)	55.4	42.5	47.9	38.8	30.0	0 / 12
<b>Number of Egg/Embryo Banking Cycles</b>						
	78	89	131	95	111	66
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	18			35		
Number of transfers	12			29		
Average number of embryos transferred	1.3			1.4		
Percentage of embryos transferred resulting in implantation (%)	9 / 15			48.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 12			20.7		
Percentage of transfers resulting in singleton live births (%)	5 / 12			31.0		
Percentage of transfers resulting in twin live births (%)	2 / 12			10.3		
Percentage of transfers resulting in live births (%)	7 / 12			41.4		
Percentage of transfers resulting in pregnancies (%)	8 / 12			58.6		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Partners-Beverly Hills, Redondo Beach & Westminster

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Carlos E. Soto-Albors, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	75%	Tubal factor	14%	Uterine factor	4%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	17%	Male factor	44%
Used gestational carrier	<1%			Diminished ovarian reserve	39%	Other factor	26%
				Endometriosis	12%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 590 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	115	82	58	35	15	4
Percentage of cancellations (%)	7.0	8.5	13.8	11.4	4 / 15	0 / 4
Average number of embryos transferred	2.1	2.1	2.4	2.4	2.4	2.5
Percentage of embryos transferred resulting in implantation (%)	32.9	25.8	16.5	16.4	2 / 19	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	8.1	3.8	2.9	5.0	0 / 6	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.3	18.3	13.8	11.4	0 / 15	0 / 4
Percentage of cycles resulting in singleton live births (%)	18.3	22.0	13.8	14.3	0 / 15	0 / 4
Percentage of cycles resulting in twin live births (%)	9.6	3.7	5.2	2.9	1 / 15	0 / 4
Percentage of cycles resulting in live births (%)	28.7	26.8	19.0	17.1	1 / 15	0 / 4
Percentage of cycles resulting in pregnancies (%)	32.2	31.7	22.4	25.7	1 / 15	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	76	61	40	26	8	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.1	24.6	20.0	15.4	0 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	27.6	29.5	20.0	19.2	0 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	14.5	4.9	7.5	3.8	1 / 8	0 / 2
Percentage of transfers resulting in live births (%)	43.4	36.1	27.5	23.1	1 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	48.7	42.6	32.5	34.6	1 / 8	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	100	40	35	8	12	5
Number of transfers	76	34	27	5	10	5
Estimated average number of transfers per retrieval	2.1	1.8	2.3	1.3	2.5	
Average number of embryos transferred	1.8	1.8	1.9	1.2	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	32.8	36.7	33.3	1 / 6	6 / 12	2 / 10
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.1	35.3	18.5	0 / 5	1 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	27.6	47.1	18.5	1 / 5	2 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	9.2	5.9	14.8	0 / 5	1 / 10	1 / 5
Percentage of transfers resulting in live births (%)	36.8	52.9	33.3	1 / 5	3 / 10	1 / 5
Percentage of transfers resulting in pregnancies (%)	50.0	55.9	51.9	1 / 5	4 / 10	1 / 5
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	3	3	1	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		37			34	
Number of transfers		36			29	
Average number of embryos transferred		1.8			1.8	
Percentage of embryos transferred resulting in implantation (%)		74.2			42.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		22.2			27.6	
Percentage of transfers resulting in singleton live births (%)		25.0			34.5	
Percentage of transfers resulting in twin live births (%)		38.9			10.3	
Percentage of transfers resulting in live births (%)		66.7			44.8	
Percentage of transfers resulting in pregnancies (%)		80.6			51.7	

## CURRENT SERVICES & PROFILE

Current Name: Northern California Fertility Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Sae Sohn, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	66%	Tubal factor	11%	Uterine factor	4%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	39%
Used gestational carrier	3%			Diminished ovarian reserve	26%	Other factor	3%
				Endometriosis	5%	Unknown factor	15%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 335 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	101	48	49	8	2	0
Percentage of cancellations (%)	2.0	12.5	4.1	1 / 8	1 / 2	
Average number of embryos transferred	1.8	2.2	2.6	2.8	4.0	
Percentage of embryos transferred resulting in implantation (%)	51.6	34.1	20.4	2 / 17	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	38.5	7.5	2.2	0 / 5	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.7	16.7	24.5	1 / 8	0 / 2	
Percentage of cycles resulting in singleton live births (%)	32.7	16.7	30.6	1 / 8	0 / 2	
Percentage of cycles resulting in twin live births (%)	19.8	14.6	2.0	0 / 8	0 / 2	
Percentage of cycles resulting in live births (%)	52.5	33.3	32.7	1 / 8	0 / 2	
Percentage of cycles resulting in pregnancies (%)	58.4	45.8	40.8	2 / 8	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	93	41	45	6	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.0	19.5	26.7	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	35.5	19.5	33.3	1 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	21.5	17.1	2.2	0 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	57.0	39.0	35.6	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	63.4	53.7	44.4	2 / 6	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	49	21	15	5	1	0
Number of transfers	46	20	15	5	1	0
Estimated average number of transfers per retrieval	2.9	2.0	2.5	2.5		
Average number of embryos transferred	1.7	1.8	2.0	2.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.6	56.3	16.7	4 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.3	35.0	1 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.7	35.0	2 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.9	5.0	0 / 15	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	56.5	45.0	2 / 15	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.2	75.0	5 / 15	3 / 5	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	17			16		
Number of transfers	17			14		
Average number of embryos transferred	1.6			1.8		
Percentage of embryos transferred resulting in implantation (%)	54.2			43.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 17			5 / 14		
Percentage of transfers resulting in singleton live births (%)	6 / 17			6 / 14		
Percentage of transfers resulting in twin live births (%)	3 / 17			0 / 14		
Percentage of transfers resulting in live births (%)	9 / 17			6 / 14		
Percentage of transfers resulting in pregnancies (%)	13 / 17			8 / 14		

## CURRENT SERVICES & PROFILE

**Current Name:** This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Arlene J. Morales, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	90%	Tubal factor	12%	Uterine factor	7%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	15%	Male factor	53%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	11%
				Endometriosis	1%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 422 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	49	31	17	11	2	0
Percentage of cancellations (%)	8.2	3.2	2 / 17	1 / 11	1 / 2	
Average number of embryos transferred	1.4	1.9	2.2	2.8		
Percentage of embryos transferred resulting in implantation (%)	49.1	23.4	38.7	8.0		
Percentage of elective single embryo transfers (eSET) (%)	60.0	9.1	0 / 13	0 / 9		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.9	19.4	2 / 17	1 / 11	0 / 2	
Percentage of cycles resulting in singleton live births (%)	42.9	22.6	3 / 17	1 / 11	0 / 2	
Percentage of cycles resulting in twin live births (%)	2.0	6.5	1 / 17	0 / 11	0 / 2	
Percentage of cycles resulting in live births (%)	44.9	29.0	5 / 17	1 / 11	0 / 2	
Percentage of cycles resulting in pregnancies (%)	57.1	32.3	8 / 17	2 / 11	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	42	25	14	9	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	50.0	24.0	2 / 14	1 / 9		
Percentage of transfers resulting in singleton live births (%)	50.0	28.0	3 / 14	1 / 9		
Percentage of transfers resulting in twin live births (%)	2.4	8.0	1 / 14	0 / 9		
Percentage of transfers resulting in live births (%)	52.4	36.0	5 / 14	1 / 9		
Percentage of transfers resulting in pregnancies (%)	66.7	40.0	8 / 14	2 / 9		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	71	34	23	5	0	5
Number of transfers	68	34	22	4	0	4
Estimated average number of transfers per retrieval	1.2	0.9	0.6	0.2	0.0	1.0
Average number of embryos transferred	1.5	1.6	1.7	1.5		1.5
Percentage of embryos transferred resulting in implantation (%)	40.9	36.4	21.6	2 / 6		0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.4	29.4	18.2	1 / 4		0 / 4
Percentage of transfers resulting in singleton live births (%)	33.8	29.4	18.2	2 / 4		0 / 4
Percentage of transfers resulting in twin live births (%)	5.9	8.8	4.5	0 / 4		0 / 4
Percentage of transfers resulting in live births (%)	39.7	38.2	22.7	2 / 4		0 / 4
Percentage of transfers resulting in pregnancies (%)	54.4	50.0	31.8	2 / 4		0 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	46	34	34	21	5	4
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			20		
Number of transfers	8			20		
Average number of embryos transferred	1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 12			48.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 8			45.0		
Percentage of transfers resulting in singleton live births (%)	6 / 8			50.0		
Percentage of transfers resulting in twin live births (%)	0 / 8			5.0		
Percentage of transfers resulting in live births (%)	6 / 8			55.0		
Percentage of transfers resulting in pregnancies (%)	7 / 8			60.0		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists Medical Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NAVAL MEDICAL CENTER SAN DIEGO INFERTILITY CLINIC SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Larry Laufer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	89%	Tubal factor	22%	Uterine factor	0%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	16%	Male factor	30%
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	6%
				Endometriosis	5%	Unknown factor	18%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				<1%			
				2%			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 206 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	69	23	25	4	1	1
Percentage of cancellations (%)	10.1	0.0	20.0	0 / 4	0 / 1	0 / 1
Average number of embryos transferred	1.8	2.0	2.2	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	59.0	44.2	20.0	3 / 10	0 / 2	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	18.2	4.8	0 / 14	0 / 4	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.5	34.8	8.0	2 / 4	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	18.8	39.1	8.0	2 / 4	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	20.3	8.7	0.0	0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	39.1	52.2	8.0	2 / 4	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.9	60.9	24.0	3 / 4	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	44	21	14	4	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.7	38.1	2 / 14	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.5	42.9	2 / 14	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	31.8	9.5	0 / 14	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	61.4	57.1	2 / 14	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	70.5	66.7	6 / 14	3 / 4	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	46	12	11	1	1	0
Number of transfers	46	12	11	1	1	0
Estimated average number of transfers per retrieval	2.4	6.0	2.2	1.0		
Average number of embryos transferred	1.8	1.6	2.3	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.9	7 / 17	40.0	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4	2 / 12	3 / 11	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.0	2 / 12	5 / 11	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.9	2 / 12	1 / 11	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	47.8	4 / 12	6 / 11	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	71.7	5 / 12	8 / 11	0 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			6		
Number of transfers	4			6		
Average number of embryos transferred	2.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	5 / 8			3 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 4			0 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 4			0 / 6		
Percentage of transfers resulting in twin live births (%)	2 / 4			1 / 6		
Percentage of transfers resulting in live births (%)	2 / 4			1 / 6		
Percentage of transfers resulting in pregnancies (%)	3 / 4			3 / 6		

## CURRENT SERVICES & PROFILE

Current Name: Naval Medical Center San Diego Infertility Clinic

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SAN DIEGO FERTILITY CENTER (SDFC) SAN DIEGO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by William P. Hummel, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	>99%	With ICSI	83%	Tubal factor	5%	Uterine factor	6%
Unstimulated	2%	Used PGD	10%	Ovulatory dysfunction	4%	Male factor	27%
Used gestational carrier	3%			Diminished ovarian reserve	60%	Other factor	7%
				Endometriosis	3%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,034 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	107	63	84	38	30	8
Percentage of cancellations (%)	8.4	12.7	13.1	26.3	33.3	0 / 8
Average number of embryos transferred	2.0	2.1	2.3	2.1	3.0	3.5
Percentage of embryos transferred resulting in implantation (%)	37.8	23.8	18.6	21.2	11.1	0 / 14
Percentage of elective single embryo transfers (eSET) (%)	9.4	4.3	7.9	0 / 14	0 / 11	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.6	11.1	11.9	13.2	3.3	0 / 8
Percentage of cycles resulting in singleton live births (%)	20.6	14.3	15.5	13.2	6.7	0 / 8
Percentage of cycles resulting in twin live births (%)	16.8	6.3	4.8	0.0	0.0	0 / 8
Percentage of cycles resulting in live births (%)	37.4	22.2	20.2	13.2	6.7	0 / 8
Percentage of cycles resulting in pregnancies (%)	44.9	30.2	27.4	21.1	13.3	0 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	97	52	65	19	12	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.6	13.5	15.4	5 / 19	1 / 12	0 / 4
Percentage of transfers resulting in singleton live births (%)	22.7	17.3	20.0	5 / 19	2 / 12	0 / 4
Percentage of transfers resulting in twin live births (%)	18.6	7.7	6.2	0 / 19	0 / 12	0 / 4
Percentage of transfers resulting in live births (%)	41.2	26.9	26.2	5 / 19	2 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	49.5	36.5	35.4	8 / 19	4 / 12	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	54	45	41	13	6	0
Number of transfers	50	42	39	12	6	0
Estimated average number of transfers per retrieval	1.1	1.0	1.1	0.6	0.4	0.0
Average number of embryos transferred	2.0	2.0	2.2	1.9	2.7	
Percentage of embryos transferred resulting in implantation (%)	38.0	28.9	15.2	23.8	5 / 16	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	23.8	20.5	2 / 12	1 / 6	
Percentage of transfers resulting in singleton live births (%)	34.0	28.6	23.1	3 / 12	2 / 6	
Percentage of transfers resulting in twin live births (%)	10.0	9.5	0.0	1 / 12	0 / 6	
Percentage of transfers resulting in live births (%)	46.0	38.1	23.1	4 / 12	2 / 6	
Percentage of transfers resulting in pregnancies (%)	56.0	45.2	33.3	5 / 12	5 / 6	
<b>Number of Egg/Embryo Banking Cycles</b>						
	21	29	24	19	10	12
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	214			213		
Number of transfers	202			198		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	56.8			29.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.2			24.7		
Percentage of transfers resulting in singleton live births (%)	36.1			31.3		
Percentage of transfers resulting in twin live births (%)	25.2			7.1		
Percentage of transfers resulting in live births (%)	61.4			38.4		
Percentage of transfers resulting in pregnancies (%)	72.8			46.5		

## CURRENT SERVICES & PROFILE

Current Name: San Diego Fertility Center (SDFC)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WILLIAMS OB/GYN & ASSOCIATES SAN DIMAS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Richard A. Williams, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	7%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	67%	Male factor	7%
Used gestational carrier	7%			Diminished ovarian reserve	0%	Other factor	20%
				Endometriosis	13%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 20 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	2	4	3	2	4	0
Percentage of cancellations (%)	0 / 2	0 / 4	0 / 3	0 / 2	0 / 4	
Average number of embryos transferred	2.0	2.8	2.7	4.0	2.3	
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 11	0 / 8	1 / 4	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 4	0 / 3	0 / 1	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2	0 / 4	0 / 3	0 / 2	0 / 4	
Percentage of cycles resulting in singleton live births (%)	0 / 2	1 / 4	0 / 3	0 / 2	0 / 4	
Percentage of cycles resulting in twin live births (%)	1 / 2	0 / 4	0 / 3	0 / 2	0 / 4	
Percentage of cycles resulting in live births (%)	1 / 2	1 / 4	0 / 3	0 / 2	0 / 4	
Percentage of cycles resulting in pregnancies (%)	1 / 2	1 / 4	0 / 3	1 / 2	0 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	2	4	3	1	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2	0 / 4	0 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 4	0 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 4	0 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	1 / 2	1 / 4	0 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 4	0 / 3	1 / 1	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Williams OB/GYN & Associates

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Collin B. Smikle, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	100%	Tubal factor	16%	Uterine factor	8%
Unstimulated	0%	Used PGD	12%	Ovulatory dysfunction	20%	Male factor	27%
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	7%
				Endometriosis	7%	Unknown factor	19%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 193 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	22	13	14	5	5	0
Percentage of cancellations (%)	0.0	0 / 13	0 / 14	0 / 5	0 / 5	
Average number of embryos transferred	1.9	2.3	1.6	2.4	3.7	
Percentage of embryos transferred resulting in implantation (%)	28.9	48.1	5 / 19	2 / 12	1 / 11	
Percentage of elective single embryo transfers (eSET) (%)	4 / 19	0 / 11	2 / 6	0 / 3	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.8	5 / 13	5 / 14	1 / 5	1 / 5	
Percentage of cycles resulting in singleton live births (%)	40.9	6 / 13	5 / 14	1 / 5	1 / 5	
Percentage of cycles resulting in twin live births (%)	0.0	2 / 13	0 / 14	0 / 5	0 / 5	
Percentage of cycles resulting in live births (%)	40.9	8 / 13	5 / 14	1 / 5	1 / 5	
Percentage of cycles resulting in pregnancies (%)	50.0	8 / 13	5 / 14	2 / 5	1 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	20	12	12	5	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.0	5 / 12	5 / 12	1 / 5	1 / 3	
Percentage of transfers resulting in singleton live births (%)	45.0	6 / 12	5 / 12	1 / 5	1 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	2 / 12	0 / 12	0 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	45.0	8 / 12	5 / 12	1 / 5	1 / 3	
Percentage of transfers resulting in pregnancies (%)	55.0	8 / 12	5 / 12	2 / 5	1 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	14	10	6	0	0
Number of transfers	21	14	10	6	0	0
Estimated average number of transfers per retrieval	1.1	0.7	1.0	0.4	0.0	0.0
Average number of embryos transferred	1.6	1.5	1.9	1.2		
Percentage of embryos transferred resulting in implantation (%)	61.8	33.3	4 / 19	4 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	5 / 14	3 / 10	1 / 6		
Percentage of transfers resulting in singleton live births (%)	38.1	6 / 14	4 / 10	1 / 6		
Percentage of transfers resulting in twin live births (%)	23.8	0 / 14	0 / 10	1 / 6		
Percentage of transfers resulting in live births (%)	61.9	6 / 14	4 / 10	2 / 6		
Percentage of transfers resulting in pregnancies (%)	71.4	7 / 14	4 / 10	3 / 6		
<b>Number of Egg/Embryo Banking Cycles</b>						
	14	17	9	16	6	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			13		
Number of transfers	7			13		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 14			52.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7			9 / 13		
Percentage of transfers resulting in singleton live births (%)	2 / 7			9 / 13		
Percentage of transfers resulting in twin live births (%)	1 / 7			0 / 13		
Percentage of transfers resulting in live births (%)	3 / 7			9 / 13		
Percentage of transfers resulting in pregnancies (%)	3 / 7			11 / 13		

## CURRENT SERVICES & PROFILE

Current Name: Laurel Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Philip E. Chenette, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	36%	Tubal factor	4%	Uterine factor	4%
Unstimulated	0%	Used PGD	42%	Ovulatory dysfunction	7%	Male factor	23%
Used gestational carrier	3%			Diminished ovarian reserve	27%	Other factor	12%
				Endometriosis	3%	Unknown factor	39%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,650 (includes 40 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	121	109	129	85	43	7
Percentage of cancellations (%)	8.3	10.1	14.7	14.1	14.0	3 / 7
Average number of embryos transferred	1.6	2.0	2.4	3.5	3.6	5.0
Percentage of embryos transferred resulting in implantation (%)	24.2	20.5	15.0	5.8	5.8	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	54.5	30.6	7.1	0.0	0 / 14	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.4	7.3	7.0	3.5	0.0	0 / 7
Percentage of cycles resulting in singleton live births (%)	13.2	8.3	7.8	3.5	2.3	0 / 7
Percentage of cycles resulting in twin live births (%)	2.5	1.8	0.0	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)	15.7	10.1	8.5	3.5	2.3	0 / 7
Percentage of cycles resulting in pregnancies (%)	15.7	12.8	10.1	8.2	9.3	0 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	58	41	47	24	16	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.9	19.5	19.1	12.5	0 / 16	0 / 2
Percentage of transfers resulting in singleton live births (%)	27.6	22.0	21.3	12.5	1 / 16	0 / 2
Percentage of transfers resulting in twin live births (%)	5.2	4.9	0.0	0.0	0 / 16	0 / 2
Percentage of transfers resulting in live births (%)	32.8	26.8	23.4	12.5	1 / 16	0 / 2
Percentage of transfers resulting in pregnancies (%)	32.8	34.1	27.7	29.2	4 / 16	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	144	144	127	44	19	8
Number of transfers	120	120	107	33	17	6
Estimated average number of transfers per retrieval	1.3	0.9	0.8	0.6	0.7	2.0
Average number of embryos transferred	1.2	1.1	1.3	1.3	1.3	2.2
Percentage of embryos transferred resulting in implantation (%)	49.6	51.2	51.5	41.9	27.3	0 / 10
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.2	32.5	35.5	39.4	4 / 17	0 / 6
Percentage of transfers resulting in singleton live births (%)	36.7	42.5	48.6	51.5	6 / 17	0 / 6
Percentage of transfers resulting in twin live births (%)	8.3	1.7	5.6	0.0	0 / 17	0 / 6
Percentage of transfers resulting in live births (%)	45.0	44.2	54.2	51.5	6 / 17	0 / 6
Percentage of transfers resulting in pregnancies (%)	54.2	54.2	58.9	54.5	6 / 17	1 / 6
<b>Number of Egg/Embryo Banking Cycles</b>						
	41	81	106	35	13	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	122			229		
Number of transfers	71			198		
Average number of embryos transferred	1.2			1.3		
Percentage of embryos transferred resulting in implantation (%)	63.3			47.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.3			29.8		
Percentage of transfers resulting in singleton live births (%)	47.9			36.4		
Percentage of transfers resulting in twin live births (%)	7.0			7.6		
Percentage of transfers resulting in live births (%)	56.3			43.9		
Percentage of transfers resulting in pregnancies (%)	66.2			55.6		

## CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Marcelle I. Cedars, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	64%	Tubal factor	7%	Uterine factor	3%
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	6%	Male factor	27%
Used gestational carrier	<1%			Diminished ovarian reserve	44%	Other factor	8%
				Endometriosis	5%	Unknown factor	22%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,503 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	128	147	152	118	75	15
Percentage of cancellations (%)	13.3	15.6	16.4	25.4	21.3	2 / 15
Average number of embryos transferred	1.6	1.8	2.8	3.6	4.4	5.0
Percentage of embryos transferred resulting in implantation (%)	41.3	34.1	16.3	5.8	4.5	2.3
Percentage of elective single embryo transfers (eSET) (%)	42.0	20.0	5.9	1.6	0.0	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.4	19.7	15.8	5.9	8.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	29.7	25.9	18.4	6.8	9.3	0 / 15
Percentage of cycles resulting in twin live births (%)	5.5	4.8	3.3	0.8	0.0	0 / 15
Percentage of cycles resulting in live births (%)	35.2	30.6	21.7	7.6	9.3	0 / 15
Percentage of cycles resulting in pregnancies (%)	40.6	38.8	28.3	14.4	17.3	2 / 15
<b>Outcomes per Transfer</b>						
Number of transfers	93	103	105	72	50	10
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.3	28.2	22.9	9.7	12.0	0 / 10
Percentage of transfers resulting in singleton live births (%)	40.9	36.9	26.7	11.1	14.0	0 / 10
Percentage of transfers resulting in twin live births (%)	7.5	6.8	4.8	1.4	0.0	0 / 10
Percentage of transfers resulting in live births (%)	48.4	43.7	31.4	12.5	14.0	0 / 10
Percentage of transfers resulting in pregnancies (%)	55.9	55.3	41.0	23.6	26.0	2 / 10
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	100	95	114	50	27	14
Number of transfers	94	88	106	44	26	12
Estimated average number of transfers per retrieval	1.0	0.8	0.8	0.6	0.7	1.7
Average number of embryos transferred	1.4	1.7	2.0	2.7	3.3	3.3
Percentage of embryos transferred resulting in implantation (%)	36.8	27.3	20.6	15.7	15.9	7.7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.9	21.6	22.6	25.0	7.7	2 / 12
Percentage of transfers resulting in singleton live births (%)	37.2	26.1	29.2	27.3	15.4	2 / 12
Percentage of transfers resulting in twin live births (%)	2.1	5.7	1.9	4.5	7.7	0 / 12
Percentage of transfers resulting in live births (%)	39.4	31.8	31.1	31.8	23.1	2 / 12
Percentage of transfers resulting in pregnancies (%)	55.3	40.9	40.6	36.4	42.3	3 / 12
<b>Number of Egg/Embryo Banking Cycles</b>						
	52	59	100	49	28	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		76		89		
Number of transfers		63		81		
Average number of embryos transferred		1.3		1.4		
Percentage of embryos transferred resulting in implantation (%)		62.0		35.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		42.9		23.5		
Percentage of transfers resulting in singleton live births (%)		52.4		33.3		
Percentage of transfers resulting in twin live births (%)		9.5		2.5		
Percentage of transfers resulting in live births (%)		61.9		35.8		
Percentage of transfers resulting in pregnancies (%)		73.0		49.4		

## CURRENT SERVICES & PROFILE

Current Name: UCSF Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by G. David Adamson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	78%	Tubal factor	10%	Uterine factor	5%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	9%	Male factor	50%
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	13%
				Endometriosis	9%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 562 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	111	91	69	36	25	8
Percentage of cancellations (%)	0.9	3.3	11.6	19.4	16.0	2 / 8
Average number of embryos transferred	1.7	1.8	2.5	3.1	3.9	2.4
Percentage of embryos transferred resulting in implantation (%)	35.5	22.2	17.9	3.6	4.0	0 / 12
Percentage of elective single embryo transfers (eSET) (%)	24.2	17.3	6.0	3.8	0 / 17	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.4	17.6	14.5	8.3	0.0	0 / 8
Percentage of cycles resulting in singleton live births (%)	24.3	19.8	14.5	8.3	8.0	0 / 8
Percentage of cycles resulting in twin live births (%)	10.8	5.5	7.2	0.0	0.0	0 / 8
Percentage of cycles resulting in live births (%)	36.0	25.3	21.7	8.3	8.0	0 / 8
Percentage of cycles resulting in pregnancies (%)	44.1	31.9	27.5	11.1	12.0	0 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	103	83	55	28	19	5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.2	19.3	18.2	10.7	0 / 19	0 / 5
Percentage of transfers resulting in singleton live births (%)	26.2	21.7	18.2	10.7	2 / 19	0 / 5
Percentage of transfers resulting in twin live births (%)	11.7	6.0	9.1	0.0	0 / 19	0 / 5
Percentage of transfers resulting in live births (%)	38.8	27.7	27.3	10.7	2 / 19	0 / 5
Percentage of transfers resulting in pregnancies (%)	47.6	34.9	34.5	14.3	3 / 19	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	62	46	33	15	0	4
Number of transfers	62	46	32	15	0	4
Estimated average number of transfers per retrieval	2.2	2.3	1.6	5.0		
Average number of embryos transferred	1.7	1.7	1.8	2.2		2.0
Percentage of embryos transferred resulting in implantation (%)	26.0	28.0	17.2	3.3		1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.4	23.9	12.5	1 / 15		0 / 4
Percentage of transfers resulting in singleton live births (%)	33.9	23.9	12.5	1 / 15		0 / 4
Percentage of transfers resulting in twin live births (%)	3.2	10.9	3.1	0 / 15		0 / 4
Percentage of transfers resulting in live births (%)	37.1	34.8	15.6	1 / 15		0 / 4
Percentage of transfers resulting in pregnancies (%)	43.5	37.0	21.9	3 / 15		2 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	2	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	28			28		
Number of transfers	25			28		
Average number of embryos transferred	1.6			1.7		
Percentage of embryos transferred resulting in implantation (%)	53.8			19.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.0			17.9		
Percentage of transfers resulting in singleton live births (%)	28.0			25.0		
Percentage of transfers resulting in twin live births (%)	16.0			3.6		
Percentage of transfers resulting in live births (%)	44.0			28.6		
Percentage of transfers resulting in pregnancies (%)	68.0			32.1		

## CURRENT SERVICES & PROFILE

Current Name: Palo Alto Medical Foundation  
Fertility Physicians of Northern California

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ALEX STEINLEITNER, MD SAN LUIS OBISPO, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Alex J. Steinleitner, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	58%	Tubal factor	10%	Uterine factor	3%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	25%	Male factor	59%
Used gestational carrier	5%			Diminished ovarian reserve	26%	Other factor	6%
				Endometriosis	7%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 151 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	33	8	13	7	1	0
Percentage of cancellations (%)	33.3	2 / 8	3 / 13	3 / 7	0 / 1	
Average number of embryos transferred	1.9	2.0	2.9	3.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	47.2	7 / 12	22.2	0 / 13	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	1 / 16	0 / 6	0 / 10	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.2	3 / 8	4 / 13	0 / 7	0 / 1	
Percentage of cycles resulting in singleton live births (%)	21.2	3 / 8	4 / 13	0 / 7	1 / 1	
Percentage of cycles resulting in twin live births (%)	12.1	2 / 8	1 / 13	0 / 7	0 / 1	
Percentage of cycles resulting in live births (%)	33.3	5 / 8	5 / 13	0 / 7	1 / 1	
Percentage of cycles resulting in pregnancies (%)	39.4	5 / 8	6 / 13	0 / 7	1 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	19	6	10	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 19	3 / 6	4 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 19	3 / 6	4 / 10	0 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	4 / 19	2 / 6	1 / 10	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	11 / 19	5 / 6	5 / 10	0 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	13 / 19	5 / 6	6 / 10	0 / 4	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	5	5	2	1	1
Number of transfers	17	5	4	2	1	1
Estimated average number of transfers per retrieval	0.7	1.7	0.8	2.0		1.0
Average number of embryos transferred	1.9	2.2	2.3	2.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	45.5	4 / 9	1 / 9	0 / 3	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 17	0 / 5	1 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 17	0 / 5	1 / 4	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 17	0 / 5	0 / 4	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	10 / 17	1 / 5	1 / 4	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 17	3 / 5	1 / 4	1 / 2	1 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	3	4	1	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			19		
Number of transfers	10			17		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	9 / 19			65.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 10			5 / 17		
Percentage of transfers resulting in singleton live births (%)	3 / 10			7 / 17		
Percentage of transfers resulting in twin live births (%)	3 / 10			4 / 17		
Percentage of transfers resulting in live births (%)	6 / 10			12 / 17		
Percentage of transfers resulting in pregnancies (%)	6 / 10			13 / 17		

## CURRENT SERVICES & PROFILE

Current Name: Alex Steinleitner, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

# REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Louis N. Weckstein, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	73%	Tubal factor	15%	Uterine factor	8%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	15%	Male factor	33%
Used gestational carrier	1%			Diminished ovarian reserve	39%	Other factor	20%
				Endometriosis	8%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,301 (includes 24 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	184	143	128	64	17	1
Percentage of cancellations (%)	3.3	14.0	7.8	12.5	2 / 17	0 / 1
Average number of embryos transferred	1.3	1.6	2.2	2.6	2.5	
Percentage of embryos transferred resulting in implantation (%)	59.8	49.4	26.0	17.7	11.1	
Percentage of elective single embryo transfers (eSET) (%)	67.4	40.4	8.0	5.1	0 / 10	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	35.0	25.0	10.9	3 / 17	0 / 1
Percentage of cycles resulting in singleton live births (%)	43.5	36.4	30.5	15.6	3 / 17	0 / 1
Percentage of cycles resulting in twin live births (%)	7.6	7.7	5.5	1.6	0 / 17	0 / 1
Percentage of cycles resulting in live births (%)	51.6	44.8	35.9	17.2	3 / 17	0 / 1
Percentage of cycles resulting in pregnancies (%)	56.5	51.0	41.4	29.7	4 / 17	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	150	112	105	43	12	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	44.7	44.6	30.5	16.3	3 / 12	
Percentage of transfers resulting in singleton live births (%)	53.3	46.4	37.1	23.3	3 / 12	
Percentage of transfers resulting in twin live births (%)	9.3	9.8	6.7	2.3	0 / 12	
Percentage of transfers resulting in live births (%)	63.3	57.1	43.8	25.6	3 / 12	
Percentage of transfers resulting in pregnancies (%)	69.3	65.2	50.5	44.2	4 / 12	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	154	98	94	43	16	2
Number of transfers	140	81	81	36	14	1
Estimated average number of transfers per retrieval	1.6	1.3	1.0	1.0	1.1	0.1
Average number of embryos transferred	1.5	1.4	1.6	1.6	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	41.8	42.5	45.8	38.9	5 / 18	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.3	30.9	35.8	27.8	4 / 14	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.6	37.0	37.0	27.8	4 / 14	0 / 1
Percentage of transfers resulting in twin live births (%)	5.7	6.2	9.9	11.1	0 / 14	0 / 1
Percentage of transfers resulting in live births (%)	44.3	43.2	46.9	38.9	4 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.3	51.9	58.0	52.8	7 / 14	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	34	40	47	23	10	7
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		70			102	
Number of transfers		62			80	
Average number of embryos transferred		1.2			1.6	
Percentage of embryos transferred resulting in implantation (%)		75.7			39.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		45.2			30.0	
Percentage of transfers resulting in singleton live births (%)		56.5			40.0	
Percentage of transfers resulting in twin live births (%)		8.1			8.8	
Percentage of transfers resulting in live births (%)		64.5			48.8	
Percentage of transfers resulting in pregnancies (%)		79.0			52.5	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# SANTA BARBARA FERTILITY CENTER SANTA BARBARA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by René B. Allen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	98%	Tubal factor	6%	Uterine factor	<1%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	0%	Male factor	18%
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	18%
				Endometriosis	3%	Unknown factor	20%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 111 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	15	14	6	10	4
Percentage of cancellations (%)	0 / 13	1 / 15	0 / 14	0 / 6	0 / 10	0 / 4
Average number of embryos transferred	2.1	2.0	3.1	4.0	3.7	5.3
Percentage of embryos transferred resulting in implantation (%)	20.0	19.2	10.0	4.2	9.1	4.8
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	4 / 12	0 / 13	0 / 6	0 / 5	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 13	1 / 15	1 / 14	1 / 6	1 / 10	1 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 13	2 / 15	2 / 14	1 / 6	1 / 10	1 / 4
Percentage of cycles resulting in twin live births (%)	1 / 13	1 / 15	1 / 14	0 / 6	0 / 10	0 / 4
Percentage of cycles resulting in live births (%)	2 / 13	3 / 15	3 / 14	1 / 6	1 / 10	1 / 4
Percentage of cycles resulting in pregnancies (%)	4 / 13	3 / 15	3 / 14	1 / 6	2 / 10	1 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	12	13	13	6	6	4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 12	1 / 13	1 / 13	1 / 6	1 / 6	1 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 12	2 / 13	2 / 13	1 / 6	1 / 6	1 / 4
Percentage of transfers resulting in twin live births (%)	1 / 12	1 / 13	1 / 13	0 / 6	0 / 6	0 / 4
Percentage of transfers resulting in live births (%)	2 / 12	3 / 13	3 / 13	1 / 6	1 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 12	3 / 13	3 / 13	1 / 6	2 / 6	1 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	10	7	3	2	0
Number of transfers	7	10	7	3	2	0
Estimated average number of transfers per retrieval	1.4	1.1	1.4	3.0	1.0	
Average number of embryos transferred	1.4	1.7	2.0	2.3	2.5	
Percentage of embryos transferred resulting in implantation (%)	5 / 10	3 / 16	2 / 14	3 / 7	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7	1 / 10	0 / 7	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 7	1 / 10	1 / 7	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 7	1 / 10	0 / 7	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	4 / 7	2 / 10	1 / 7	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 7	3 / 10	2 / 7	2 / 3	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	1	2	0	2	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		6		6		
Number of transfers		6		6		
Average number of embryos transferred		2.0		1.5		
Percentage of embryos transferred resulting in implantation (%)		5 / 12		2 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 6		1 / 6		
Percentage of transfers resulting in singleton live births (%)		3 / 6		1 / 6		
Percentage of transfers resulting in twin live births (%)		1 / 6		0 / 6		
Percentage of transfers resulting in live births (%)		4 / 6		1 / 6		
Percentage of transfers resulting in pregnancies (%)		4 / 6		2 / 6		

## CURRENT SERVICES & PROFILE

Current Name: Santa Barbara Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PARKER-ROSENMAN-RODI GYNECOLOGY AND INFERTILITY MEDICAL GROUP SANTA MONICA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Ingrid A. Rodi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	94%	With ICSI	83%	Tubal factor	6%	Uterine factor	6%
Unstimulated	0%	Used PGD	17%	Ovulatory dysfunction	8%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	67%	Other factor	6%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 55 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	5	2	5	2	3	1
Percentage of cancellations (%)	1 / 5	0 / 2	1 / 5	0 / 2	1 / 3	0 / 1
Average number of embryos transferred	1.7	2.5	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 5	2 / 5	0 / 6	0 / 2	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	0 / 2	0 / 2	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 5	0 / 2	0 / 5	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 5	0 / 2	0 / 5	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 2	0 / 5	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	2 / 5	0 / 2	0 / 5	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	3 / 5	1 / 2	0 / 5	0 / 2	0 / 3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	3	2	3	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 3	0 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 3	0 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3	0 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 2	0 / 3	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	4	8	4	0	1
Number of transfers	0	3	8	2	0	1
Estimated average number of transfers per retrieval	0.0	0.6	1.6	2.0		1.0
Average number of embryos transferred		1.0	1.6	1.5		3.0
Percentage of embryos transferred resulting in implantation (%)		1 / 3	6 / 13	0 / 3		1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 3	1 / 8	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 3	2 / 8	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 3	1 / 8	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)		0 / 3	3 / 8	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)		1 / 3	3 / 8	0 / 2		1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	5	3	1	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Santa Monica UCLA GYN Subspecialties Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by John Jain, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	100%	Tubal factor	3%	Uterine factor	9%
Unstimulated	0%	Used PGD	17%	Ovulatory dysfunction	2%	Male factor	17%
Used gestational carrier	17%			Diminished ovarian reserve	23%	Other factor	74%
				Endometriosis	0%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 156 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	1	1	1	2	1	0
Percentage of cancellations (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
Average number of embryos transferred	1.0	2.0	1.0	4.0	5.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 1	0 / 2	0 / 1	0 / 8	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	0 / 1	1 / 1	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	1	1	1	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	3	2	1	4	4
Number of transfers	7	3	2	1	4	4
Estimated average number of transfers per retrieval	0.7	0.3	0.1	0.1	1.3	1.0
Average number of embryos transferred	1.9	1.3	1.5	2.0	4.5	4.8
Percentage of embryos transferred resulting in implantation (%)	5 / 13	3 / 4	3 / 3	2 / 2	1 / 18	1 / 19
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7	0 / 3	1 / 2	0 / 1	0 / 4	1 / 4
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	1 / 2	0 / 1	1 / 4	1 / 4
Percentage of transfers resulting in twin live births (%)	1 / 7	1 / 3	1 / 2	0 / 1	0 / 4	0 / 4
Percentage of transfers resulting in live births (%)	4 / 7	1 / 3	2 / 2	0 / 1	1 / 4	1 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 3	2 / 2	1 / 1	1 / 4	1 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	10	11	19	9	3	4
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	35			38		
Number of transfers	35			38		
Average number of embryos transferred	1.4			1.3		
Percentage of embryos transferred resulting in implantation (%)	64.4			56.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0			21.1		
Percentage of transfers resulting in singleton live births (%)	57.1			57.9		
Percentage of transfers resulting in twin live births (%)	5.7			2.6		
Percentage of transfers resulting in live births (%)	62.9			60.5		
Percentage of transfers resulting in pregnancies (%)	74.3			71.1		

## CURRENT SERVICES & PROFILE

Current Name: Santa Monica Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	85%	Tubal factor	26%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	3%	Male factor	23%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	12%
				Endometriosis	5%	Unknown factor	23%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 190 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	18	18	10	6	1
Percentage of cancellations (%)	0.0	3 / 18	0 / 18	1 / 10	3 / 6	0 / 1
Average number of embryos transferred	2.0	2.2	3.5	4.0	4.0	5.0
Percentage of embryos transferred resulting in implantation (%)	59.6	16.7	11.7	7.1	0 / 8	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	4.5	0 / 11	0 / 17	0 / 7	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	2 / 18	3 / 18	1 / 10	0 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	26.9	2 / 18	3 / 18	2 / 10	0 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	26.9	1 / 18	1 / 18	0 / 10	0 / 6	0 / 1
Percentage of cycles resulting in live births (%)	53.8	3 / 18	4 / 18	2 / 10	0 / 6	0 / 1
Percentage of cycles resulting in pregnancies (%)	69.2	4 / 18	5 / 18	2 / 10	0 / 6	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	24	12	18	7	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.2	2 / 12	3 / 18	1 / 7	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.2	2 / 12	3 / 18	2 / 7	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	29.2	1 / 12	1 / 18	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	58.3	3 / 12	4 / 18	2 / 7	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	75.0	4 / 12	5 / 18	2 / 7	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	9	11	0	3	1
Number of transfers	12	9	10	0	3	1
Estimated average number of transfers per retrieval	1.0	0.9	0.8	0.0	0.3	0.5
Average number of embryos transferred	1.8	1.7	2.5		2.3	4.0
Percentage of embryos transferred resulting in implantation (%)	19.0	7 / 15	20.0		1 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	5 / 9	1 / 10		0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 12	5 / 9	1 / 10		0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 9	2 / 10		0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	4 / 12	6 / 9	3 / 10		0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 12	6 / 9	3 / 10		1 / 3	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	9	8	6	9	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			23		
Number of transfers	9			21		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	5 / 16			43.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 9			33.3		
Percentage of transfers resulting in singleton live births (%)	2 / 9			33.3		
Percentage of transfers resulting in twin live births (%)	1 / 9			4.8		
Percentage of transfers resulting in live births (%)	3 / 9			38.1		
Percentage of transfers resulting in pregnancies (%)	4 / 9			61.9		

## CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**VALLEY CENTER FOR REPRODUCTIVE HEALTH**  
**TINA KOOPERSMITH, MD**  
**SHERMAN OAKS, CALIFORNIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Tina B. Koopersmith, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	24%	Uterine factor	9%	Multiple Factors: Female factors only 12% Female & male factors 18%
Unstimulated	0%	Used PGD	11%	Ovulatory dysfunction	30%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	12%	Unknown factor	15%	

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 46 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		8	3	4	4	0	0
Percentage of cancellations (%)		1 / 8	0 / 3	0 / 4	0 / 4		
Average number of embryos transferred		1.0	1.5	1.5	3.0		
Percentage of embryos transferred resulting in implantation (%)		2 / 3	0 / 3	2 / 6	0 / 10		
Percentage of elective single embryo transfers (eSET) (%)		3 / 3	0 / 1	2 / 3	0 / 4		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 8	0 / 3	2 / 4	0 / 4		
Percentage of cycles resulting in singleton live births (%)		0 / 8	0 / 3	2 / 4	0 / 4		
Percentage of cycles resulting in twin live births (%)		1 / 8	0 / 3	0 / 4	0 / 4		
Percentage of cycles resulting in live births (%)		1 / 8	0 / 3	2 / 4	0 / 4		
Percentage of cycles resulting in pregnancies (%)		1 / 8	0 / 3	2 / 4	1 / 4		
<b>Outcomes per Transfer</b>							
Number of transfers		3	2	4	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 3	0 / 2	2 / 4	0 / 4		
Percentage of transfers resulting in singleton live births (%)		0 / 3	0 / 2	2 / 4	0 / 4		
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 2	0 / 4	0 / 4		
Percentage of transfers resulting in live births (%)		1 / 3	0 / 2	2 / 4	0 / 4		
Percentage of transfers resulting in pregnancies (%)		1 / 3	0 / 2	2 / 4	1 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		5	2	4	0	0	0
Number of transfers		5	2	3	0	0	0
Estimated average number of transfers per retrieval		0.7	0.7	0.6	0.0		
Average number of embryos transferred		1.8	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)		5 / 9	0 / 3	3 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 5	0 / 2	2 / 3			
Percentage of transfers resulting in singleton live births (%)		2 / 5	0 / 2	2 / 3			
Percentage of transfers resulting in twin live births (%)		1 / 5	0 / 2	0 / 3			
Percentage of transfers resulting in live births (%)		3 / 5	0 / 2	2 / 3			
Percentage of transfers resulting in pregnancies (%)		4 / 5	0 / 2	2 / 3			
<b>Number of Egg/Embryo Banking Cycles</b>		4	2	4	2	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		1			2		
Number of transfers		1			2		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)		2 / 2			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1			1 / 2		
Percentage of transfers resulting in singleton live births (%)		0 / 1			1 / 2		
Percentage of transfers resulting in twin live births (%)		1 / 1			0 / 2		
Percentage of transfers resulting in live births (%)		1 / 1			1 / 2		
Percentage of transfers resulting in pregnancies (%)		1 / 1			1 / 2		

CURRENT SERVICES & PROFILE		Current Name: Valley Center for Reproductive Health, Tina Koopersmith, MD					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# GARFIELD FERTILITY CENTER SOUTH PASADENA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Brian C. Su, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	53%	Tubal factor	5%	Uterine factor	9%
Unstimulated	0%	Used PGD	20%	Ovulatory dysfunction	9%	Male factor	55%
Used gestational carrier	0%			Diminished ovarian reserve	64%	Other factor	9%
				Endometriosis	14%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 23 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	3	3	3	3	0
Percentage of cancellations (%)	0 / 3	1 / 3	1 / 3	0 / 3	0 / 3	
Average number of embryos transferred	2.0	1.5	1.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 6	1 / 3	0 / 1	0 / 2	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 1		0 / 1	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	1 / 3	0 / 3	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	2 / 3	1 / 3	0 / 3	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 3	0 / 3	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	2 / 3	1 / 3	0 / 3	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	3 / 3	1 / 3	0 / 3	0 / 3	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	3	2	1	1	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	1 / 2	0 / 1	0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 2	0 / 1	0 / 1	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	0 / 1	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	0 / 1	0 / 1	0 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 2	0 / 1	0 / 1	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	2	2	0	0	0
Number of transfers	0	2	2	0	0	0
Estimated average number of transfers per retrieval			2.0		0.0	
Average number of embryos transferred		1.5	1.5			
Percentage of embryos transferred resulting in implantation (%)		2 / 3	3 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2	1 / 2			
Percentage of transfers resulting in singleton live births (%)		1 / 2	1 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 2	1 / 2			
Percentage of transfers resulting in live births (%)		1 / 2	2 / 2			
Percentage of transfers resulting in pregnancies (%)		1 / 2	2 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			1		
Number of transfers	2			1		
Average number of embryos transferred	1.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 3			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2			1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 2			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 1		

## CURRENT SERVICES & PROFILE

**Current Name:** This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# THE CENTER FOR FERTILITY AND GYNECOLOGY VERMESH CENTER FOR FERTILITY TARZANA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Michael Vermesh, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	92%	Tubal factor	6%	Uterine factor	2%
Unstimulated	8%	Used PGD	7%	Ovulatory dysfunction	5%	Male factor	26%
Used gestational carrier	3%			Diminished ovarian reserve	47%	Other factor	15%
				Endometriosis	4%	Unknown factor	11%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 331 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	37	21	29	20	9	4
Percentage of cancellations (%)	2.7	9.5	3.4	5.0	0 / 9	2 / 4
Average number of embryos transferred	1.9	2.4	2.4	3.3	2.2	1.5
Percentage of embryos transferred resulting in implantation (%)	25.8	22.2	18.2	7.8	15.0	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	14.7	0 / 16	4.0	0 / 18	0 / 4	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.6	14.3	13.8	15.0	1 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	24.3	14.3	20.7	20.0	1 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	2.7	9.5	0.0	0.0	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	29.7	23.8	20.7	20.0	1 / 9	0 / 4
Percentage of cycles resulting in pregnancies (%)	43.2	38.1	37.9	30.0	3 / 9	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	36	19	28	19	9	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.2	3 / 19	14.3	3 / 19	1 / 9	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.0	3 / 19	21.4	4 / 19	1 / 9	0 / 2
Percentage of transfers resulting in twin live births (%)	2.8	2 / 19	0.0	0 / 19	0 / 9	0 / 2
Percentage of transfers resulting in live births (%)	30.6	5 / 19	21.4	4 / 19	1 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	44.4	8 / 19	39.3	6 / 19	3 / 9	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	11	17	9	2	1
Number of transfers	22	11	17	9	2	1
Estimated average number of transfers per retrieval	1.0	0.6	0.7	0.5	0.1	0.1
Average number of embryos transferred	1.9	1.8	2.4	1.7	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	52.4	7 / 18	34.1	2 / 15	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	45.5	2 / 11	4 / 17	1 / 9	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	45.5	3 / 11	6 / 17	1 / 9	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	22.7	2 / 11	2 / 17	0 / 9	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	68.2	5 / 11	8 / 17	1 / 9	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	77.3	6 / 11	9 / 17	2 / 9	1 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	13	23	17	15	11
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	27			31		
Number of transfers	27			31		
Average number of embryos transferred	1.9			1.9		
Percentage of embryos transferred resulting in implantation (%)	51.1			37.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.6			32.3		
Percentage of transfers resulting in singleton live births (%)	44.4			45.2		
Percentage of transfers resulting in twin live births (%)	18.5			9.7		
Percentage of transfers resulting in live births (%)	63.0			54.8		
Percentage of transfers resulting in pregnancies (%)	70.4			61.3		

## CURRENT SERVICES & PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TREE OF LIFE CENTER FOR FERTILITY SNUNIT BEN-OZER, MD TARZANA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Snunit Ben-Ozer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	83%	Tubal factor	9%	Uterine factor	16%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	3%	Male factor	59%
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	13%
				Endometriosis	6%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 54 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	4	1	6	5	1	1
Percentage of cancellations (%)	0 / 4	0 / 1	0 / 6	0 / 5	0 / 1	0 / 1
Average number of embryos transferred	2.0	1.0	1.7	2.4	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 8	1 / 1	0 / 5	1 / 12	1 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	1 / 1	0 / 2	0 / 4	0 / 1	1 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 4	1 / 1	0 / 6	1 / 5	1 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 4	1 / 1	0 / 6	1 / 5	1 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 1	0 / 6	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	3 / 4	1 / 1	0 / 6	1 / 5	1 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	3 / 4	1 / 1	0 / 6	1 / 5	1 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	4	1	3	5	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 4	1 / 1	0 / 3	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 4	1 / 1	0 / 3	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 3	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 4	1 / 1	0 / 3	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 4	1 / 1	0 / 3	1 / 5	1 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	3	2	2	0	0
Number of transfers	3	3	2	2	0	0
Estimated average number of transfers per retrieval	0.6	0.8	0.4	0.4	0.0	0.0
Average number of embryos transferred	1.3	1.7	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 5	1 / 3	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3	1 / 3	1 / 2	1 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 3	1 / 2	1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	1 / 3	1 / 3	1 / 2	1 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 3	1 / 2	1 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	4	5	3	2	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			0		
Number of transfers	4			0		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	5 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 4					
Percentage of transfers resulting in singleton live births (%)	2 / 4					
Percentage of transfers resulting in twin live births (%)	1 / 4					
Percentage of transfers resulting in live births (%)	3 / 4					
Percentage of transfers resulting in pregnancies (%)	3 / 4					

## CURRENT SERVICES & PROFILE

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA THOUSAND OAKS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Gary Hubert, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	83%	Tubal factor	8%	Uterine factor	4%
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	11%	Male factor	20%
Used gestational carrier	5%			Diminished ovarian reserve	51%	Other factor	10%
				Endometriosis	6%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,217 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	33	17	28	20	12	1
Percentage of cancellations (%)	3.0	0 / 17	3.6	10.0	2 / 12	0 / 1
Average number of embryos transferred	1.8	1.9	2.1	3.0	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)	28.1	22.6	28.3	11.1	3.8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	20.0	2 / 14	5.0	2 / 16	0 / 7	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	5 / 17	17.9	5.0	0 / 12	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.3	5 / 17	21.4	10.0	1 / 12	0 / 1
Percentage of cycles resulting in twin live births (%)	9.1	1 / 17	10.7	0.0	0 / 12	0 / 1
Percentage of cycles resulting in live births (%)	39.4	6 / 17	32.1	10.0	1 / 12	0 / 1
Percentage of cycles resulting in pregnancies (%)	42.4	7 / 17	46.4	30.0	1 / 12	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	32	17	27	18	10	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.1	5 / 17	18.5	1 / 18	0 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.3	5 / 17	22.2	2 / 18	1 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	9.4	1 / 17	11.1	0 / 18	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	40.6	6 / 17	33.3	2 / 18	1 / 10	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.8	7 / 17	48.1	6 / 18	1 / 10	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	171	72	68	29	12	3
Number of transfers	171	72	68	29	12	3
Estimated average number of transfers per retrieval	1.2	0.9	0.5	0.4	0.2	0.1
Average number of embryos transferred	1.6	1.6	1.7	1.7	2.1	1.7
Percentage of embryos transferred resulting in implantation (%)	50.0	42.6	44.0	38.3	16.0	2 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.3	33.3	30.9	13.8	3 / 12	0 / 3
Percentage of transfers resulting in singleton live births (%)	32.7	44.4	36.8	20.7	3 / 12	0 / 3
Percentage of transfers resulting in twin live births (%)	17.0	6.9	10.3	10.3	0 / 12	1 / 3
Percentage of transfers resulting in live births (%)	49.7	51.4	47.1	34.5	3 / 12	1 / 3
Percentage of transfers resulting in pregnancies (%)	63.2	61.1	61.8	44.8	4 / 12	1 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	130	77	117	71	53	54
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	72			174		
Number of transfers	70			174		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	54.4			37.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.1			16.1		
Percentage of transfers resulting in singleton live births (%)	38.6			27.6		
Percentage of transfers resulting in twin live births (%)	24.3			16.1		
Percentage of transfers resulting in live births (%)	62.9			43.7		
Percentage of transfers resulting in pregnancies (%)	71.4			53.4		

## CURRENT SERVICES & PROFILE

Current Name: Fertility and Surgical Associates of California

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Rifaat Salem, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	100%	Tubal factor	17%	Uterine factor	4%
Unstimulated	0%	Used PGD	22%	Ovulatory dysfunction	12%	Male factor	51%
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	19%
				Endometriosis	9%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 314 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	107	56	43	22	12	6
Percentage of cancellations (%)	0.0	0.0	0.0	0.0	0 / 12	0 / 6
Average number of embryos transferred	2.0	2.1	2.5	2.0	2.4	2.2
Percentage of embryos transferred resulting in implantation (%)	35.1	36.4	21.5	14.0	0.0	0 / 13
Percentage of elective single embryo transfers (eSET) (%)	5.2	0.0	0.0	0 / 15	0 / 9	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.7	30.4	14.0	4.5	0 / 12	0 / 6
Percentage of cycles resulting in singleton live births (%)	40.2	33.9	25.6	13.6	0 / 12	0 / 6
Percentage of cycles resulting in twin live births (%)	10.3	12.5	11.6	4.5	0 / 12	0 / 6
Percentage of cycles resulting in live births (%)	50.5	48.2	37.2	18.2	0 / 12	0 / 6
Percentage of cycles resulting in pregnancies (%)	57.0	57.1	41.9	22.7	0 / 12	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	107	56	42	22	12	6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.7	30.4	14.3	4.5	0 / 12	0 / 6
Percentage of transfers resulting in singleton live births (%)	40.2	33.9	26.2	13.6	0 / 12	0 / 6
Percentage of transfers resulting in twin live births (%)	10.3	12.5	11.9	4.5	0 / 12	0 / 6
Percentage of transfers resulting in live births (%)	50.5	48.2	38.1	18.2	0 / 12	0 / 6
Percentage of transfers resulting in pregnancies (%)	57.0	57.1	42.9	22.7	0 / 12	0 / 6
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	15	7	6	4	1	0
Number of transfers	15	7	6	4	1	0
Estimated average number of transfers per retrieval	1.3	1.2	0.7	0.7	0.5	0.0
Average number of embryos transferred	1.9	1.9	2.7	5.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	27.6	4 / 13	2 / 16	5.0	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 15	3 / 7	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 15	4 / 7	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 7	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	7 / 15	4 / 7	0 / 6	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 15	4 / 7	1 / 6	1 / 4	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	2	7	3	2	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			5		
Number of transfers	7			5		
Average number of embryos transferred	2.4			2.6		
Percentage of embryos transferred resulting in implantation (%)	7 / 17			1 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 7			0 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 7			0 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 7			0 / 5		
Percentage of transfers resulting in live births (%)	5 / 7			0 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 7			1 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Pacific Reproductive Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Omid A. Khorram, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	78%	Tubal factor	18%	Uterine factor	4%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	11%	Male factor	22%
Used gestational carrier	2%			Diminished ovarian reserve	10%	Other factor	14%
				Endometriosis	4%	Unknown factor	23%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 230 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	54	35	35	21	8	0
Percentage of cancellations (%)	3.7	2.9	5.7	4.8	2 / 8	
Average number of embryos transferred	2.2	2.0	2.3	3.5	3.8	
Percentage of embryos transferred resulting in implantation (%)	48.0	41.0	20.3	16.9	0 / 19	
Percentage of elective single embryo transfers (eSET) (%)	4.0	3.3	0.0	0.0	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.8	11.4	14.3	19.0	0 / 8	
Percentage of cycles resulting in singleton live births (%)	29.6	14.3	20.0	23.8	0 / 8	
Percentage of cycles resulting in twin live births (%)	18.5	17.1	8.6	4.8	0 / 8	
Percentage of cycles resulting in live births (%)	48.1	31.4	28.6	28.6	0 / 8	
Percentage of cycles resulting in pregnancies (%)	64.8	51.4	37.1	47.6	0 / 8	
<b>Outcomes per Transfer</b>						
Number of transfers	50	32	33	20	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	12.5	15.2	20.0	0 / 5	
Percentage of transfers resulting in singleton live births (%)	32.0	15.6	21.2	25.0	0 / 5	
Percentage of transfers resulting in twin live births (%)	20.0	18.8	9.1	5.0	0 / 5	
Percentage of transfers resulting in live births (%)	52.0	34.4	30.3	30.0	0 / 5	
Percentage of transfers resulting in pregnancies (%)	70.0	56.3	39.4	50.0	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	18	7	7	3	1	0
Number of transfers	18	7	7	3	1	0
Estimated average number of transfers per retrieval	1.6	1.4	1.8	1.5	1.0	
Average number of embryos transferred	2.4	2.0	2.9	3.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	43.9	7 / 14	2 / 17	0 / 11	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 18	3 / 7	1 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 18	4 / 7	2 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 18	0 / 7	0 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	10 / 18	4 / 7	2 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	13 / 18	4 / 7	3 / 7	0 / 3	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	2	1	1	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		17			13	
Number of transfers		13			13	
Average number of embryos transferred		2.0			2.5	
Percentage of embryos transferred resulting in implantation (%)		75.0			34.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 13			2 / 13	
Percentage of transfers resulting in singleton live births (%)		1 / 13			2 / 13	
Percentage of transfers resulting in twin live births (%)		6 / 13			2 / 13	
Percentage of transfers resulting in live births (%)		7 / 13			4 / 13	
Percentage of transfers resulting in pregnancies (%)		10 / 13			6 / 13	

## CURRENT SERVICES & PROFILE

Current Name: University Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# ADVANCED REPRODUCTIVE MEDICINE UNIVERSITY OF COLORADO AURORA, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Ruben J. Alvero, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	69%	Tubal factor	11%	Uterine factor	1%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	31%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	8%
				Endometriosis	6%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 167 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	35	18	7	1	0	0
Percentage of cancellations (%)	2.9	2 / 18	0 / 7	0 / 1		
Average number of embryos transferred	1.9	2.4	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	41.5	25.6	1 / 15	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	12.5	0 / 16	1 / 6	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.1	4 / 18	0 / 7	0 / 1		
Percentage of cycles resulting in singleton live births (%)	37.1	4 / 18	1 / 7	0 / 1		
Percentage of cycles resulting in twin live births (%)	17.1	1 / 18	0 / 7	0 / 1		
Percentage of cycles resulting in live births (%)	54.3	6 / 18	1 / 7	0 / 1		
Percentage of cycles resulting in pregnancies (%)	57.1	7 / 18	2 / 7	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	34	16	7	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.2	4 / 16	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	38.2	4 / 16	1 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	17.6	1 / 16	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	55.9	6 / 16	1 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	58.8	7 / 16	2 / 7	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	13	10	0	0	0
Number of transfers	22	13	10	0	0	0
Estimated average number of transfers per retrieval	0.9	2.2	2.0	0.0		
Average number of embryos transferred	1.6	1.5	1.8			
Percentage of embryos transferred resulting in implantation (%)	54.5	20.0	7 / 17			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	4 / 13	3 / 10			
Percentage of transfers resulting in singleton live births (%)	27.3	4 / 13	5 / 10			
Percentage of transfers resulting in twin live births (%)	13.6	0 / 13	1 / 10			
Percentage of transfers resulting in live births (%)	40.9	4 / 13	6 / 10			
Percentage of transfers resulting in pregnancies (%)	68.2	4 / 13	7 / 10			
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	4	3	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	14			19		
Number of transfers	13			19		
Average number of embryos transferred	1.7			1.4		
Percentage of embryos transferred resulting in implantation (%)	50.0			32.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 13			3 / 19		
Percentage of transfers resulting in singleton live births (%)	8 / 13			6 / 19		
Percentage of transfers resulting in twin live births (%)	0 / 13			0 / 19		
Percentage of transfers resulting in live births (%)	8 / 13			6 / 19		
Percentage of transfers resulting in pregnancies (%)	10 / 13			7 / 19		

## CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine, University of Colorado

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# REPRODUCTIVE MEDICINE & FERTILITY CENTER COLORADO SPRINGS, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Paul C. Magarelli, MD, PhD						
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>						
IVF	100%	With ICSI	93%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 31%		
Unstimulated	0%	Used PGD	20%	Ovulatory dysfunction	7%	Male factor	69%			
Used gestational carrier	2%			Diminished ovarian reserve	14%	Other factor	13%			
				Endometriosis	6%	Unknown factor	12%			
2013 ART SUCCESS RATES <sup>c</sup>				Total number of cycles <sup>d</sup> : 95 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				26	14	11	3	2	0	
Percentage of cancellations (%)				0.0	0 / 14	1 / 11	2 / 3	1 / 2		
Average number of embryos transferred				2.0	2.0	2.2	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)				34.1	30.0	3 / 13	0 / 1	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)				2 / 17	0 / 7	0 / 4				
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)				19.2	2 / 14	1 / 11	0 / 3	0 / 2		
Percentage of cycles resulting in singleton live births (%)				23.1	2 / 14	2 / 11	0 / 3	0 / 2		
Percentage of cycles resulting in twin live births (%)				11.5	1 / 14	0 / 11	0 / 3	0 / 2		
Percentage of cycles resulting in live births (%)				34.6	3 / 14	2 / 11	0 / 3	0 / 2		
Percentage of cycles resulting in pregnancies (%)				38.5	4 / 14	3 / 11	0 / 3	0 / 2		
Outcomes per Transfer										
Number of transfers				21	10	6	1	1	0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				23.8	2 / 10	1 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)				28.6	2 / 10	2 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)				14.3	1 / 10	0 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)				42.9	3 / 10	2 / 6	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)				47.6	4 / 10	3 / 6	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs										
Number of cycles				16	2	1	0	0	0	
Number of transfers				16	2	1	0	0	0	
Estimated average number of transfers per retrieval				1.5	1.0	0.3		0.0		
Average number of embryos transferred				2.2	2.0	3.0				
Percentage of embryos transferred resulting in implantation (%)				24.1	0 / 2	0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				4 / 16	0 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)				5 / 16	0 / 2	0 / 1				
Percentage of transfers resulting in twin live births (%)				1 / 16	0 / 2	0 / 1				
Percentage of transfers resulting in live births (%)				6 / 16	0 / 2	0 / 1				
Percentage of transfers resulting in pregnancies (%)				8 / 16	1 / 2	0 / 1				
Number of Egg/Embryo Banking Cycles				2	1	3	0	2	0	
Donor Eggs				Fresh Embryos <sup>f</sup>			Frozen Embryos <sup>f</sup>			
Number of cycles				8			4			
Number of transfers				7			4			
Average number of embryos transferred				2.4			1.8			
Percentage of embryos transferred resulting in implantation (%)				4 / 15			1 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				2 / 7			1 / 4			
Percentage of transfers resulting in singleton live births (%)				2 / 7			1 / 4			
Percentage of transfers resulting in twin live births (%)				1 / 7			0 / 4			
Percentage of transfers resulting in live births (%)				3 / 7			1 / 4			
Percentage of transfers resulting in pregnancies (%)				4 / 7			1 / 4			

CURRENT SERVICES & PROFILE				Current Name: Reproductive Medicine & Fertility Center			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

# COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Susan W. Trout, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	18%	Tubal factor	10%	Uterine factor	5%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	16%	Male factor	14%
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	2%
				Endometriosis	6%	Unknown factor	17%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 105 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	8	8	4	0	0
Percentage of cancellations (%)	3.2	1 / 8	3 / 8	2 / 4		
Average number of embryos transferred	1.8	2.0	3.0	3.5		
Percentage of embryos transferred resulting in implantation (%)	24.5	4 / 14	3 / 15	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	4.3	0 / 5	0 / 5	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.8	2 / 8	0 / 8	0 / 4		
Percentage of cycles resulting in singleton live births (%)	32.3	2 / 8	0 / 8	0 / 4		
Percentage of cycles resulting in twin live births (%)	3.2	1 / 8	1 / 8	0 / 4		
Percentage of cycles resulting in live births (%)	35.5	3 / 8	1 / 8	0 / 4		
Percentage of cycles resulting in pregnancies (%)	35.5	3 / 8	2 / 8	0 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	27	7	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.6	2 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	37.0	2 / 7	0 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)	3.7	1 / 7	1 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	40.7	3 / 7	1 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)	40.7	3 / 7	2 / 5	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	4	4	0	6	2
Number of transfers	10	4	3	0	5	2
Estimated average number of transfers per retrieval	2.5	2.0				
Average number of embryos transferred	1.8	1.8	2.0		1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	4 / 16	0 / 7	0 / 6		0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 10	0 / 4	0 / 3		0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 10	0 / 4	0 / 3		0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 4	0 / 3		0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	4 / 10	0 / 4	0 / 3		0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	5 / 10	0 / 4	0 / 3		0 / 5	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			17		
Number of transfers	5			15		
Average number of embryos transferred	2.0			1.7		
Percentage of embryos transferred resulting in implantation (%)	7 / 10			16.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 5			4 / 15		
Percentage of transfers resulting in singleton live births (%)	2 / 5			4 / 15		
Percentage of transfers resulting in twin live births (%)	2 / 5			0 / 15		
Percentage of transfers resulting in live births (%)	4 / 5			4 / 15		
Percentage of transfers resulting in pregnancies (%)	5 / 5			4 / 15		

## CURRENT SERVICES & PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILE HOPE IVF ALBRECHT WOMEN'S CARE DENVER IVF ENGLEWOOD, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Bruce H. Albrecht, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	30%
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	19%
				Endometriosis	6%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 68 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	23	13	6	6	1	0
Percentage of cancellations (%)	0.0	2 / 13	2 / 6	0 / 6	0 / 1	
Average number of embryos transferred	2.0	2.2	2.3	2.8	3.0	
Percentage of embryos transferred resulting in implantation (%)	56.1	18.2	0 / 7	2 / 14	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	15.0	0 / 10	0 / 3	0 / 5	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.1	1 / 13	0 / 6	2 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	43.5	1 / 13	0 / 6	2 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	17.4	1 / 13	0 / 6	0 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	60.9	2 / 13	0 / 6	2 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	65.2	3 / 13	0 / 6	2 / 6	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	21	10	3	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.9	1 / 10	0 / 3	2 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	47.6	1 / 10	0 / 3	2 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	19.0	1 / 10	0 / 3	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	66.7	2 / 10	0 / 3	2 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	71.4	3 / 10	0 / 3	2 / 5	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	4	2	1	0	0
Number of transfers	7	3	1	1	0	0
Estimated average number of transfers per retrieval	2.3	3.0	1.0			
Average number of embryos transferred	1.1	1.7	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 8	0 / 5		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 7	0 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 7	0 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 7	0 / 3	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 7	0 / 3	1 / 1	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			0		
Number of transfers	4			0		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	2 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 4					
Percentage of transfers resulting in singleton live births (%)	2 / 4					
Percentage of transfers resulting in twin live births (%)	0 / 4					
Percentage of transfers resulting in live births (%)	2 / 4					
Percentage of transfers resulting in pregnancies (%)	2 / 4					

## CURRENT SERVICES & PROFILE

Current Name: Fertile Hope IVF, Albrecht Women's Care Denver IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Kevin E. Bachus, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	97%	Tubal factor	19%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	9%	Male factor	28%
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	2%
				Endometriosis	8%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 64 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	22	6	5	1	1	0
Percentage of cancellations (%)	0.0	0 / 6	0 / 5	0 / 1	0 / 1	
Average number of embryos transferred	2.0	1.8	2.8	4.0		
Percentage of embryos transferred resulting in implantation (%)	38.1	3 / 11	4 / 14	1 / 4		
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 5	0 / 5	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	2 / 6	2 / 5	1 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	40.9	2 / 6	3 / 5	1 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	9.1	0 / 6	0 / 5	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	50.0	2 / 6	3 / 5	1 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	68.2	3 / 6	4 / 5	1 / 1	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	22	6	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	2 / 6	2 / 5	1 / 1		
Percentage of transfers resulting in singleton live births (%)	40.9	2 / 6	3 / 5	1 / 1		
Percentage of transfers resulting in twin live births (%)	9.1	0 / 6	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	50.0	2 / 6	3 / 5	1 / 1		
Percentage of transfers resulting in pregnancies (%)	68.2	3 / 6	4 / 5	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	3	3	1	0	0
Number of transfers	7	3	3	1	0	0
Estimated average number of transfers per retrieval	1.4	3.0				
Average number of embryos transferred	1.9	1.0	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 13	0 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 7	0 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	3 / 7	0 / 3	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 7	0 / 3	2 / 3	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			5		
Number of transfers	8			5		
Average number of embryos transferred	2.1			1.8		
Percentage of embryos transferred resulting in implantation (%)	10 / 17			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8			1 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 8			1 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 8			0 / 5		
Percentage of transfers resulting in live births (%)	5 / 8			1 / 5		
Percentage of transfers resulting in pregnancies (%)	7 / 8			3 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO LITTLETON, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Mark R. Bush, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	92%	Tubal factor	3%	Uterine factor	<1%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	14%	Male factor	55%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	9%
				Endometriosis	4%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 689 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	44	12	5	1	2	0
Percentage of cancellations (%)	0.0	2 / 12	1 / 5	0 / 1	1 / 2	
Average number of embryos transferred	1.6	1.3	2.0	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	79.1	6 / 10	0 / 6	0 / 1	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	35.7	5 / 8	0 / 4	1 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.5	2 / 12	0 / 5	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	22.7	4 / 12	0 / 5	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	22.7	1 / 12	0 / 5	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	45.5	5 / 12	0 / 5	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	56.8	6 / 12	1 / 5	0 / 1	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	31	9	4	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.0	2 / 9	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.3	4 / 9	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	32.3	1 / 9	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	64.5	5 / 9	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	80.6	6 / 9	1 / 4	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	127	71	40	14	4	0
Number of transfers	125	71	38	14	4	0
Estimated average number of transfers per retrieval	0.9	0.9	0.8	0.6	0.5	0.0
Average number of embryos transferred	1.2	1.3	1.3	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	76.2	72.2	62.2	13 / 15	4 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.4	56.3	42.1	7 / 14	3 / 4	
Percentage of transfers resulting in singleton live births (%)	48.0	62.0	57.9	10 / 14	4 / 4	
Percentage of transfers resulting in twin live births (%)	13.6	11.3	5.3	0 / 14	0 / 4	
Percentage of transfers resulting in live births (%)	61.6	73.2	63.2	10 / 14	4 / 4	
Percentage of transfers resulting in pregnancies (%)	79.2	76.1	73.7	12 / 14	4 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	133	77	50	24	8	7
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	16			53		
Number of transfers	13			49		
Average number of embryos transferred	1.4			1.3		
Percentage of embryos transferred resulting in implantation (%)	12 / 18			75.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8 / 13			44.9		
Percentage of transfers resulting in singleton live births (%)	9 / 13			63.3		
Percentage of transfers resulting in twin live births (%)	1 / 13			12.2		
Percentage of transfers resulting in live births (%)	10 / 13			75.5		
Percentage of transfers resulting in pregnancies (%)	11 / 13			83.7		

## CURRENT SERVICES & PROFILE

Current Name: Conceptions Reproductive Associates of Colorado

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# COLORADO CENTER FOR REPRODUCTIVE MEDICINE LONE TREE, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by William B. Schoolcraft, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				Multiple Factors:	
IVF	100%	With ICSI	94%	Tubal factor	5%	Uterine factor	13%	Female factors only	30%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	9%	Male factor	26%	Female & male factors	19%
Used gestational carrier	<1%			Diminished ovarian reserve	49%	Other factor	42%		
				Endometriosis	9%	Unknown factor	15%		

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 3,309 (includes 69 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	79	34	21	2	3	1
Percentage of cancellations (%)	0.0	2.9	0.0	0 / 2	0 / 3	0 / 1
Average number of embryos transferred	1.9	2.0	2.3	3.0	3.7	2.0
Percentage of embryos transferred resulting in implantation (%)	67.4	45.2	44.2	2 / 6	0 / 8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	14.3	6.3	0 / 18	0 / 2	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.6	14.7	23.8	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	35.4	20.6	33.3	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	35.4	23.5	19.0	1 / 2	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	70.9	44.1	52.4	1 / 2	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	79.7	58.8	66.7	1 / 2	1 / 3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	77	32	20	2	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	15.6	25.0	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.4	21.9	35.0	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	36.4	25.0	20.0	1 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	72.7	46.9	55.0	1 / 2	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	81.8	62.5	70.0	1 / 2	1 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	317	311	322	148	62	26
Number of transfers	317	311	319	141	62	26
Estimated average number of transfers per retrieval	0.8	0.9	0.7	0.4	0.4	0.4
Average number of embryos transferred	1.7	1.6	1.6	1.7	1.4	1.7
Percentage of embryos transferred resulting in implantation (%)	59.8	59.8	62.2	50.0	55.3	58.1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.3	38.9	37.0	37.6	40.3	26.9
Percentage of transfers resulting in singleton live births (%)	38.2	44.4	41.7	46.8	46.8	30.8
Percentage of transfers resulting in twin live births (%)	21.1	18.0	20.1	10.6	4.8	26.9
Percentage of transfers resulting in live births (%)	59.3	63.0	62.1	57.4	51.6	57.7
Percentage of transfers resulting in pregnancies (%)	72.9	71.4	72.7	66.7	67.7	65.4
<b>Number of Egg/Embryo Banking Cycles</b>						
	406	348	465	331	165	63
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		50			86	
Number of transfers		49			86	
Average number of embryos transferred		1.8			1.6	
Percentage of embryos transferred resulting in implantation (%)		79.5			48.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.6			30.2	
Percentage of transfers resulting in singleton live births (%)		40.8			44.2	
Percentage of transfers resulting in twin live births (%)		38.8			8.1	
Percentage of transfers resulting in live births (%)		79.6			52.3	
Percentage of transfers resulting in pregnancies (%)		91.8			64.0	

## CURRENT SERVICES & PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ROCKY MOUNTAIN FERTILITY CENTER, PC PARKER, COLORADO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Deborah L. Smith, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	85%	Tubal factor	14%	Uterine factor	1%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	15%	Male factor	17%
Used gestational carrier	4%			Diminished ovarian reserve	63%	Other factor	7%
				Endometriosis	5%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 96 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	44	12	6	6	0	0
Percentage of cancellations (%)	4.5	2 / 12	1 / 6	1 / 6		
Average number of embryos transferred	1.9	2.1	2.3	2.2		
Percentage of embryos transferred resulting in implantation (%)	48.1	10 / 19	2 / 7	0 / 11		
Percentage of elective single embryo transfers (eSET) (%)	2.6	0 / 9	0 / 4	0 / 4		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.5	4 / 12	2 / 6	0 / 6		
Percentage of cycles resulting in singleton live births (%)	25.0	4 / 12	2 / 6	0 / 6		
Percentage of cycles resulting in twin live births (%)	25.0	3 / 12	0 / 6	0 / 6		
Percentage of cycles resulting in live births (%)	50.0	7 / 12	2 / 6	0 / 6		
Percentage of cycles resulting in pregnancies (%)	56.8	7 / 12	3 / 6	0 / 6		
<b>Outcomes per Transfer</b>						
Number of transfers	42	9	4	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.4	4 / 9	2 / 4	0 / 5		
Percentage of transfers resulting in singleton live births (%)	26.2	4 / 9	2 / 4	0 / 5		
Percentage of transfers resulting in twin live births (%)	26.2	3 / 9	0 / 4	0 / 5		
Percentage of transfers resulting in live births (%)	52.4	7 / 9	2 / 4	0 / 5		
Percentage of transfers resulting in pregnancies (%)	59.5	7 / 9	3 / 4	0 / 5		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	9	2	0	0	0	0
Number of transfers	9	2	0	0	0	0
Estimated average number of transfers per retrieval	1.1	1.0	0.0	0.0		
Average number of embryos transferred	1.6	1.5				
Percentage of embryos transferred resulting in implantation (%)	6 / 14	0 / 3				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9	0 / 2				
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 2				
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 2				
Percentage of transfers resulting in live births (%)	4 / 9	0 / 2				
Percentage of transfers resulting in pregnancies (%)	5 / 9	0 / 2				
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	1	1	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			2		
Number of transfers	7			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 14			3 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 7			0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 7			1 / 2		
Percentage of transfers resulting in twin live births (%)	3 / 7			0 / 2		
Percentage of transfers resulting in live births (%)	5 / 7			1 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 7			2 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Fertility Center, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CT FERTILITY BRIDGEPORT, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Michael B. Doyle, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	35%	Tubal factor	6%	Uterine factor	10%
Unstimulated	4%	Used PGD	11%	Ovulatory dysfunction	1%	Male factor	14%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	40%
				Endometriosis	1%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 291 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	17	12	8	8	3	9
Percentage of cancellations (%)	0 / 17	0 / 12	0 / 8	0 / 8	0 / 3	0 / 9
Average number of embryos transferred	2.4	2.1	2.1	2.3	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	8.1	32.0	1 / 17	1 / 12	2 / 4	2 / 16
Percentage of elective single embryo transfers (eSET) (%)	1 / 17	0 / 11	0 / 6	1 / 6	0 / 3	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 17	3 / 12	0 / 8	0 / 8	0 / 3	0 / 9
Percentage of cycles resulting in singleton live births (%)	1 / 17	3 / 12	0 / 8	0 / 8	0 / 3	0 / 9
Percentage of cycles resulting in twin live births (%)	1 / 17	1 / 12	0 / 8	0 / 8	0 / 3	1 / 9
Percentage of cycles resulting in live births (%)	2 / 17	4 / 12	0 / 8	0 / 8	0 / 3	1 / 9
Percentage of cycles resulting in pregnancies (%)	3 / 17	6 / 12	1 / 8	2 / 8	3 / 3	1 / 9
<b>Outcomes per Transfer</b>						
Number of transfers	17	12	8	6	3	8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 17	3 / 12	0 / 8	0 / 6	0 / 3	0 / 8
Percentage of transfers resulting in singleton live births (%)	1 / 17	3 / 12	0 / 8	0 / 6	0 / 3	0 / 8
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 12	0 / 8	0 / 6	0 / 3	1 / 8
Percentage of transfers resulting in live births (%)	2 / 17	4 / 12	0 / 8	0 / 6	0 / 3	1 / 8
Percentage of transfers resulting in pregnancies (%)	3 / 17	6 / 12	1 / 8	2 / 6	3 / 3	1 / 8
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	4	6	1	0	1
Number of transfers	6	4	6	1	0	1
Estimated average number of transfers per retrieval	0.7	0.8	1.2	0.3	0.0	0.1
Average number of embryos transferred	1.8	2.0	1.8	3.0		1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 10	3 / 8	0 / 11	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 6	1 / 4	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 6	1 / 4	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 6	1 / 4	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	1 / 6	2 / 4	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 6	2 / 4	0 / 6	0 / 1		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	8	2	5	4	2	9
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		92			87	
Number of transfers		92			87	
Average number of embryos transferred		1.9			2.1	
Percentage of embryos transferred resulting in implantation (%)		67.6			25.6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.0			23.0	
Percentage of transfers resulting in singleton live births (%)		45.7			26.4	
Percentage of transfers resulting in twin live births (%)		26.1			5.7	
Percentage of transfers resulting in live births (%)		72.8			32.2	
Percentage of transfers resulting in pregnancies (%)		89.1			47.1	

## CURRENT SERVICES & PROFILE

Current Name: CT Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES AT THE UNIVERSITY OF CONNECTICUT HEALTH CENTER FARMINGTON, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by John C. Nulsen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	77%	Tubal factor	12%	Uterine factor	8%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	16%	Male factor	37%
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	35%
				Endometriosis	11%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,165 (includes 26 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	400	173	199	73	31	1
Percentage of cancellations (%)	8.5	16.2	24.6	35.6	35.5	0 / 1
Average number of embryos transferred	1.6	1.9	2.5	2.8	3.9	5.0
Percentage of embryos transferred resulting in implantation (%)	49.3	36.5	26.1	20.0	4.0	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	33.0	9.5	0.0	3.6	0 / 12	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.0	19.1	20.1	11.0	3.2	0 / 1
Percentage of cycles resulting in singleton live births (%)	37.8	23.1	22.6	11.0	3.2	0 / 1
Percentage of cycles resulting in twin live births (%)	10.0	8.7	5.5	4.1	0.0	0 / 1
Percentage of cycles resulting in live births (%)	48.5	32.9	28.1	15.1	3.2	0 / 1
Percentage of cycles resulting in pregnancies (%)	53.0	36.4	33.2	21.9	9.7	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	328	120	126	34	14	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.2	27.5	31.7	23.5	1 / 14	0 / 1
Percentage of transfers resulting in singleton live births (%)	46.0	33.3	35.7	23.5	1 / 14	0 / 1
Percentage of transfers resulting in twin live births (%)	12.2	12.5	8.7	8.8	0 / 14	0 / 1
Percentage of transfers resulting in live births (%)	59.1	47.5	44.4	32.4	1 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	64.6	52.5	52.4	47.1	3 / 14	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	107	56	31	13	2	3
Number of transfers	102	51	30	11	2	3
Estimated average number of transfers per retrieval	1.8	2.1	1.8			
Average number of embryos transferred	1.5	1.5	1.5	1.4	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	60.1	36.5	46.5	5 / 14	0 / 4	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.2	31.4	30.0	1 / 11	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	47.1	33.3	30.0	1 / 11	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	13.7	7.8	10.0	0 / 11	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	60.8	41.2	40.0	1 / 11	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	71.6	49.0	60.0	6 / 11	0 / 2	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	5	6	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		20		16		
Number of transfers		18		16		
Average number of embryos transferred		1.8		1.7		
Percentage of embryos transferred resulting in implantation (%)		64.3		48.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 18		6 / 16		
Percentage of transfers resulting in singleton live births (%)		5 / 18		9 / 16		
Percentage of transfers resulting in twin live births (%)		5 / 18		2 / 16		
Percentage of transfers resulting in live births (%)		10 / 18		11 / 16		
Percentage of transfers resulting in pregnancies (%)		13 / 18		11 / 16		

## CURRENT SERVICES & PROFILE

Current Name: The Center for Advanced Reproductive Services  
at the University of Connecticut Health Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GREENWICH FERTILITY AND IVF CENTER, PC GREENWICH, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Barry R. Witt, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>							
IVF	100%	With ICSI	38%	Tubal factor	9%	Uterine factor	4%	Multiple Factors:			
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	24%			Female factors only	6%
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	5%			Female & male factors	7%
				Endometriosis	6%	Unknown factor	27%				

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 230 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	47	29	26	23	15	1
Percentage of cancellations (%)	0.0	6.9	15.4	8.7	3 / 15	1 / 1
Average number of embryos transferred	1.6	1.8	2.1	2.2	3.6	
Percentage of embryos transferred resulting in implantation (%)	60.0	44.7	21.4	8.1	10.7	
Percentage of elective single embryo transfers (eSET) (%)	43.2	20.0	1 / 18	1 / 16	0 / 9	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	48.9	24.1	11.5	4.3	1 / 15	0 / 1
Percentage of cycles resulting in singleton live births (%)	55.3	31.0	11.5	4.3	1 / 15	0 / 1
Percentage of cycles resulting in twin live births (%)	12.8	13.8	3.8	0.0	0 / 15	0 / 1
Percentage of cycles resulting in live births (%)	68.1	44.8	15.4	4.3	1 / 15	0 / 1
Percentage of cycles resulting in pregnancies (%)	74.5	51.7	34.6	21.7	5 / 15	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	47	26	21	19	10	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	48.9	26.9	14.3	1 / 19	1 / 10	
Percentage of transfers resulting in singleton live births (%)	55.3	34.6	14.3	1 / 19	1 / 10	
Percentage of transfers resulting in twin live births (%)	12.8	15.4	4.8	0 / 19	0 / 10	
Percentage of transfers resulting in live births (%)	68.1	50.0	19.0	1 / 19	1 / 10	
Percentage of transfers resulting in pregnancies (%)	74.5	57.7	42.9	5 / 19	5 / 10	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	15	9	7	0	1
Number of transfers	25	14	9	7	0	1
Estimated average number of transfers per retrieval	2.3	1.1	0.6	0.5	0.0	0.5
Average number of embryos transferred	1.5	1.5	1.4	1.7		1.0
Percentage of embryos transferred resulting in implantation (%)	71.1	61.9	4 / 13	2 / 7		1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	60.0	6 / 14	2 / 9	0 / 7		1 / 1
Percentage of transfers resulting in singleton live births (%)	64.0	6 / 14	2 / 9	1 / 7		1 / 1
Percentage of transfers resulting in twin live births (%)	16.0	3 / 14	0 / 9	0 / 7		0 / 1
Percentage of transfers resulting in live births (%)	80.0	9 / 14	2 / 9	1 / 7		1 / 1
Percentage of transfers resulting in pregnancies (%)	84.0	10 / 14	4 / 9	4 / 7		1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	7	10	7	1	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Pasquale Patrizio, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	81%	Tubal factor	7%	Uterine factor	3%
Unstimulated	<1%	Used PGD	8%	Ovulatory dysfunction	5%	Male factor	20%
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	34%
				Endometriosis	5%	Unknown factor	26%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 605 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	190	91	109	45	30	5
Percentage of cancellations (%)	6.8	11.0	18.3	20.0	13.3	2 / 5
Average number of embryos transferred	1.8	2.0	2.0	2.5	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	33.7	27.5	14.2	13.6	6.8	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	14.3	3.2	5.0	0.0	0.0	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.8	12.1	11.0	8.9	3.3	0 / 5
Percentage of cycles resulting in singleton live births (%)	31.6	18.7	11.9	8.9	3.3	0 / 5
Percentage of cycles resulting in twin live births (%)	6.8	11.0	0.0	2.2	0.0	0 / 5
Percentage of cycles resulting in live births (%)	38.4	29.7	11.9	11.1	3.3	0 / 5
Percentage of cycles resulting in pregnancies (%)	42.6	31.9	19.3	15.6	16.7	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	161	69	77	24	24	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.7	15.9	15.6	16.7	4.2	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.3	24.6	16.9	16.7	4.2	0 / 1
Percentage of transfers resulting in twin live births (%)	8.1	14.5	0.0	4.2	0.0	0 / 1
Percentage of transfers resulting in live births (%)	45.3	39.1	16.9	20.8	4.2	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.3	42.0	27.3	29.2	20.8	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	15	8	3	3	3
Number of transfers	24	15	8	3	3	3
Estimated average number of transfers per retrieval	0.6	0.8	0.6	1.0	0.8	3.0
Average number of embryos transferred	1.5	1.6	1.5	1.7	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	5.7	12.5	1 / 12	0 / 5	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.3	2 / 15	0 / 8	0 / 3	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	8.3	2 / 15	0 / 8	0 / 3	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	0.0	0 / 15	0 / 8	0 / 3	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	8.3	2 / 15	0 / 8	0 / 3	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	8.3	3 / 15	1 / 8	0 / 3	0 / 3	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	9	7	3	4	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		25			10	
Number of transfers		24			10	
Average number of embryos transferred		1.8			2.1	
Percentage of embryos transferred resulting in implantation (%)		53.7			14.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		41.7			1 / 10	
Percentage of transfers resulting in singleton live births (%)		45.8			2 / 10	
Percentage of transfers resulting in twin live births (%)		20.8			0 / 10	
Percentage of transfers resulting in live births (%)		66.7			2 / 10	
Percentage of transfers resulting in pregnancies (%)		75.0			3 / 10	

## CURRENT SERVICES & PROFILE

Current Name: Yale Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Mark P. Leondires, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	68%	Tubal factor	12%	Uterine factor	7%
Unstimulated	<1%	Used PGD	1%	Ovulatory dysfunction	16%	Male factor	23%
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	28%
				Endometriosis	4%	Unknown factor	21%
						Multiple Factors:	
						Female factors only	18%
						Female & male factors	11%

  

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 1,055 (includes 14 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		158	68	62	28	9	0
Percentage of cancellations (%)		3.2	7.4	11.3	42.9	2 / 9	
Average number of embryos transferred		1.6	1.6	1.7	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)		51.1	45.9	42.9	5 / 7	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)		41.7	25.0	0 / 17	1 / 3	0 / 2	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.3	14.7	16.1	7.1	0 / 9	
Percentage of cycles resulting in singleton live births (%)		29.7	14.7	17.7	7.1	0 / 9	
Percentage of cycles resulting in twin live births (%)		10.1	11.8	1.6	0.0	0 / 9	
Percentage of cycles resulting in live births (%)		39.9	26.5	19.4	7.1	0 / 9	
Percentage of cycles resulting in pregnancies (%)		45.6	27.9	22.6	17.9	0 / 9	
<b>Outcomes per Transfer</b>							
Number of transfers		117	37	25	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		34.2	27.0	40.0	2 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)		40.2	27.0	44.0	2 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)		13.7	21.6	4.0	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)		53.8	48.6	48.0	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)		61.5	51.4	56.0	5 / 7	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		146	72	61	29	12	1
Number of transfers		127	71	52	26	9	0
Estimated average number of transfers per retrieval		1.1	0.9	0.5	0.4	0.2	0.0
Average number of embryos transferred		1.6	1.5	1.4	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)		60.8	65.0	49.3	40.0	7 / 12	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.8	38.0	46.2	23.1	5 / 9	
Percentage of transfers resulting in singleton live births (%)		46.5	42.3	51.9	34.6	5 / 9	
Percentage of transfers resulting in twin live births (%)		18.9	21.1	3.8	3.8	1 / 9	
Percentage of transfers resulting in live births (%)		66.1	63.4	55.8	38.5	6 / 9	
Percentage of transfers resulting in pregnancies (%)		72.4	74.6	67.3	53.8	6 / 9	
<b>Number of Egg/Embryo Banking Cycles</b>		60	59	87	70	36	5
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		34			44		
Number of transfers		30			34		
Average number of embryos transferred		1.7			1.4		
Percentage of embryos transferred resulting in implantation (%)		57.1			51.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.7			35.3		
Percentage of transfers resulting in singleton live births (%)		30.0			41.2		
Percentage of transfers resulting in twin live births (%)		26.7			5.9		
Percentage of transfers resulting in live births (%)		56.7			47.1		
Percentage of transfers resulting in pregnancies (%)		70.0			61.8		

CURRENT SERVICES & PROFILE				Current Name: Reproductive Medicine Associates of Connecticut			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Gad Lavy, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	73%	Tubal factor	3%	Uterine factor	2%
Unstimulated	4%	Used PGD	4%	Ovulatory dysfunction	4%	Male factor	6%
Used gestational carrier	10%			Diminished ovarian reserve	10%	Other factor	2%
				Endometriosis	2%	Unknown factor	76%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 388 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	54	37	51	20	14	17
Percentage of cancellations (%)	7.4	18.9	21.6	25.0	5 / 14	10 / 17
Average number of embryos transferred	2.3	2.4	2.3	2.9	3.1	2.5
Percentage of embryos transferred resulting in implantation (%)	33.7	31.3	13.1	8.7	0.0	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	5.0	2 / 19	8.3	0 / 9	0 / 8	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.8	8.1	3.9	5.0	0 / 14	0 / 17
Percentage of cycles resulting in singleton live births (%)	20.4	16.2	7.8	10.0	0 / 14	0 / 17
Percentage of cycles resulting in twin live births (%)	9.3	5.4	2.0	0.0	0 / 14	0 / 17
Percentage of cycles resulting in live births (%)	31.5	24.3	9.8	10.0	0 / 14	0 / 17
Percentage of cycles resulting in pregnancies (%)	40.7	32.4	17.6	10.0	0 / 14	0 / 17
<b>Outcomes per Transfer</b>						
Number of transfers	41	21	29	9	8	6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.5	14.3	6.9	1 / 9	0 / 8	0 / 6
Percentage of transfers resulting in singleton live births (%)	26.8	28.6	13.8	2 / 9	0 / 8	0 / 6
Percentage of transfers resulting in twin live births (%)	12.2	9.5	3.4	0 / 9	0 / 8	0 / 6
Percentage of transfers resulting in live births (%)	41.5	42.9	17.2	2 / 9	0 / 8	0 / 6
Percentage of transfers resulting in pregnancies (%)	53.7	57.1	31.0	2 / 9	0 / 8	0 / 6
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	16	14	18	6	3	3
Number of transfers	16	13	18	5	2	2
Estimated average number of transfers per retrieval	1.0	0.9	0.9	2.5	0.5	0.7
Average number of embryos transferred	2.1	1.9	1.7	2.6	3.0	1.5
Percentage of embryos transferred resulting in implantation (%)	19.4	30.4	10.0	2 / 10	0 / 6	2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 16	5 / 13	2 / 18	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 16	5 / 13	3 / 18	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 16	1 / 13	0 / 18	1 / 5	0 / 2	1 / 2
Percentage of transfers resulting in live births (%)	4 / 16	6 / 13	3 / 18	1 / 5	0 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	5 / 16	7 / 13	4 / 18	1 / 5	0 / 2	2 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	5	8	2	1	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		49		63		
Number of transfers		37		55		
Average number of embryos transferred		1.6		1.8		
Percentage of embryos transferred resulting in implantation (%)		24.0		24.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5.4		21.8		
Percentage of transfers resulting in singleton live births (%)		5.4		32.7		
Percentage of transfers resulting in twin live births (%)		13.5		1.8		
Percentage of transfers resulting in live births (%)		18.9		34.5		
Percentage of transfers resulting in pregnancies (%)		40.5		47.3		

## CURRENT SERVICES & PROFILE

Current Name: New England Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Frances W. Ginsburg, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	20%	Tubal factor	25%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	33%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	8%
				Endometriosis	0%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 14 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	5	0	4	1	0	0
Percentage of cancellations (%)	1 / 5		1 / 4	1 / 1		
Average number of embryos transferred	2.0		2.3			
Percentage of embryos transferred resulting in implantation (%)	2 / 6		0 / 7			
Percentage of elective single embryo transfers (eSET) (%)	0 / 3		0 / 3			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5		0 / 4	0 / 1		
Percentage of cycles resulting in singleton live births (%)	2 / 5		0 / 4	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 5		0 / 4	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 5		0 / 4	0 / 1		
Percentage of cycles resulting in pregnancies (%)	2 / 5		0 / 4	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	3	0	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3		0 / 3			
Percentage of transfers resulting in singleton live births (%)	2 / 3		0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 3			
Percentage of transfers resulting in live births (%)	2 / 3		0 / 3			
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	0.7					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	1 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: The Stamford Hospital

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WOMEN'S FERTILITY CENTER STAMFORD, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Nora Miller, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	82%	Tubal factor	9%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	4%	Male factor	20%
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	33%
				Endometriosis	1%	Unknown factor	18%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 92 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	20	18	16	10	6	2
Percentage of cancellations (%)	0.0	3 / 18	0 / 16	3 / 10	0 / 6	0 / 2
Average number of embryos transferred	2.0	1.7	2.3	2.9	3.7	4.0
Percentage of embryos transferred resulting in implantation (%)	8.3	33.3	18.5	5.0	4.5	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	0 / 9	2 / 11	0 / 7	0 / 5	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.0	1 / 18	2 / 16	0 / 10	1 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	10.0	1 / 18	3 / 16	0 / 10	1 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	3 / 18	0 / 16	0 / 10	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	10.0	4 / 18	3 / 16	0 / 10	1 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	25.0	5 / 18	5 / 16	1 / 10	1 / 6	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	20	14	12	7	6	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.0	1 / 14	2 / 12	0 / 7	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	10.0	1 / 14	3 / 12	0 / 7	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	3 / 14	0 / 12	0 / 7	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	10.0	4 / 14	3 / 12	0 / 7	1 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	25.0	5 / 14	5 / 12	1 / 7	1 / 6	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	4	2	1	1	0
Number of transfers	5	4	2	1	1	0
Estimated average number of transfers per retrieval	1.7	1.0	1.0	1.0	1.0	
Average number of embryos transferred	2.0	1.5	1.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 10	5 / 6	0 / 3	1 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5	1 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 5	1 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 5	2 / 4	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 5	3 / 4	0 / 2	1 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	2	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			1		
Number of transfers	2			1		
Average number of embryos transferred	2.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 5			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2			1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 2			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Women's Fertility Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	No	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Andrew Levi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	88%	Tubal factor	5%	Uterine factor	2%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	5%	Male factor	32%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	3%
				Endometriosis	<1%	Unknown factor	32%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 212 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	66	37	40	15	9	2
Percentage of cancellations (%)	7.6	0.0	7.5	3 / 15	0 / 9	1 / 2
Average number of embryos transferred	1.8	1.7	2.3	3.5	4.1	6.0
Percentage of embryos transferred resulting in implantation (%)	35.0	36.5	16.4	17.6	3.4	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	14.0	1 / 18	4.2	0 / 10	0 / 7	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.8	27.0	7.5	1 / 15	1 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	34.8	32.4	10.0	3 / 15	1 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	6.1	5.4	5.0	0 / 15	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	40.9	37.8	15.0	3 / 15	1 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	43.9	40.5	27.5	5 / 15	1 / 9	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	58	31	33	11	7	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.8	32.3	9.1	1 / 11	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	39.7	38.7	12.1	3 / 11	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	6.9	6.5	6.1	0 / 11	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	46.6	45.2	18.2	3 / 11	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	48.4	33.3	5 / 11	1 / 7	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	11	2	0	0	0
Number of transfers	11	10	2	0	0	0
Estimated average number of transfers per retrieval	1.2	2.5	0.4		0.0	
Average number of embryos transferred	1.8	2.0	3.0			
Percentage of embryos transferred resulting in implantation (%)	25.0	10.0	2 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 11	1 / 10	0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 11	1 / 10	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 10	1 / 2			
Percentage of transfers resulting in live births (%)	1 / 11	1 / 10	1 / 2			
Percentage of transfers resulting in pregnancies (%)	4 / 11	2 / 10	1 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	2	2	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			6		
Number of transfers	3			6		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	3 / 5			2 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3			2 / 6		
Percentage of transfers resulting in singleton live births (%)	1 / 3			2 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 6		
Percentage of transfers resulting in live births (%)	2 / 3			2 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 3			2 / 6		

## CURRENT SERVICES & PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA NEWARK, DELAWARE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Jeffrey B. Russell, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	96%	Tubal factor	37%	Uterine factor	2%
Unstimulated	0%	Used PGD	17%	Ovulatory dysfunction	16%	Male factor	21%
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	11%
				Endometriosis	23%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 261 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	62	24	15	7	2	1
Percentage of cancellations (%)	1.6	4.2	2 / 15	0 / 7	0 / 2	0 / 1
Average number of embryos transferred	1.3	1.4	1.6			
Percentage of embryos transferred resulting in implantation (%)	8 / 14	2 / 7	1 / 7			
Percentage of elective single embryo transfers (eSET) (%)	11 / 15	3 / 5	2 / 5			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6.5	4.2	1 / 15	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	6.5	8.3	1 / 15	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	3.2	0.0	0 / 15	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	9.7	8.3	1 / 15	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	14.5	8.3	1 / 15	0 / 7	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	15	5	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 15	1 / 5	1 / 5			
Percentage of transfers resulting in singleton live births (%)	4 / 15	2 / 5	1 / 5			
Percentage of transfers resulting in twin live births (%)	2 / 15	0 / 5	0 / 5			
Percentage of transfers resulting in live births (%)	6 / 15	2 / 5	1 / 5			
Percentage of transfers resulting in pregnancies (%)	9 / 15	2 / 5	1 / 5			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	62	25	9	7	3	1
Number of transfers	57	22	9	5	3	1
Estimated average number of transfers per retrieval	1.4	1.4	1.3	1.7	1.0	
Average number of embryos transferred	1.6	1.5	1.7	1.8	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	40.0	17.6	5 / 15	1 / 9	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.3	27.3	4 / 9	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.6	27.3	4 / 9	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	7.0	0.0	0 / 9	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	45.6	27.3	4 / 9	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	56.1	27.3	5 / 9	1 / 5	0 / 3	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	3	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			34		
Number of transfers	3			31		
Average number of embryos transferred	1.3			1.6		
Percentage of embryos transferred resulting in implantation (%)	0 / 4			47.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3			35.5		
Percentage of transfers resulting in singleton live births (%)	0 / 3			38.7		
Percentage of transfers resulting in twin live births (%)	0 / 3			16.1		
Percentage of transfers resulting in live births (%)	0 / 3			54.8		
Percentage of transfers resulting in pregnancies (%)	0 / 3			61.3		

## CURRENT SERVICES & PROFILE

Current Name: Delaware Institute for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Ronald F. Feinberg, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				Multiple Factors:	
IVF	100%	With ICSI	86%	Tubal factor	28%	Uterine factor	64%	Female factors only	48%
Unstimulated	0%	Used PGD	13%	Ovulatory dysfunction	28%	Male factor	41%	Female & male factors	36%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	10%		
				Endometriosis	53%	Unknown factor	<1%		

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 537 (includes 31 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	92	11	11	3	1	1
Percentage of cancellations (%)	12.0	2 / 11	1 / 11	2 / 3	1 / 1	0 / 1
Average number of embryos transferred	1.0	1.2	1.5			1.0
Percentage of embryos transferred resulting in implantation (%)	65.7	5 / 11	2 / 15			1 / 1
Percentage of elective single embryo transfers (eSET) (%)	96.9	6 / 8	3 / 8			1 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.9	3 / 11	2 / 11	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	41.3	4 / 11	2 / 11	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	0 / 11	0 / 11	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	41.3	4 / 11	2 / 11	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	53.3	5 / 11	2 / 11	0 / 3	0 / 1	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	72	9	10	0	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	45.8	3 / 9	2 / 10			0 / 1
Percentage of transfers resulting in singleton live births (%)	52.8	4 / 9	2 / 10			0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 9	0 / 10			0 / 1
Percentage of transfers resulting in live births (%)	52.8	4 / 9	2 / 10			0 / 1
Percentage of transfers resulting in pregnancies (%)	68.1	5 / 9	2 / 10			1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	155	49	33	13	1	1
Number of transfers	140	42	28	12	1	1
Estimated average number of transfers per retrieval	2.1	1.6	1.1	2.0	0.2	
Average number of embryos transferred	1.1	1.1	1.0	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	51.0	48.9	64.0	4 / 13	1 / 1	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.7	35.7	39.3	4 / 12	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.1	45.2	46.4	4 / 12	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0.7	0.0	3.6	0 / 12	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	47.9	45.2	50.0	4 / 12	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	56.4	54.8	64.3	5 / 12	1 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	46	23	26	6	5	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			27		
Number of transfers	2			25		
Average number of embryos transferred	1.0			1.2		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			41.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2			36.0		
Percentage of transfers resulting in singleton live births (%)	1 / 2			48.0		
Percentage of transfers resulting in twin live births (%)	0 / 2			0.0		
Percentage of transfers resulting in live births (%)	1 / 2			48.0		
Percentage of transfers resulting in pregnancies (%)	1 / 2			52.0		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Associates of Delaware

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Safa Rifka, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	61%	Tubal factor	2%	Uterine factor	4%
Unstimulated	2%	Used PGD	6%	Ovulatory dysfunction	6%	Male factor	32%
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	26%
				Endometriosis	4%	Unknown factor	30%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 776 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	112	83	108	87	54	22
Percentage of cancellations (%)	5.4	8.4	13.0	13.8	13.0	27.3
Average number of embryos transferred	1.7	1.9	1.9	2.0	2.1	2.4
Percentage of embryos transferred resulting in implantation (%)	30.2	32.5	13.7	10.2	2.3	0.0
Percentage of elective single embryo transfers (eSET) (%)	27.8	14.0	14.8	6.3	0.0	0 / 10
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.9	16.9	8.3	5.7	3.7	0.0
Percentage of cycles resulting in singleton live births (%)	21.4	16.9	9.3	8.0	3.7	0.0
Percentage of cycles resulting in twin live births (%)	4.5	7.2	2.8	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	25.9	25.3	12.0	8.0	3.7	0.0
Percentage of cycles resulting in pregnancies (%)	33.0	33.7	13.9	12.6	3.7	0.0
<b>Outcomes per Transfer</b>						
Number of transfers	89	62	72	63	41	14
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.5	22.6	12.5	7.9	4.9	0 / 14
Percentage of transfers resulting in singleton live births (%)	27.0	22.6	13.9	11.1	4.9	0 / 14
Percentage of transfers resulting in twin live births (%)	5.6	9.7	4.2	0.0	0.0	0 / 14
Percentage of transfers resulting in live births (%)	32.6	33.9	18.1	11.1	4.9	0 / 14
Percentage of transfers resulting in pregnancies (%)	41.6	45.2	20.8	17.5	4.9	0 / 14
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	44	51	31	27	9	7
Number of transfers	39	48	28	24	7	7
Estimated average number of transfers per retrieval	0.9	1.0	0.9	1.3	1.0	2.3
Average number of embryos transferred	1.6	1.5	1.3	1.8	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	36.5	25.7	11.8	15.0	1 / 10	0 / 11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.8	14.6	7.1	8.3	1 / 7	0 / 7
Percentage of transfers resulting in singleton live births (%)	33.3	20.8	14.3	8.3	1 / 7	0 / 7
Percentage of transfers resulting in twin live births (%)	2.6	4.2	0.0	4.2	0 / 7	0 / 7
Percentage of transfers resulting in live births (%)	35.9	25.0	14.3	12.5	1 / 7	0 / 7
Percentage of transfers resulting in pregnancies (%)	51.3	33.3	17.9	25.0	1 / 7	0 / 7
<b>Number of Egg/Embryo Banking Cycles</b>						
	13	23	17	3	4	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		34		42		
Number of transfers		29		36		
Average number of embryos transferred		1.7		1.7		
Percentage of embryos transferred resulting in implantation (%)		31.3		21.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.7		16.7		
Percentage of transfers resulting in singleton live births (%)		31.0		27.8		
Percentage of transfers resulting in twin live births (%)		6.9		2.8		
Percentage of transfers resulting in live births (%)		37.9		30.6		
Percentage of transfers resulting in pregnancies (%)		44.8		33.3		

## CURRENT SERVICES & PROFILE

Current Name: Columbia Fertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by David Frankfurter, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	83%	Tubal factor	1%	Uterine factor	0%
Unstimulated	<1%	Used PGD	11%	Ovulatory dysfunction	<1%	Male factor	15%
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	6%
				Endometriosis	<1%	Unknown factor	69%
						Multiple Factors:	
						Female factors only	0%
						Female & male factors	2%

  

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 383 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		49	48	52	32	22	1
Percentage of cancellations (%)		8.2	10.4	13.5	18.8	22.7	0 / 1
Average number of embryos transferred		1.3	1.8	2.3	2.8	3.5	4.0
Percentage of embryos transferred resulting in implantation (%)		35.6	24.1	12.2	6.8	0.0	
Percentage of elective single embryo transfers (eSET) (%)		66.7	24.1	9.4	2 / 16	0 / 9	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.4	14.6	9.6	3.1	0.0	0 / 1
Percentage of cycles resulting in singleton live births (%)		24.5	16.7	9.6	3.1	0.0	0 / 1
Percentage of cycles resulting in twin live births (%)		2.0	6.3	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in live births (%)		26.5	22.9	11.5	3.1	0.0	0 / 1
Percentage of cycles resulting in pregnancies (%)		30.6	27.1	13.5	12.5	0.0	1 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		36	34	37	17	11	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		27.8	20.6	13.5	1 / 17	0 / 11	0 / 1
Percentage of transfers resulting in singleton live births (%)		33.3	23.5	13.5	1 / 17	0 / 11	0 / 1
Percentage of transfers resulting in twin live births (%)		2.8	8.8	0.0	0 / 17	0 / 11	0 / 1
Percentage of transfers resulting in live births (%)		36.1	32.4	16.2	1 / 17	0 / 11	0 / 1
Percentage of transfers resulting in pregnancies (%)		41.7	38.2	18.9	4 / 17	0 / 11	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		29	27	13	21	5	1
Number of transfers		27	26	13	21	5	1
Estimated average number of transfers per retrieval		0.9	1.0	0.7	1.2	0.8	1.0
Average number of embryos transferred		1.4	1.3	1.3	1.6	2.8	1.0
Percentage of embryos transferred resulting in implantation (%)		55.9	33.3	7 / 16	12.5	1 / 14	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3	26.9	5 / 13	14.3	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)		33.3	34.6	5 / 13	19.0	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)		11.1	3.8	0 / 13	0.0	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)		44.4	38.5	5 / 13	19.0	1 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)		63.0	46.2	6 / 13	23.8	1 / 5	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>		15	15	11	7	3	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		9			20		
Number of transfers		7			17		
Average number of embryos transferred		1.0			1.4		
Percentage of embryos transferred resulting in implantation (%)		5 / 7			40.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 7			7 / 17		
Percentage of transfers resulting in singleton live births (%)		4 / 7			9 / 17		
Percentage of transfers resulting in twin live births (%)		0 / 7			0 / 17		
Percentage of transfers resulting in live births (%)		4 / 7			9 / 17		
Percentage of transfers resulting in pregnancies (%)		5 / 7			10 / 17		

CURRENT SERVICES & PROFILE	
<b>Current Name:</b> This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JAMES A. SIMON, MD, PC WASHINGTON, DISTRICT OF COLUMBIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by James A. Simon, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				Multiple Factors:	
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	0%	Female factors only	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	0%	Male factor	80%	Female & male factors	80%
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	0%		
				Endometriosis	80%	Unknown factor	0%		

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 5 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	1	1	1	0	0	0
Percentage of cancellations (%)	0 / 1	0 / 1	0 / 1			
Average number of embryos transferred			1.0			
Percentage of embryos transferred resulting in implantation (%)			0 / 1			
Percentage of elective single embryo transfers (eSET) (%)			1 / 1			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 1	0 / 1			
Percentage of cycles resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1	0 / 1			
Percentage of cycles resulting in live births (%)	0 / 1	0 / 1	0 / 1			
Percentage of cycles resulting in pregnancies (%)	0 / 1	0 / 1	0 / 1			
<b>Outcomes per Transfer</b>						
Number of transfers	0	0	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)			0 / 1			
Percentage of transfers resulting in singleton live births (%)			0 / 1			
Percentage of transfers resulting in twin live births (%)			0 / 1			
Percentage of transfers resulting in live births (%)			0 / 1			
Percentage of transfers resulting in pregnancies (%)			0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	0	0	0	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	2.0					
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	0 / 2					
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: James A. Simon, MD, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BOCAFERTILITY BOCA RATON, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Maurice (Moshe) R. Peress, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	53%	Tubal factor	10%	Uterine factor	8%
Unstimulated	0%	Used PGD	7%	Ovulatory dysfunction	9%	Male factor	23%
Used gestational carrier	4%			Diminished ovarian reserve	56%	Other factor	10%
				Endometriosis	5%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 130 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	26	16	8	4	1
Percentage of cancellations (%)	0 / 18	0.0	2 / 16	2 / 8	1 / 4	0 / 1
Average number of embryos transferred	1.8	1.7	1.8	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	35.7	27.6	32.0	1 / 9	0 / 6	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	2 / 14	2 / 14	1 / 11	0 / 3	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 18	19.2	6 / 16	0 / 8	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 18	23.1	6 / 16	1 / 8	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 18	3.8	0 / 16	0 / 8	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	6 / 18	26.9	6 / 16	1 / 8	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	7 / 18	26.9	7 / 16	1 / 8	0 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	16	17	14	5	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 16	5 / 17	6 / 14	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 16	6 / 17	6 / 14	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 16	1 / 17	0 / 14	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	6 / 16	7 / 17	6 / 14	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 16	7 / 17	7 / 14	1 / 5	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	8	15	6	1	1	0
Number of transfers	7	13	6	1	1	0
Estimated average number of transfers per retrieval	1.2	1.4	1.5	1.0		
Average number of embryos transferred	1.4	1.2	1.5	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 10	3 / 16	1 / 7	0 / 2	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 7	2 / 13	0 / 6	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 7	2 / 13	0 / 6	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 13	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 7	2 / 13	0 / 6	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 7	3 / 13	2 / 6	0 / 1	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	1	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		16			8	
Number of transfers		12			8	
Average number of embryos transferred		1.8			1.6	
Percentage of embryos transferred resulting in implantation (%)		47.6			4 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 12			1 / 8	
Percentage of transfers resulting in singleton live births (%)		4 / 12			2 / 8	
Percentage of transfers resulting in twin live births (%)		2 / 12			1 / 8	
Percentage of transfers resulting in live births (%)		6 / 12			3 / 8	
Percentage of transfers resulting in pregnancies (%)		6 / 12			3 / 8	

## CURRENT SERVICES & PROFILE

Current Name: BocaFertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Mark S. Denker, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	81%	Tubal factor	17%	Uterine factor	9%
Unstimulated	0%	Used PGD	19%	Ovulatory dysfunction	13%	Male factor	62%
Used gestational carrier	5%			Diminished ovarian reserve	68%	Other factor	14%
				Endometriosis	8%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 142 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	27	19	6	3	0
Percentage of cancellations (%)	12.9	29.6	2 / 19	0 / 6	1 / 3	
Average number of embryos transferred	1.9	1.7	1.8	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	34.1	7.7	3 / 18	2 / 11	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	1 / 17	2 / 12	1 / 8	1 / 5	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.7	0.0	3 / 19	2 / 6	0 / 3	
Percentage of cycles resulting in singleton live births (%)	9.7	0.0	3 / 19	2 / 6	0 / 3	
Percentage of cycles resulting in twin live births (%)	16.1	0.0	0 / 19	0 / 6	0 / 3	
Percentage of cycles resulting in live births (%)	25.8	0.0	3 / 19	2 / 6	0 / 3	
Percentage of cycles resulting in pregnancies (%)	29.0	7.4	4 / 19	2 / 6	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	22	15	12	6	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.6	0 / 15	3 / 12	2 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	13.6	0 / 15	3 / 12	2 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	22.7	0 / 15	0 / 12	0 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	36.4	0 / 15	3 / 12	2 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	40.9	2 / 15	4 / 12	2 / 6	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	5	2	1	0	0
Number of transfers	4	4	2	1	0	0
Estimated average number of transfers per retrieval	2.0	0.6	1.0	0.5		0.0
Average number of embryos transferred	1.8	1.5	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 7	0 / 6	1 / 4	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4	0 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 4	0 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 4	0 / 4	1 / 2	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	3	1	1	0	4
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	18			16		
Number of transfers	17			11		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	51.5			13.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 17			3 / 11		
Percentage of transfers resulting in singleton live births (%)	5 / 17			3 / 11		
Percentage of transfers resulting in twin live births (%)	4 / 17			0 / 11		
Percentage of transfers resulting in live births (%)	9 / 17			3 / 11		
Percentage of transfers resulting in pregnancies (%)	12 / 17			3 / 11		

## CURRENT SERVICES & PROFILE

Current Name: Palm Beach Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# ADVANCED REPRODUCTIVE CARE CENTER, PA BOYNTON BEACH, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Tibor E. Polcz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	80%	Tubal factor	23%	Uterine factor	46%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	8%	Male factor	62%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	15%
				Endometriosis	8%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 13 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	2	3	3	1
Percentage of cancellations (%)	0 / 1		0 / 2	0 / 3	0 / 3	0 / 1
Average number of embryos transferred	2.0		2.5	3.0	3.7	1.0
Percentage of embryos transferred resulting in implantation (%)	1 / 2		4 / 5	0 / 9	0 / 11	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 2	0 / 3	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1		1 / 2	0 / 3	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 1		1 / 2	0 / 3	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 1		1 / 2	0 / 3	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	1 / 1		2 / 2	0 / 3	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	1 / 1		2 / 2	0 / 3	0 / 3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	1	0	2	3	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1		1 / 2	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 1		1 / 2	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 2	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	1 / 1		2 / 2	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 1		2 / 2	0 / 3	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	2	0	0	0
Number of transfers	0	1	2	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		3.0	1.5			
Percentage of embryos transferred resulting in implantation (%)		0 / 3	0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2			
Percentage of transfers resulting in live births (%)		0 / 1	0 / 2			
Percentage of transfers resulting in pregnancies (%)		0 / 1	0 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Polcz Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Mark D. Sanchez, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	90%	Tubal factor	18%	Uterine factor	4%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	12%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	22%
				Endometriosis	3%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 149 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	50	21	12	8	5	0
Percentage of cancellations (%)	2.0	4.8	4 / 12	0 / 8	0 / 5	
Average number of embryos transferred	2.1	2.7	2.0	2.6	2.6	
Percentage of embryos transferred resulting in implantation (%)	30.9	30.0	1 / 16	4.8	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	2.2	0 / 19	0 / 6	0 / 7	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.0	19.0	0 / 12	0 / 8	0 / 5	
Percentage of cycles resulting in singleton live births (%)	36.0	42.9	1 / 12	1 / 8	0 / 5	
Percentage of cycles resulting in twin live births (%)	8.0	14.3	0 / 12	0 / 8	0 / 5	
Percentage of cycles resulting in live births (%)	44.0	57.1	1 / 12	1 / 8	0 / 5	
Percentage of cycles resulting in pregnancies (%)	44.0	61.9	1 / 12	1 / 8	0 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	47	20	8	8	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.4	20.0	0 / 8	0 / 8	0 / 5	
Percentage of transfers resulting in singleton live births (%)	38.3	45.0	1 / 8	1 / 8	0 / 5	
Percentage of transfers resulting in twin live births (%)	8.5	15.0	0 / 8	0 / 8	0 / 5	
Percentage of transfers resulting in live births (%)	46.8	60.0	1 / 8	1 / 8	0 / 5	
Percentage of transfers resulting in pregnancies (%)	46.8	65.0	1 / 8	1 / 8	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	13	2	1	2	3	0
Number of transfers	13	2	1	2	2	0
Estimated average number of transfers per retrieval	1.3	0.7	0.5	1.0	0.7	
Average number of embryos transferred	2.3	2.5	2.0	3.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	13.3	1 / 5	2 / 2	0 / 7	1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13	1 / 2	0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 13	1 / 2	0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 2	1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	3 / 13	1 / 2	1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	3 / 13	1 / 2	1 / 1	0 / 2	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	2	1	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	15			11		
Number of transfers	14			11		
Average number of embryos transferred	2.0			2.4		
Percentage of embryos transferred resulting in implantation (%)	46.4			7.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 14			1 / 11		
Percentage of transfers resulting in singleton live births (%)	7 / 14			1 / 11		
Percentage of transfers resulting in twin live births (%)	3 / 14			0 / 11		
Percentage of transfers resulting in live births (%)	10 / 14			1 / 11		
Percentage of transfers resulting in pregnancies (%)	10 / 14			2 / 11		

## CURRENT SERVICES & PROFILE

Current Name: Florida Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INFERTILITY AND REPRODUCTIVE MEDICINE OF SOUTH BROWARD COOPER CITY, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Kenneth Gelman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	76%	Tubal factor	20%	Uterine factor	4%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	31%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	16%
				Endometriosis	7%	Unknown factor	16%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 70 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	18	15	14	6	0	0
Percentage of cancellations (%)	1 / 18	3 / 15	2 / 14	1 / 6		
Average number of embryos transferred	2.0	1.8	2.1	2.3		
Percentage of embryos transferred resulting in implantation (%)	50.0	25.0	10.0	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	0 / 13	1 / 10	0 / 12	0 / 4		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 18	2 / 15	1 / 14	0 / 6		
Percentage of cycles resulting in singleton live births (%)	2 / 18	3 / 15	1 / 14	0 / 6		
Percentage of cycles resulting in twin live births (%)	2 / 18	1 / 15	0 / 14	0 / 6		
Percentage of cycles resulting in live births (%)	4 / 18	4 / 15	1 / 14	0 / 6		
Percentage of cycles resulting in pregnancies (%)	9 / 18	4 / 15	4 / 14	0 / 6		
<b>Outcomes per Transfer</b>						
Number of transfers	13	11	12	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 13	2 / 11	1 / 12	0 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 13	3 / 11	1 / 12	0 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 13	1 / 11	0 / 12	0 / 4		
Percentage of transfers resulting in live births (%)	4 / 13	4 / 11	1 / 12	0 / 4		
Percentage of transfers resulting in pregnancies (%)	9 / 13	4 / 11	4 / 12	0 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	3	7	0	1	0
Number of transfers	6	3	7	0	1	0
Estimated average number of transfers per retrieval	1.5	1.5	2.3			
Average number of embryos transferred	2.0	2.0	1.7		1.0	
Percentage of embryos transferred resulting in implantation (%)	7 / 12	1 / 6	3 / 10		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 6	0 / 3	1 / 7		0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 6	1 / 3	1 / 7		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 3	1 / 7		0 / 1	
Percentage of transfers resulting in live births (%)	4 / 6	1 / 3	2 / 7		0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 6	1 / 3	3 / 7		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Infertility and Reproductive Medicine of South Broward

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTHWEST FLORIDA FERTILITY CENTER FORT MYERS, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Jacob L. Glock, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	57%	Tubal factor	19%	Uterine factor	9%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	9%	Male factor	30%
Used gestational carrier	3%			Diminished ovarian reserve	15%	Other factor	2%
				Endometriosis	15%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 48 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	4	9	2	0	1
Percentage of cancellations (%)	0 / 19	0 / 4	0 / 9	0 / 2		0 / 1
Average number of embryos transferred	2.1	1.8	2.1	1.5		1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	2 / 7	3 / 17	0 / 3		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	2 / 16	0 / 2	0 / 5	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 19	0 / 4	2 / 9	0 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	5 / 19	2 / 4	3 / 9	0 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	3 / 19	0 / 4	0 / 9	0 / 2		0 / 1
Percentage of cycles resulting in live births (%)	8 / 19	2 / 4	3 / 9	0 / 2		0 / 1
Percentage of cycles resulting in pregnancies (%)	9 / 19	2 / 4	3 / 9	0 / 2		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	17	4	8	2	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 17	0 / 4	2 / 8	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 17	2 / 4	3 / 8	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 17	0 / 4	0 / 8	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	8 / 17	2 / 4	3 / 8	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 17	2 / 4	3 / 8	0 / 2		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	3	0	0	0	0
Number of transfers	6	3	0	0	0	0
Estimated average number of transfers per retrieval	2.0	1.5		0.0		
Average number of embryos transferred	1.7	2.3				
Percentage of embryos transferred resulting in implantation (%)	0 / 10	0 / 7				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 6	0 / 3				
Percentage of transfers resulting in singleton live births (%)	0 / 6	0 / 3				
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 3				
Percentage of transfers resulting in live births (%)	0 / 6	0 / 3				
Percentage of transfers resulting in pregnancies (%)	0 / 6	0 / 3				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			1		
Number of transfers	2			1		
Average number of embryos transferred	2.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 5			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2			1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 1		
Percentage of transfers resulting in live births (%)	0 / 2			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Southwest Florida Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA EMBRYO DONATION INTERNATIONAL FORT MYERS, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Craig R. Sweet, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	70%	Tubal factor	22%	Uterine factor	<1%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	13%	Male factor	27%
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	10%
				Endometriosis	22%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 111 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	31	13	10	0	2	0
Percentage of cancellations (%)	3.2	1 / 13	1 / 10		0 / 2	
Average number of embryos transferred	2.1	2.7	2.5		5.0	
Percentage of embryos transferred resulting in implantation (%)	26.8	34.4	15.0		0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	7.1	0 / 12	0 / 8		0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.7	2 / 13	1 / 10		0 / 2	
Percentage of cycles resulting in singleton live births (%)	16.1	4 / 13	1 / 10		0 / 2	
Percentage of cycles resulting in twin live births (%)	16.1	2 / 13	1 / 10		0 / 2	
Percentage of cycles resulting in live births (%)	32.3	6 / 13	2 / 10		0 / 2	
Percentage of cycles resulting in pregnancies (%)	38.7	7 / 13	2 / 10		0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	29	12	8	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.3	2 / 12	1 / 8		0 / 1	
Percentage of transfers resulting in singleton live births (%)	17.2	4 / 12	1 / 8		0 / 1	
Percentage of transfers resulting in twin live births (%)	17.2	2 / 12	1 / 8		0 / 1	
Percentage of transfers resulting in live births (%)	34.5	6 / 12	2 / 8		0 / 1	
Percentage of transfers resulting in pregnancies (%)	41.4	7 / 12	2 / 8		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	13	5	2	1	0	0
Number of transfers	13	5	2	1	0	0
Estimated average number of transfers per retrieval	2.2	5.0	0.7			
Average number of embryos transferred	2.8	3.0	3.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	10.8	5 / 15	0 / 6	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 13	2 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 13	2 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 13	1 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	3 / 13	3 / 5	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 13	3 / 5	0 / 2	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			23		
Number of transfers	8			19		
Average number of embryos transferred	1.8			3.2		
Percentage of embryos transferred resulting in implantation (%)	11 / 14			17.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 8			0 / 19		
Percentage of transfers resulting in singleton live births (%)	1 / 8			2 / 19		
Percentage of transfers resulting in twin live births (%)	4 / 8			3 / 19		
Percentage of transfers resulting in live births (%)	5 / 8			5 / 19		
Percentage of transfers resulting in pregnancies (%)	5 / 8			9 / 19		

## CURRENT SERVICES & PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA,  
Embryo Donation International

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# UNIVERSITY OF FLORIDA AND SHANDS REPRODUCTIVE MEDICINE AT SPRINGHILL GAINESVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Alice Rhoton-Vlasak, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	68%	Tubal factor	11%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	16%	Male factor	29%
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	25%
				Endometriosis	23%	Unknown factor	5%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				14%			
				17%			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 94 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	37	6	10	4	0	0
Percentage of cancellations (%)	8.1	1 / 6	2 / 10	1 / 4		
Average number of embryos transferred	1.6	1.8	2.3	2.5		
Percentage of embryos transferred resulting in implantation (%)	38.6	2 / 7	4 / 14	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	30.4	1 / 3	0 / 6	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.1	0 / 6	0 / 10	0 / 4		
Percentage of cycles resulting in singleton live births (%)	13.5	1 / 6	0 / 10	0 / 4		
Percentage of cycles resulting in twin live births (%)	16.2	0 / 6	1 / 10	0 / 4		
Percentage of cycles resulting in live births (%)	29.7	1 / 6	1 / 10	0 / 4		
Percentage of cycles resulting in pregnancies (%)	29.7	2 / 6	3 / 10	1 / 4		
<b>Outcomes per Transfer</b>						
Number of transfers	27	4	6	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.1	0 / 4	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	18.5	1 / 4	0 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	22.2	0 / 4	1 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	40.7	1 / 4	1 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	40.7	2 / 4	3 / 6	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	13	3	3	0	0	0
Number of transfers	13	3	3	0	0	0
Estimated average number of transfers per retrieval	1.4	3.0	1.5			
Average number of embryos transferred	1.7	2.0	1.7			
Percentage of embryos transferred resulting in implantation (%)	47.6	4 / 6	3 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 13	2 / 3	2 / 3			
Percentage of transfers resulting in singleton live births (%)	6 / 13	2 / 3	2 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 3	0 / 3			
Percentage of transfers resulting in live births (%)	7 / 13	3 / 3	2 / 3			
Percentage of transfers resulting in pregnancies (%)	8 / 13	3 / 3	3 / 3			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	16			2		
Number of transfers	15			2		
Average number of embryos transferred	1.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	56.5			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 15			0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 15			0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 15			0 / 2		
Percentage of transfers resulting in live births (%)	8 / 15			0 / 2		
Percentage of transfers resulting in pregnancies (%)	10 / 15			0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: University of Florida and Shands Reproductive Medicine at Springhill

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# BROWN FERTILITY JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Samuel E. Brown, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	93%	Tubal factor	11%	Uterine factor	3%
Unstimulated	0%	Used PGD	3%	Ovulatory dysfunction	21%	Male factor	24%
Used gestational carrier	2%			Diminished ovarian reserve	17%	Other factor	19%
				Endometriosis	24%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 408 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	128	53	36	23	6	1
Percentage of cancellations (%)	0.0	1.9	8.3	0.0	0 / 6	0 / 1
Average number of embryos transferred	1.8	2.1	2.4	2.4	2.3	4.0
Percentage of embryos transferred resulting in implantation (%)	32.0	25.7	14.3	14.0	1 / 9	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	29.9	5.9	0.0	0.0	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.1	3.8	5.6	0.0	1 / 6	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.0	15.1	11.1	8.7	1 / 6	0 / 1
Percentage of cycles resulting in twin live births (%)	7.8	11.3	0.0	4.3	0 / 6	0 / 1
Percentage of cycles resulting in live births (%)	33.6	26.4	13.9	13.0	1 / 6	0 / 1
Percentage of cycles resulting in pregnancies (%)	47.7	37.7	30.6	26.1	1 / 6	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	120	51	33	22	4	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.0	3.9	6.1	0.0	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.7	15.7	12.1	9.1	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	11.8	0.0	4.5	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	35.8	27.5	15.2	13.6	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.8	39.2	33.3	27.3	1 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	64	25	21	9	1	1
Number of transfers	64	25	21	9	1	1
Estimated average number of transfers per retrieval	1.6	1.9	1.8	2.3		
Average number of embryos transferred	2.0	2.0	2.3	2.6	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	18.5	19.1	8.9	0.0	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3.1	8.0	0.0	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	9.4	28.0	9.5	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	4.7	0.0	4.8	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	14.1	28.0	14.3	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	42.2	36.0	19.0	1 / 9	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	32			7		
Number of transfers	30			7		
Average number of embryos transferred	2.1			1.7		
Percentage of embryos transferred resulting in implantation (%)	61.5			3 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.3			1 / 7		
Percentage of transfers resulting in singleton live births (%)	33.3			3 / 7		
Percentage of transfers resulting in twin live births (%)	26.7			0 / 7		
Percentage of transfers resulting in live births (%)	63.3			3 / 7		
Percentage of transfers resulting in pregnancies (%)	86.7			3 / 7		

## CURRENT SERVICES & PROFILE

Current Name: Brown Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Kevin L. Winslow, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	89%	Tubal factor	16%	Uterine factor	6%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	19%	Male factor	52%
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	7%
				Endometriosis	19%	Unknown factor	6%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 845 (includes 17 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	170	73	61	17	10	2
Percentage of cancellations (%)	2.4	1.4	6.6	1 / 17	0 / 10	0 / 2
Average number of embryos transferred	1.9	2.0	2.2	2.7	3.8	1.0
Percentage of embryos transferred resulting in implantation (%)	36.2	28.7	15.4	14.3	8.8	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	16.7	5.7	4.3	0 / 12	0 / 9	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.4	11.0	11.5	2 / 17	2 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	22.9	17.8	14.8	2 / 17	2 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	12.9	9.6	3.3	1 / 17	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	35.9	27.4	18.0	3 / 17	2 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	40.0	35.6	24.6	4 / 17	3 / 10	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	142	58	50	13	9	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.2	13.8	14.0	2 / 13	2 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.5	22.4	18.0	2 / 13	2 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	15.5	12.1	4.0	1 / 13	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	43.0	34.5	22.0	3 / 13	2 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	47.9	44.8	30.0	4 / 13	3 / 9	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	161	90	49	16	1	1
Number of transfers	160	89	47	16	1	1
Estimated average number of transfers per retrieval	2.3	2.3	2.2	2.0	1.0	1.0
Average number of embryos transferred	1.8	1.8	2.0	2.1	4.0	2.0
Percentage of embryos transferred resulting in implantation (%)	31.3	23.3	19.1	15.2	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	23.6	23.4	3 / 16	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.1	27.0	27.7	3 / 16	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	9.4	3.4	0.0	0 / 16	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	38.1	30.3	27.7	3 / 16	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	46.3	40.4	38.3	5 / 16	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	15	2	2	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		51			95	
Number of transfers		45			94	
Average number of embryos transferred		1.8			1.8	
Percentage of embryos transferred resulting in implantation (%)		40.3			27.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		24.4			19.1	
Percentage of transfers resulting in singleton live births (%)		33.3			27.7	
Percentage of transfers resulting in twin live births (%)		15.6			4.3	
Percentage of transfers resulting in live births (%)		48.9			33.0	
Percentage of transfers resulting in pregnancies (%)		60.0			39.4	

## CURRENT SERVICES & PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Michael D. Fox, MD			
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	28%	Tubal factor	8%	Uterine factor	4%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	13%	Male factor	12%
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	5%
				Endometriosis	27%	Unknown factor	0%
						Multiple Factors:	
						Female factors only	0%
						Female & male factors	0%

  

2013 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 309 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		85	36	35	7	5	2
Percentage of cancellations (%)		7.1	8.3	0.0	0 / 7	1 / 5	1 / 2
Average number of embryos transferred		1.9	2.0	2.1	2.0	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)		34.6	23.3	10.3	1 / 3	0 / 5	0 / 1
Percentage of elective single embryo transfers (eSET) (%)		10.9	7.7	4.0	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		17.6	19.4	8.6	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)		22.4	22.2	8.6	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)		9.4	2.8	0.0	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)		32.9	25.0	8.6	0 / 7	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)		40.0	33.3	14.3	2 / 7	0 / 5	0 / 2
<b>Outcomes per Transfer</b>							
Number of transfers		71	30	28	3	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		21.1	23.3	10.7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)		26.8	26.7	10.7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)		11.3	3.3	0.0	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)		39.4	30.0	10.7	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)		47.9	40.0	17.9	2 / 3	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		48	14	6	1	0	0
Number of transfers		48	12	5	1	0	0
Estimated average number of transfers per retrieval		1.3	1.3	1.7	0.5		
Average number of embryos transferred		1.7	1.3	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)		32.9	2 / 16	1 / 8	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		16.7	1 / 12	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)		20.8	1 / 12	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)		8.3	0 / 12	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)		29.2	1 / 12	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)		45.8	2 / 12	1 / 5	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>		24	8	3	2	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		19			14		
Number of transfers		15			12		
Average number of embryos transferred		1.9			1.4		
Percentage of embryos transferred resulting in implantation (%)		53.6			3 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 15			0 / 12		
Percentage of transfers resulting in singleton live births (%)		5 / 15			2 / 12		
Percentage of transfers resulting in twin live births (%)		4 / 15			0 / 12		
Percentage of transfers resulting in live births (%)		9 / 15			2 / 12		
Percentage of transfers resulting in pregnancies (%)		10 / 15			5 / 12		

CURRENT SERVICES & PROFILE				Current Name: Jacksonville Center for Reproductive Medicine			
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DR. MARWAN SHAYKH  
ASSISTED FERTILITY PROGRAM  
JACKSONVILLE, FLORIDA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2013 ART CYCLE PROFILE**

Data verified by Marwan Shaykh, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	67%	Tubal factor	10%	Uterine factor	5%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	5%	Male factor	22%
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	22%
				Endometriosis	7%	Unknown factor	27%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

**2013 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 74 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	24	5	13	2	4	1
Percentage of cancellations (%)	4.2	0 / 5	0 / 13	0 / 2	0 / 4	0 / 1
Average number of embryos transferred	2.6	2.2	2.2	3.0	5.5	2.0
Percentage of embryos transferred resulting in implantation (%)	11.5	0 / 11	0.0	2 / 3	0 / 11	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	10.0	0 / 4	0 / 9	0 / 1	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4.2	0 / 5	0 / 13	0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	4.2	0 / 5	0 / 13	1 / 2	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	4.2	0 / 5	0 / 13	0 / 2	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	8.3	0 / 5	0 / 13	1 / 2	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	20.8	0 / 5	0 / 13	1 / 2	0 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	20	5	12	1	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.0	0 / 5	0 / 12	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5.0	0 / 5	0 / 12	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	5.0	0 / 5	0 / 12	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	10.0	0 / 5	0 / 12	1 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	25.0	0 / 5	0 / 12	1 / 1	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	0	1	0	0	1
Number of transfers	6	0	1	0	0	1
Estimated average number of transfers per retrieval	3.0		1.0			
Average number of embryos transferred	1.7		1.0			1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 10		0 / 1			0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6		0 / 1			0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 6		0 / 1			0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 1			0 / 1
Percentage of transfers resulting in live births (%)	3 / 6		0 / 1			0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 6		0 / 1			0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			9		
Number of transfers	8			9		
Average number of embryos transferred	1.6			1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 12			2 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 8			0 / 9		
Percentage of transfers resulting in singleton live births (%)	1 / 8			2 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 8			0 / 9		
Percentage of transfers resulting in live births (%)	1 / 8			2 / 9		
Percentage of transfers resulting in pregnancies (%)	2 / 8			3 / 9		

**CURRENT SERVICES & PROFILE**

Current Name: Dr. Marwan Shaykh, Assisted Fertility Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR NATURAL IVF JUPITER, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Gene Manko, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	2%	Male factor	20%
Used gestational carrier	0%			Diminished ovarian reserve	76%	Other factor	9%
				Endometriosis	11%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 99 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	6	5	8	9	4	5
Percentage of cancellations (%)	0 / 6	0 / 5	1 / 8	0 / 9	0 / 4	2 / 5
Average number of embryos transferred	2.0	1.7	4.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 4		1 / 5	1 / 16		
Percentage of elective single embryo transfers (eSET) (%)	0 / 2		0 / 2	0 / 4		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	0 / 5	0 / 8	0 / 9	0 / 4	0 / 5
Percentage of cycles resulting in singleton live births (%)	1 / 6	0 / 5	0 / 8	0 / 9	0 / 4	0 / 5
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 5	0 / 8	0 / 9	0 / 4	0 / 5
Percentage of cycles resulting in live births (%)	1 / 6	0 / 5	0 / 8	0 / 9	0 / 4	0 / 5
Percentage of cycles resulting in pregnancies (%)	1 / 6	0 / 5	1 / 8	1 / 9	0 / 4	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	2	0	3	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2		0 / 3	0 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 2		0 / 3	0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 3	0 / 4		
Percentage of transfers resulting in live births (%)	1 / 2		0 / 3	0 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 2		1 / 3	1 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	4	2	4	6	0
Number of transfers	1	4	2	4	6	0
Estimated average number of transfers per retrieval	0.5	0.4	0.3	0.2	0.5	0.0
Average number of embryos transferred	1.0	2.8	2.0	3.0	3.7	
Percentage of embryos transferred resulting in implantation (%)	0 / 1	0 / 11	0 / 4	1 / 9	9.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 4	0 / 2	0 / 4	0 / 6	
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 4	0 / 2	0 / 4	0 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 4	0 / 2	0 / 4	1 / 6	
Percentage of transfers resulting in live births (%)	0 / 1	0 / 4	0 / 2	0 / 4	1 / 6	
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 4	0 / 2	2 / 4	1 / 6	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	9	6	15	10	4
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Center for Natural IVF

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



**CENTER FOR REPRODUCTIVE MEDICINE  
STEPHEN WELDEN, MD, PA  
LUTZ, FLORIDA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2013 ART CYCLE PROFILE**

Data verified by Stephen Welden, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	0%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 29% Female & male factors 14%	
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	19%	Male factor	14%		
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	57%		
				Endometriosis	5%	Unknown factor	24%		

**2013 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 21 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	8	4	1	3	3	0
Percentage of cancellations (%)	0 / 8	0 / 4	0 / 1	1 / 3	1 / 3	
Average number of embryos transferred	2.0	2.0	2.0	2.5	3.5	
Percentage of embryos transferred resulting in implantation (%)	12 / 16	1 / 8	0 / 2	0 / 5	1 / 7	
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 4	0 / 1	0 / 2	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 8	1 / 4	0 / 1	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	4 / 8	1 / 4	0 / 1	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	2 / 8	0 / 4	0 / 1	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	7 / 8	1 / 4	0 / 1	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	7 / 8	1 / 4	0 / 1	0 / 3	1 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	8	4	1	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 8	1 / 4	0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 8	1 / 4	0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 4	0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	7 / 8	1 / 4	0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	7 / 8	1 / 4	0 / 1	0 / 2	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	0	0	1	0
Number of transfers	0	1	0	0	1	0
Estimated average number of transfers per retrieval		1.0				
Average number of embryos transferred		2.0			2.0	
Percentage of embryos transferred resulting in implantation (%)		0 / 2			0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1			0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 1			0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 1	
Percentage of transfers resulting in live births (%)		0 / 1			0 / 1	
Percentage of transfers resulting in pregnancies (%)		0 / 1			0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

**CURRENT SERVICES & PROFILE**

Current Name: Center for Reproductive Medicine, Stephen Welden, MD, PA

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# IVF FLORIDA MARGATE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by David I. Hoffman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	68%	Tubal factor	16%	Uterine factor	2%
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	16%	Male factor	29%
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	13%
				Endometriosis	9%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,114 (includes 76 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	258	140	128	86	37	5
Percentage of cancellations (%)	5.0	11.4	8.6	11.6	10.8	1 / 5
Average number of embryos transferred	1.7	1.9	2.7	3.1	2.9	2.3
Percentage of embryos transferred resulting in implantation (%)	33.6	25.0	17.1	10.6	3.7	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	28.6	12.8	1.1	0.0	0.0	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.4	16.4	12.5	8.1	2.7	0 / 5
Percentage of cycles resulting in singleton live births (%)	24.8	17.9	14.8	9.3	5.4	0 / 5
Percentage of cycles resulting in twin live births (%)	4.7	5.7	4.7	3.5	0.0	0 / 5
Percentage of cycles resulting in live births (%)	29.5	23.6	19.5	12.8	5.4	0 / 5
Percentage of cycles resulting in pregnancies (%)	38.0	27.9	29.7	20.9	10.8	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	203	103	96	59	30	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.6	22.3	16.7	11.9	3.3	0 / 3
Percentage of transfers resulting in singleton live births (%)	31.5	24.3	19.8	13.6	6.7	0 / 3
Percentage of transfers resulting in twin live births (%)	5.9	7.8	6.3	5.1	0.0	0 / 3
Percentage of transfers resulting in live births (%)	37.4	32.0	26.0	18.6	6.7	0 / 3
Percentage of transfers resulting in pregnancies (%)	48.3	37.9	39.6	30.5	13.3	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	128	63	35	16	6	1
Number of transfers	114	57	31	16	2	1
Estimated average number of transfers per retrieval	1.7	1.5	1.8	0.8	0.7	
Average number of embryos transferred	1.5	1.6	1.8	1.8	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	35.7	30.4	20.4	16.7	2 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.6	19.3	12.9	4 / 16	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.8	21.1	12.9	4 / 16	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	7.9	5.3	0.0	0 / 16	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	37.7	28.1	12.9	4 / 16	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	45.6	38.7	6 / 16	1 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	15	7	3	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	31			69		
Number of transfers	20			59		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	32.1			34.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0			23.7		
Percentage of transfers resulting in singleton live births (%)	20.0			32.2		
Percentage of transfers resulting in twin live births (%)	10.0			3.4		
Percentage of transfers resulting in live births (%)	30.0			35.6		
Percentage of transfers resulting in pregnancies (%)	45.0			49.2		

## CURRENT SERVICES & PROFILE

Current Name: IVF Florida

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# VIERA FERTILITY CENTER FERTILITY AND REPRODUCTIVE MEDICINE CENTER FOR WOMEN MELBOURNE, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Diran Chamoun, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				Multiple Factors:	
IVF	100%	With ICSI	33%	Tubal factor	28%	Uterine factor	10%	Female factors only	13%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	27%	Male factor	37%	Female & male factors	27%
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	7%		
				Endometriosis	7%	Unknown factor	3%		

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 61 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	28	10	5	8	1	0
Percentage of cancellations (%)	10.7	1 / 10	0 / 5	1 / 8	0 / 1	
Average number of embryos transferred	1.9	2.0	3.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	43.5	6 / 14	2 / 9	1 / 15	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 7	0 / 4	0 / 5	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	2 / 10	0 / 5	1 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)	32.1	2 / 10	0 / 5	1 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)	17.9	1 / 10	1 / 5	0 / 8	0 / 1	
Percentage of cycles resulting in live births (%)	50.0	3 / 10	1 / 5	1 / 8	0 / 1	
Percentage of cycles resulting in pregnancies (%)	57.1	5 / 10	2 / 5	2 / 8	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	25	7	4	6	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.0	2 / 7	0 / 4	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.0	2 / 7	0 / 4	1 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	20.0	1 / 7	1 / 4	0 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	56.0	3 / 7	1 / 4	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	64.0	5 / 7	2 / 4	2 / 6	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	3	0	0	0	0	0
Number of transfers	3	0	0	0	0	0
Estimated average number of transfers per retrieval	0.8		0.0			
Average number of embryos transferred	1.7					
Percentage of embryos transferred resulting in implantation (%)	0 / 5					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3					
Percentage of transfers resulting in singleton live births (%)	0 / 3					
Percentage of transfers resulting in twin live births (%)	0 / 3					
Percentage of transfers resulting in live births (%)	0 / 3					
Percentage of transfers resulting in pregnancies (%)	0 / 3					
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Viera Fertility Center, Fertility and Reproductive Medicine Center for Women

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CONCEPTIONS FLORIDA: CENTER FOR FERTILITY AND GENETICS MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Armando E. Hernandez-Rey, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	70%	Tubal factor	15%	Uterine factor	0%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	0%	Male factor	18%
Used gestational carrier	0%			Diminished ovarian reserve	64%	Other factor	0%
				Endometriosis	0%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 37 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	9	4	5	4	4	1
Percentage of cancellations (%)	1 / 9	0 / 4	0 / 5	1 / 4	0 / 4	0 / 1
Average number of embryos transferred	2.0	2.0	1.5	2.0	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 14	0 / 4	1 / 6	1 / 4	0 / 5	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 2	0 / 2	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 9	0 / 4	0 / 5	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 9	0 / 4	0 / 5	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 9	0 / 4	0 / 5	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	2 / 9	0 / 4	0 / 5	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	2 / 9	0 / 4	1 / 5	1 / 4	0 / 4	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	7	2	4	2	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 7	0 / 2	0 / 4	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 7	0 / 2	0 / 4	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 2	0 / 4	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	2 / 7	0 / 2	0 / 4	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 7	0 / 2	1 / 4	1 / 2	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	1	0	1	0
Number of transfers	1	0	1	0	0	0
Estimated average number of transfers per retrieval	0.5	0.0	0.3			
Average number of embryos transferred	2.0		2.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 2		0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1		0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 1		0 / 1			
Percentage of transfers resulting in live births (%)	1 / 1		0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			0		
Number of transfers	3			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	6 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3					
Percentage of transfers resulting in singleton live births (%)	1 / 3					
Percentage of transfers resulting in twin live births (%)	2 / 3					
Percentage of transfers resulting in live births (%)	3 / 3					
Percentage of transfers resulting in pregnancies (%)	3 / 3					

## CURRENT SERVICES & PROFILE

Current Name: Conceptions Florida: Center for Fertility and Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Michael H. Jacobs, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	90%	Tubal factor	12%	Uterine factor	8%
Unstimulated	<1%	Used PGD	13%	Ovulatory dysfunction	16%	Male factor	50%
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	38%
				Endometriosis	6%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 499 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	103	71	73	53	24	13
Percentage of cancellations (%)	6.8	2.8	9.6	15.1	12.5	5 / 13
Average number of embryos transferred	2.0	2.1	2.3	2.2	2.6	2.0
Percentage of embryos transferred resulting in implantation (%)	32.7	30.3	16.5	12.0	8.8	0 / 14
Percentage of elective single embryo transfers (eSET) (%)	9.3	1.9	0.0	0.0	0 / 9	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.4	16.9	9.6	5.7	0.0	0 / 13
Percentage of cycles resulting in singleton live births (%)	25.2	19.7	11.0	5.7	0.0	0 / 13
Percentage of cycles resulting in twin live births (%)	6.8	8.5	5.5	0.0	0.0	0 / 13
Percentage of cycles resulting in live births (%)	32.0	28.2	16.4	5.7	0.0	0 / 13
Percentage of cycles resulting in pregnancies (%)	37.9	32.4	21.9	15.1	4.2	0 / 13
<b>Outcomes per Transfer</b>						
Number of transfers	78	56	52	34	13	7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	21.4	13.5	8.8	0 / 13	0 / 7
Percentage of transfers resulting in singleton live births (%)	33.3	25.0	15.4	8.8	0 / 13	0 / 7
Percentage of transfers resulting in twin live births (%)	9.0	10.7	7.7	0.0	0 / 13	0 / 7
Percentage of transfers resulting in live births (%)	42.3	35.7	23.1	8.8	0 / 13	0 / 7
Percentage of transfers resulting in pregnancies (%)	50.0	41.1	30.8	23.5	1 / 13	0 / 7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	39	33	22	12	9	8
Number of transfers	39	31	22	12	9	5
Estimated average number of transfers per retrieval	1.4	1.7	1.8	1.7	4.5	
Average number of embryos transferred	1.7	1.7	1.7	1.8	1.7	1.6
Percentage of embryos transferred resulting in implantation (%)	44.8	46.3	24.3	54.5	6 / 15	1 / 8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.9	32.3	9.1	6 / 12	4 / 9	1 / 5
Percentage of transfers resulting in singleton live births (%)	38.5	35.5	13.6	6 / 12	5 / 9	1 / 5
Percentage of transfers resulting in twin live births (%)	12.8	9.7	0.0	1 / 12	0 / 9	0 / 5
Percentage of transfers resulting in live births (%)	51.3	45.2	13.6	7 / 12	5 / 9	1 / 5
Percentage of transfers resulting in pregnancies (%)	59.0	61.3	36.4	10 / 12	6 / 9	1 / 5
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	28			9		
Number of transfers	24			9		
Average number of embryos transferred	2.1			1.9		
Percentage of embryos transferred resulting in implantation (%)	52.0			7 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0			4 / 9		
Percentage of transfers resulting in singleton live births (%)	25.0			5 / 9		
Percentage of transfers resulting in twin live births (%)	33.3			1 / 9		
Percentage of transfers resulting in live births (%)	58.3			6 / 9		
Percentage of transfers resulting in pregnancies (%)	70.8			6 / 9		

## CURRENT SERVICES & PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by George R. Attia, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	92%	Tubal factor	20%	Uterine factor	0%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	4%	Male factor	28%
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	12%
				Endometriosis	5%	Unknown factor	13%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 189 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	56	31	33	10	7	2
Percentage of cancellations (%)	0.0	3.2	12.1	0 / 10	1 / 7	0 / 2
Average number of embryos transferred	2.0	2.1	2.2	2.3	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	31.0	27.6	18.5	2 / 18	0 / 10	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	2.1	4.2	0.0	0 / 6	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.3	9.7	12.1	0 / 10	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	21.4	16.1	18.2	0 / 10	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	10.7	12.9	3.0	0 / 10	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)	32.1	29.0	21.2	0 / 10	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)	42.9	35.5	30.3	2 / 10	0 / 7	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	52	28	26	8	4	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.4	10.7	15.4	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.1	17.9	23.1	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	11.5	14.3	3.8	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	34.6	32.1	26.9	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	46.2	39.3	38.5	2 / 8	0 / 4	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	3	10	3	2	1
Number of transfers	20	3	10	3	2	1
Estimated average number of transfers per retrieval	1.5	3.0	2.0	3.0	0.7	
Average number of embryos transferred	2.1	2.0	2.0	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	19.0	1 / 6	30.0	1 / 6	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	0 / 3	1 / 10	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.0	0 / 3	3 / 10	1 / 3	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 3	0 / 10	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	30.0	0 / 3	3 / 10	1 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	40.0	1 / 3	6 / 10	1 / 3	0 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			2		
Number of transfers	4			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 8			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 4			0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 4			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 2		
Percentage of transfers resulting in live births (%)	2 / 4			0 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 4			0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: University of Miami Infertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Randall A. Loy, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	51%	Tubal factor	14%	Uterine factor	7%
Unstimulated	2%	Used PGD	<1%	Ovulatory dysfunction	38%	Male factor	21%
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	7%
				Endometriosis	13%	Unknown factor	4%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 844 (includes 37 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	135	86	73	25	11	2
Percentage of cancellations (%)	12.6	16.3	26.0	12.0	4 / 11	0 / 2
Average number of embryos transferred	1.6	1.9	2.1	3.0	2.4	3.0
Percentage of embryos transferred resulting in implantation (%)	44.0	24.7	16.0	6.5	0 / 12	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	30.9	8.7	2.8	0 / 18	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.3	7.0	11.0	0.0	0 / 11	0 / 2
Percentage of cycles resulting in singleton live births (%)	20.7	7.0	13.7	0.0	0 / 11	0 / 2
Percentage of cycles resulting in twin live births (%)	10.4	9.3	1.4	0.0	0 / 11	0 / 2
Percentage of cycles resulting in live births (%)	31.1	16.3	15.1	0.0	0 / 11	0 / 2
Percentage of cycles resulting in pregnancies (%)	36.3	20.9	20.5	20.0	0 / 11	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	90	53	41	18	5	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.9	11.3	19.5	0 / 18	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.1	11.3	24.4	0 / 18	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	15.6	15.1	2.4	0 / 18	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	46.7	26.4	26.8	0 / 18	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.4	34.0	36.6	5 / 18	0 / 5	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	129	61	46	21	4	2
Number of transfers	108	56	37	18	4	1
Estimated average number of transfers per retrieval	1.2	1.3	0.8	0.6	0.3	0.5
Average number of embryos transferred	1.7	1.6	1.6	1.9	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	39.8	32.1	18.5	20.0	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.4	19.6	13.5	1 / 18	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.0	32.1	18.9	2 / 18	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	11.1	5.4	2.7	1 / 18	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	48.1	37.5	21.6	3 / 18	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	59.3	50.0	29.7	7 / 18	0 / 4	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	49	27	36	31	12	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	12			43		
Number of transfers	11			38		
Average number of embryos transferred	1.6			1.9		
Percentage of embryos transferred resulting in implantation (%)	7 / 17			39.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 11			28.9		
Percentage of transfers resulting in singleton live births (%)	4 / 11			36.8		
Percentage of transfers resulting in twin live births (%)	1 / 11			13.2		
Percentage of transfers resulting in live births (%)	5 / 11			50.0		
Percentage of transfers resulting in pregnancies (%)	7 / 11			63.2		

## CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# REPRODUCTIVE MEDICINE INSTITUTE ORLANDO, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Fernando L. Gomez, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	68%	Tubal factor	24%	Uterine factor	2%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	59%	Male factor	39%
Used gestational carrier	3%			Diminished ovarian reserve	4%	Other factor	65%
				Endometriosis	7%	Unknown factor	2%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 46 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	7	7	7	0	0
Percentage of cancellations (%)	0 / 19	0 / 7	0 / 7	0 / 7		
Average number of embryos transferred	2.0	2.0	2.3	1.7		
Percentage of embryos transferred resulting in implantation (%)	46.9	2 / 12	1 / 12	0 / 10		
Percentage of elective single embryo transfers (eSET) (%)	1 / 15	0 / 5	0 / 6	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 19	0 / 7	0 / 7	0 / 7		
Percentage of cycles resulting in singleton live births (%)	4 / 19	2 / 7	1 / 7	0 / 7		
Percentage of cycles resulting in twin live births (%)	4 / 19	0 / 7	0 / 7	0 / 7		
Percentage of cycles resulting in live births (%)	8 / 19	2 / 7	1 / 7	0 / 7		
Percentage of cycles resulting in pregnancies (%)	10 / 19	2 / 7	2 / 7	0 / 7		
<b>Outcomes per Transfer</b>						
Number of transfers	16	6	6	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 16	0 / 6	0 / 6	0 / 6		
Percentage of transfers resulting in singleton live births (%)	4 / 16	2 / 6	1 / 6	0 / 6		
Percentage of transfers resulting in twin live births (%)	4 / 16	0 / 6	0 / 6	0 / 6		
Percentage of transfers resulting in live births (%)	8 / 16	2 / 6	1 / 6	0 / 6		
Percentage of transfers resulting in pregnancies (%)	10 / 16	2 / 6	2 / 6	0 / 6		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	0	0	0	0
Number of transfers	0	1	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred		2.0				
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1				
Percentage of transfers resulting in singleton live births (%)		0 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		0 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			2		
Number of transfers	2			2		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 4			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 2			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 2		
Percentage of transfers resulting in live births (%)	2 / 2			0 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 2			0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Institute

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEW LEADERS IN FERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Barry A. Ripps, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	85%	Tubal factor	22%	Uterine factor	2%
Unstimulated	0%	Used PGD	8%	Ovulatory dysfunction	10%	Male factor	43%
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	9%
				Endometriosis	12%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 215 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	97	35	33	14	4	2
Percentage of cancellations (%)	10.3	11.4	24.2	3 / 14	2 / 4	0 / 2
Average number of embryos transferred	1.7	1.9	2.4	2.2		
Percentage of embryos transferred resulting in implantation (%)	46.2	41.7	38.9	3 / 13		
Percentage of elective single embryo transfers (eSET) (%)	22.2	10.0	0 / 13	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.8	22.9	21.2	0 / 14	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	34.0	25.7	21.2	0 / 14	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	7.2	14.3	6.1	1 / 14	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	41.2	40.0	27.3	1 / 14	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	45.4	42.9	36.4	2 / 14	0 / 4	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	70	25	17	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.7	32.0	7 / 17	0 / 6		
Percentage of transfers resulting in singleton live births (%)	47.1	36.0	7 / 17	0 / 6		
Percentage of transfers resulting in twin live births (%)	10.0	20.0	2 / 17	1 / 6		
Percentage of transfers resulting in live births (%)	57.1	56.0	9 / 17	1 / 6		
Percentage of transfers resulting in pregnancies (%)	62.9	60.0	12 / 17	2 / 6		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	4	1	1	0	0
Number of transfers	22	4	1	1	0	0
Estimated average number of transfers per retrieval	1.7	1.3	1.0			
Average number of embryos transferred	1.8	1.3	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	10.5	1 / 5	1 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.6	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	13.6	0 / 4	1 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 4	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	13.6	0 / 4	1 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	18.2	1 / 4	1 / 1	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: New Leaders in Fertility & Endocrinology, LLC

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY & GENETICS PLANTATION, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Mick Abaé, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	67%	Tubal factor	21%	Uterine factor	25%
Unstimulated	<1%	Used PGD	1%	Ovulatory dysfunction	22%	Male factor	42%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	11%
				Endometriosis	19%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				31%			
				33%			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 220 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	44	46	37	14	7	5
Percentage of cancellations (%)	2.3	8.7	16.2	4 / 14	1 / 7	3 / 5
Average number of embryos transferred	1.9	2.4	3.2	2.8	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	25.3	26.0	18.5	4.5	0 / 14	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	5.4	0.0	0.0	0 / 7	0 / 4	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.6	15.2	8.1	0 / 14	0 / 7	0 / 5
Percentage of cycles resulting in singleton live births (%)	22.7	28.3	13.5	0 / 14	0 / 7	0 / 5
Percentage of cycles resulting in twin live births (%)	11.4	10.9	8.1	0 / 14	0 / 7	0 / 5
Percentage of cycles resulting in live births (%)	34.1	39.1	21.6	0 / 14	0 / 7	0 / 5
Percentage of cycles resulting in pregnancies (%)	36.4	41.3	27.0	1 / 14	0 / 7	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	43	40	25	8	5	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.0	17.5	12.0	0 / 8	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.3	32.5	20.0	0 / 8	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	11.6	12.5	12.0	0 / 8	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	34.9	45.0	32.0	0 / 8	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	37.2	47.5	40.0	1 / 8	0 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	19	1	5	0	1	0
Number of transfers	19	1	5	0	1	0
Estimated average number of transfers per retrieval	1.0	0.3	0.7	0.0	0.5	0.0
Average number of embryos transferred	2.1	3.0	2.4		3.0	
Percentage of embryos transferred resulting in implantation (%)	27.0	1 / 3	3 / 12		0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 19	1 / 1	1 / 5		0 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 19	1 / 1	1 / 5		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 1	1 / 5		0 / 1	
Percentage of transfers resulting in live births (%)	7 / 19	1 / 1	2 / 5		0 / 1	
Percentage of transfers resulting in pregnancies (%)	10 / 19	1 / 1	2 / 5		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	1	6	1	2	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	14			2		
Number of transfers	14			2		
Average number of embryos transferred	2.1			1.0		
Percentage of embryos transferred resulting in implantation (%)	51.7			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 14			0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 14			1 / 2		
Percentage of transfers resulting in twin live births (%)	3 / 14			0 / 2		
Percentage of transfers resulting in live births (%)	9 / 14			1 / 2		
Percentage of transfers resulting in pregnancies (%)	9 / 14			1 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Fertility & Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER AND APPLIED GENETICS OF FLORIDA SARASOTA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Julio E. Pabon, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	62%	Tubal factor	8%	Uterine factor	8%
Unstimulated	0%	Used PGD	32%	Ovulatory dysfunction	15%	Male factor	26%
Used gestational carrier	9%			Diminished ovarian reserve	29%	Other factor	23%
				Endometriosis	7%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 146 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	9	9	10	0	2	4
Percentage of cancellations (%)	1 / 9	4 / 9	0 / 10		0 / 2	3 / 4
Average number of embryos transferred	1.3	1.3	1.9		1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 5	5 / 5	2 / 13		1 / 1	
Percentage of elective single embryo transfers (eSET) (%)	3 / 5	2 / 3	1 / 4			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 9	2 / 9	2 / 10		1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 9	3 / 9	2 / 10		1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 9	1 / 9	0 / 10		0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	1 / 9	4 / 9	2 / 10		1 / 2	0 / 4
Percentage of cycles resulting in pregnancies (%)	4 / 9	4 / 9	2 / 10		1 / 2	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	7	4	7	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7	2 / 4	2 / 7		1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 7	3 / 4	2 / 7		1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 4	0 / 7		0 / 1	
Percentage of transfers resulting in live births (%)	1 / 7	4 / 4	2 / 7		1 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 7	4 / 4	2 / 7		1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	12	7	1	1	0
Number of transfers	24	10	7	1	1	0
Estimated average number of transfers per retrieval	1.1	0.8	0.5		0.5	0.0
Average number of embryos transferred	1.5	1.4	1.1	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	36.1	3 / 14	4 / 8	1 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	2 / 10	3 / 7	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.7	2 / 10	4 / 7	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.2	0 / 10	0 / 7	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	45.8	2 / 10	4 / 7	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.8	3 / 10	4 / 7	1 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	12	12	0	2	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			9		
Number of transfers	9			9		
Average number of embryos transferred	1.1			1.7		
Percentage of embryos transferred resulting in implantation (%)	7 / 9			8 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 9			2 / 9		
Percentage of transfers resulting in singleton live births (%)	5 / 9			2 / 9		
Percentage of transfers resulting in twin live births (%)	1 / 9			3 / 9		
Percentage of transfers resulting in live births (%)	6 / 9			5 / 9		
Percentage of transfers resulting in pregnancies (%)	7 / 9			5 / 9		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center and Applied Genetics of Florida

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Juergen Eisermann, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	63%	Tubal factor	15%	Uterine factor	4%
Unstimulated	0%	Used PGD	4%	Ovulatory dysfunction	9%	Male factor	57%
Used gestational carrier	<1%			Diminished ovarian reserve	11%	Other factor	51%
				Endometriosis	12%	Unknown factor	3%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,006 (includes 39 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	242	144	136	80	14	0
Percentage of cancellations (%)	8.7	13.2	21.3	23.8	5 / 14	
Average number of embryos transferred	1.7	1.9	1.9	2.0	2.3	
Percentage of embryos transferred resulting in implantation (%)	56.0	45.3	33.7	21.5	2 / 16	
Percentage of elective single embryo transfers (eSET) (%)	21.5	7.5	5.1	0.0	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	20.8	16.9	17.5	1 / 14	
Percentage of cycles resulting in singleton live births (%)	33.9	23.6	19.9	18.8	1 / 14	
Percentage of cycles resulting in twin live births (%)	14.9	17.4	5.9	1.3	0 / 14	
Percentage of cycles resulting in live births (%)	50.0	41.7	25.7	20.0	1 / 14	
Percentage of cycles resulting in pregnancies (%)	58.7	47.9	34.6	25.0	2 / 14	
<b>Outcomes per Transfer</b>						
Number of transfers	206	117	90	48	7	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.6	25.6	25.6	29.2	1 / 7	
Percentage of transfers resulting in singleton live births (%)	39.8	29.1	30.0	31.3	1 / 7	
Percentage of transfers resulting in twin live births (%)	17.5	21.4	8.9	2.1	0 / 7	
Percentage of transfers resulting in live births (%)	58.7	51.3	38.9	33.3	1 / 7	
Percentage of transfers resulting in pregnancies (%)	68.9	59.0	52.2	41.7	2 / 7	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	80	48	43	11	7	0
Number of transfers	80	46	41	9	7	0
Estimated average number of transfers per retrieval	1.2	1.2	0.9	1.0	0.5	0.0
Average number of embryos transferred	1.7	1.6	1.6	1.8	1.6	
Percentage of embryos transferred resulting in implantation (%)	45.0	37.1	27.7	5 / 16	4 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.3	28.3	26.8	3 / 9	2 / 7	
Percentage of transfers resulting in singleton live births (%)	41.3	34.8	31.7	3 / 9	3 / 7	
Percentage of transfers resulting in twin live births (%)	11.3	0.0	2.4	1 / 9	0 / 7	
Percentage of transfers resulting in live births (%)	52.5	37.0	34.1	4 / 9	3 / 7	
Percentage of transfers resulting in pregnancies (%)	60.0	52.2	43.9	4 / 9	4 / 7	
<b>Number of Egg/Embryo Banking Cycles</b>						
	26	17	23	8	10	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	48			28		
Number of transfers	46			27		
Average number of embryos transferred	1.6			1.6		
Percentage of embryos transferred resulting in implantation (%)	59.5			43.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.6			33.3		
Percentage of transfers resulting in singleton live births (%)	39.1			44.4		
Percentage of transfers resulting in twin live births (%)	23.9			11.1		
Percentage of transfers resulting in live births (%)	63.0			55.6		
Percentage of transfers resulting in pregnancies (%)	71.7			59.3		

## CURRENT SERVICES & PROFILE

Current Name: South Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



**REPRODUCTIVE HEALTH ASSOCIATES, PA**  
**CATHERINE L. COWART, MD, FACOG**  
**TAMPA, FLORIDA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2013 ART CYCLE PROFILE**

Data verified by Catherine L. Cowart, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	64%	Tubal factor	38%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	11%	Male factor	51%
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	68%
				Endometriosis	5%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

**2013 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 37 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	12	10	9	2	0	0
Percentage of cancellations (%)	1 / 12	3 / 10	4 / 9	0 / 2		
Average number of embryos transferred	2.0	2.4	3.2	4.0		
Percentage of embryos transferred resulting in implantation (%)	35.0	1 / 9	2 / 16	0 / 8		
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 5	0 / 5	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	0 / 10	1 / 9	0 / 2		
Percentage of cycles resulting in singleton live births (%)	5 / 12	0 / 10	2 / 9	0 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 12	0 / 10	0 / 9	0 / 2		
Percentage of cycles resulting in live births (%)	5 / 12	0 / 10	2 / 9	0 / 2		
Percentage of cycles resulting in pregnancies (%)	8 / 12	2 / 10	2 / 9	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	11	5	5	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 11	0 / 5	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 11	0 / 5	2 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 5	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	5 / 11	0 / 5	2 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)	8 / 11	2 / 5	2 / 5	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	2	0	0	0
Number of transfers	0	1	2	0	0	0
Estimated average number of transfers per retrieval		1.0	2.0			
Average number of embryos transferred		2.0	2.5			
Percentage of embryos transferred resulting in implantation (%)		0 / 2	0 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2			
Percentage of transfers resulting in live births (%)		0 / 1	0 / 2			
Percentage of transfers resulting in pregnancies (%)		0 / 1	0 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		1			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

**CURRENT SERVICES & PROFILE**

Current Name: Reproductive Health Associates, PA, Catherine L. Cowart, MD, FACOG

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Timothy Yeko, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	45%	Tubal factor	21%	Uterine factor	<1%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	11%	Male factor	39%
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	5%
				Endometriosis	13%	Unknown factor	19%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 646 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	178	115	60	29	7	0
Percentage of cancellations (%)	4.5	7.8	20.0	10.3	2 / 7	
Average number of embryos transferred	1.7	2.0	2.7	3.2	2.8	
Percentage of embryos transferred resulting in implantation (%)	37.8	26.2	12.3	10.0	0 / 14	
Percentage of elective single embryo transfers (eSET) (%)	27.1	4.6	0.0	4.3	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.6	20.9	10.0	10.3	0 / 7	
Percentage of cycles resulting in singleton live births (%)	26.4	23.5	16.7	10.3	0 / 7	
Percentage of cycles resulting in twin live births (%)	11.8	7.0	1.7	6.9	0 / 7	
Percentage of cycles resulting in live births (%)	38.8	30.4	18.3	17.2	0 / 7	
Percentage of cycles resulting in pregnancies (%)	42.1	34.8	20.0	20.7	0 / 7	
<b>Outcomes per Transfer</b>						
Number of transfers	160	98	44	25	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.3	24.5	13.6	12.0	0 / 5	
Percentage of transfers resulting in singleton live births (%)	29.4	27.6	22.7	12.0	0 / 5	
Percentage of transfers resulting in twin live births (%)	13.1	8.2	2.3	8.0	0 / 5	
Percentage of transfers resulting in live births (%)	43.1	35.7	25.0	20.0	0 / 5	
Percentage of transfers resulting in pregnancies (%)	46.9	40.8	27.3	24.0	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	86	23	19	6	1	0
Number of transfers	82	22	16	6	1	0
Estimated average number of transfers per retrieval	2.0	1.6	1.8	1.5	0.5	
Average number of embryos transferred	1.5	1.7	1.5	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	51.3	35.3	45.8	6 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.8	31.8	7 / 16	4 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.9	31.8	8 / 16	4 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	17.1	9.1	0 / 16	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	50.0	40.9	8 / 16	5 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	59.8	54.5	9 / 16	5 / 6	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	5	4	4	2	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		61			34	
Number of transfers		53			34	
Average number of embryos transferred		1.7			1.4	
Percentage of embryos transferred resulting in implantation (%)		51.8			42.2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		39.6			50.0	
Percentage of transfers resulting in singleton live births (%)		43.4			52.9	
Percentage of transfers resulting in twin live births (%)		15.1			0.0	
Percentage of transfers resulting in live births (%)		58.5			52.9	
Percentage of transfers resulting in pregnancies (%)		71.7			61.8	

## CURRENT SERVICES & PROFILE

Current Name: The Reproductive Medicine Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Shayne Plosker, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	63%	Tubal factor	19%	Uterine factor	12%
Unstimulated	2%	Used PGD	6%	Ovulatory dysfunction	11%	Male factor	36%
Used gestational carrier	5%			Diminished ovarian reserve	27%	Other factor	12%
				Endometriosis	6%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 252 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	59	30	36	13	8	1
Percentage of cancellations (%)	6.8	0.0	16.7	4 / 13	4 / 8	0 / 1
Average number of embryos transferred	1.8	2.0	2.8	3.6	3.7	1.0
Percentage of embryos transferred resulting in implantation (%)	45.1	23.6	17.3	4.0	1 / 9	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	21.6	14.8	3.8	0 / 6	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.1	10.0	16.7	1 / 13	0 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	32.2	13.3	19.4	1 / 13	1 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	16.9	13.3	8.3	0 / 13	0 / 8	0 / 1
Percentage of cycles resulting in live births (%)	49.2	26.7	27.8	1 / 13	1 / 8	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.8	36.7	30.6	1 / 13	2 / 8	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	51	30	28	7	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.4	10.0	21.4	1 / 7	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.3	13.3	25.0	1 / 7	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	19.6	13.3	10.7	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	56.9	26.7	35.7	1 / 7	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.8	36.7	39.3	1 / 7	2 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	29	16	12	8	0	0
Number of transfers	26	16	11	7	0	0
Estimated average number of transfers per retrieval	3.7	1.3	11.0	3.5		
Average number of embryos transferred	2.0	1.7	1.7	1.9		
Percentage of embryos transferred resulting in implantation (%)	49.0	51.9	4 / 19	5 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.2	4 / 16	2 / 11	1 / 7		
Percentage of transfers resulting in singleton live births (%)	30.8	4 / 16	2 / 11	1 / 7		
Percentage of transfers resulting in twin live births (%)	23.1	5 / 16	1 / 11	2 / 7		
Percentage of transfers resulting in live births (%)	53.8	9 / 16	3 / 11	3 / 7		
Percentage of transfers resulting in pregnancies (%)	57.7	9 / 16	3 / 11	4 / 7		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	25			13		
Number of transfers	23			12		
Average number of embryos transferred	1.7			1.7		
Percentage of embryos transferred resulting in implantation (%)	71.1			35.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.1			7 / 12		
Percentage of transfers resulting in singleton live births (%)	26.1			7 / 12		
Percentage of transfers resulting in twin live births (%)	30.4			0 / 12		
Percentage of transfers resulting in live births (%)	56.5			7 / 12		
Percentage of transfers resulting in pregnancies (%)	82.6			7 / 12		

## CURRENT SERVICES & PROFILE

Current Name: University of South Florida IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**F.I.R.S.T.  
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES  
WESTON, FLORIDA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2013 ART CYCLE PROFILE**

Data verified by Minna R. Selub, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	96%	With ICSI	81%	Tubal factor	16%	Uterine factor	5%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	13%	Male factor	27%
Used gestational carrier	4%			Diminished ovarian reserve	86%	Other factor	2%
				Endometriosis	7%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

**2013 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 56 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	11	5	8	2	0	0
Percentage of cancellations (%)	1 / 11	0 / 5	0 / 8	0 / 2		
Average number of embryos transferred	2.1	2.0	2.1	1.5		
Percentage of embryos transferred resulting in implantation (%)	28.6	1 / 6	0 / 15	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	0 / 2	0 / 5	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 11	1 / 5	0 / 8	0 / 2		
Percentage of cycles resulting in singleton live births (%)	1 / 11	1 / 5	0 / 8	0 / 2		
Percentage of cycles resulting in twin live births (%)	2 / 11	0 / 5	0 / 8	0 / 2		
Percentage of cycles resulting in live births (%)	3 / 11	1 / 5	0 / 8	0 / 2		
Percentage of cycles resulting in pregnancies (%)	3 / 11	1 / 5	0 / 8	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	10	3	7	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 10	1 / 3	0 / 7	0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 10	1 / 3	0 / 7	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 3	0 / 7	0 / 2		
Percentage of transfers resulting in live births (%)	3 / 10	1 / 3	0 / 7	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 10	1 / 3	0 / 7	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	1	0	0	0
Number of transfers	1	0	1	0	0	0
Estimated average number of transfers per retrieval	1.0					
Average number of embryos transferred	4.0		2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 4		0 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1		0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1			
Percentage of transfers resulting in live births (%)	1 / 1		0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	28			0		
Number of transfers	28			0		
Average number of embryos transferred	2.7					
Percentage of embryos transferred resulting in implantation (%)	17.3					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3.6					
Percentage of transfers resulting in singleton live births (%)	10.7					
Percentage of transfers resulting in twin live births (%)	10.7					
Percentage of transfers resulting in live births (%)	21.4					
Percentage of transfers resulting in pregnancies (%)	35.7					

**CURRENT SERVICES & PROFILE**

Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY WINTER PARK, FLORIDA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Mark P. Trollice, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	72%	Tubal factor	14%	Uterine factor	3%
Unstimulated	0%	Used PGD	6%	Ovulatory dysfunction	9%	Male factor	22%
Used gestational carrier	0%			Diminished ovarian reserve	53%	Other factor	7%
				Endometriosis	9%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 225 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	43	27	28	7	1	3
Percentage of cancellations (%)	4.7	0.0	14.3	2 / 7	0 / 1	2 / 3
Average number of embryos transferred	2.1	2.4	3.1	4.0	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	39.3	32.3	11.6	15.0	0 / 3	1 / 4
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 5	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.6	14.8	3.6	1 / 7	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	18.6	14.8	7.1	1 / 7	0 / 1	1 / 3
Percentage of cycles resulting in twin live births (%)	27.9	22.2	3.6	0 / 7	0 / 1	0 / 3
Percentage of cycles resulting in live births (%)	46.5	37.0	10.7	1 / 7	0 / 1	1 / 3
Percentage of cycles resulting in pregnancies (%)	53.5	51.9	25.0	3 / 7	0 / 1	1 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	41	27	23	5	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.2	14.8	4.3	1 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	19.5	14.8	8.7	1 / 5	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	29.3	22.2	4.3	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	48.8	37.0	13.0	1 / 5	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	56.1	51.9	30.4	3 / 5	0 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	16	5	5	1	1
Number of transfers	18	12	4	5	1	1
Estimated average number of transfers per retrieval	1.1	0.8	0.3	1.0	0.3	
Average number of embryos transferred	2.1	2.0	3.0	2.2	5.0	1.0
Percentage of embryos transferred resulting in implantation (%)	40.5	54.2	1 / 4	0 / 11	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8 / 18	3 / 12	1 / 4	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 18	4 / 12	1 / 4	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	2 / 12	0 / 4	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	10 / 18	6 / 12	1 / 4	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	12 / 18	9 / 12	3 / 4	0 / 5	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	9	12	4	2	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		15			14	
Number of transfers		15			12	
Average number of embryos transferred		1.7			1.8	
Percentage of embryos transferred resulting in implantation (%)		48.0			45.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 15			5 / 12	
Percentage of transfers resulting in singleton live births (%)		4 / 15			5 / 12	
Percentage of transfers resulting in twin live births (%)		3 / 15			2 / 12	
Percentage of transfers resulting in live births (%)		7 / 15			7 / 12	
Percentage of transfers resulting in pregnancies (%)		8 / 15			8 / 12	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Assisted Reproduction & Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by James P. Toner, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	76%	Tubal factor	16%	Uterine factor	3%
Unstimulated	<1%	Used PGD	7%	Ovulatory dysfunction	15%	Male factor	17%
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	18%
				Endometriosis	11%	Unknown factor	14%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 799 (includes 51 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	214	126	88	26	18	1
Percentage of cancellations (%)	2.3	12.7	13.6	7.7	2 / 18	0 / 1
Average number of embryos transferred	1.8	2.1	2.3	2.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	48.6	35.2	21.7	18.4	1 / 18	
Percentage of elective single embryo transfers (eSET) (%)	19.0	4.8	3.6	0 / 12	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.4	15.9	9.1	15.4	0 / 18	0 / 1
Percentage of cycles resulting in singleton live births (%)	27.6	19.8	15.9	15.4	0 / 18	0 / 1
Percentage of cycles resulting in twin live births (%)	16.4	11.9	3.4	3.8	0 / 18	0 / 1
Percentage of cycles resulting in live births (%)	44.4	31.7	19.3	19.2	0 / 18	0 / 1
Percentage of cycles resulting in pregnancies (%)	52.3	36.5	26.1	23.1	1 / 18	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	179	89	60	16	9	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.9	22.5	13.3	4 / 16	0 / 9	
Percentage of transfers resulting in singleton live births (%)	33.0	28.1	23.3	4 / 16	0 / 9	
Percentage of transfers resulting in twin live births (%)	19.6	16.9	5.0	1 / 16	0 / 9	
Percentage of transfers resulting in live births (%)	53.1	44.9	28.3	5 / 16	0 / 9	
Percentage of transfers resulting in pregnancies (%)	62.6	51.7	38.3	6 / 16	1 / 9	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	88	45	31	3	2	0
Number of transfers	86	40	29	3	2	0
Estimated average number of transfers per retrieval	1.4	1.1	1.6	1.0		
Average number of embryos transferred	1.6	1.5	1.5	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	37.4	36.7	43.2	4 / 7	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.9	22.5	41.4	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	31.4	30.0	51.7	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	9.3	10.0	3.4	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	40.7	40.0	55.2	2 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	50.0	42.5	55.2	2 / 3	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	14	15	8	3	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	38			28		
Number of transfers	33			26		
Average number of embryos transferred	1.9			1.6		
Percentage of embryos transferred resulting in implantation (%)	55.2			26.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3			30.8		
Percentage of transfers resulting in singleton live births (%)	33.3			38.5		
Percentage of transfers resulting in twin live births (%)	21.2			0.0		
Percentage of transfers resulting in live births (%)	57.6			38.5		
Percentage of transfers resulting in pregnancies (%)	69.7			46.2		

## CURRENT SERVICES & PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Jessica B. Spencer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	77%	Tubal factor	34%	Uterine factor	15%
Unstimulated	0%	Used PGD	1%	Ovulatory dysfunction	21%	Male factor	36%
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	6%
				Endometriosis	13%	Unknown factor	10%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				27%			
				29%			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 272 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	79	43	28	18	3	0
Percentage of cancellations (%)	11.4	4.7	10.7	4 / 18	1 / 3	
Average number of embryos transferred	1.9	2.1	3.2	3.9	4.5	
Percentage of embryos transferred resulting in implantation (%)	54.5	57.0	17.3	11.8	1 / 5	
Percentage of elective single embryo transfers (eSET) (%)	11.9	7.5	0.0	0 / 14	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.8	41.9	21.4	1 / 18	1 / 3	
Percentage of cycles resulting in singleton live births (%)	39.2	51.2	25.0	2 / 18	1 / 3	
Percentage of cycles resulting in twin live births (%)	19.0	20.9	3.6	0 / 18	0 / 3	
Percentage of cycles resulting in live births (%)	58.2	72.1	28.6	2 / 18	1 / 3	
Percentage of cycles resulting in pregnancies (%)	67.1	76.7	42.9	5 / 18	2 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	69	40	25	14	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.9	45.0	24.0	1 / 14	1 / 2	
Percentage of transfers resulting in singleton live births (%)	44.9	55.0	28.0	2 / 14	1 / 2	
Percentage of transfers resulting in twin live births (%)	21.7	22.5	4.0	0 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	66.7	77.5	32.0	2 / 14	1 / 2	
Percentage of transfers resulting in pregnancies (%)	76.8	82.5	48.0	5 / 14	2 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	21	22	3	1	0
Number of transfers	25	17	19	3	1	0
Estimated average number of transfers per retrieval	1.3	2.1	3.8	0.4		
Average number of embryos transferred	1.9	2.2	2.7	2.7	3.0	
Percentage of embryos transferred resulting in implantation (%)	41.7	27.0	30.6	0 / 8	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.0	3 / 17	3 / 19	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.0	4 / 17	4 / 19	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	20.0	2 / 17	2 / 19	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	52.0	6 / 17	7 / 19	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	56.0	7 / 17	10 / 19	0 / 3	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	4	1	5	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			6		
Number of transfers	4			6		
Average number of embryos transferred	2.0			2.2		
Percentage of embryos transferred resulting in implantation (%)	5 / 8			3 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 4			0 / 6		
Percentage of transfers resulting in singleton live births (%)	2 / 4			0 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 4			1 / 6		
Percentage of transfers resulting in live births (%)	3 / 4			1 / 6		
Percentage of transfers resulting in pregnancies (%)	3 / 4			2 / 6		

## CURRENT SERVICES & PROFILE

**Current Name:** This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GEORGIA REPRODUCTIVE SPECIALISTS, LLC

## ATLANTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2013 ART CYCLE PROFILE

Data verified by Mark Perloe, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	59%	Tubal factor	22%	Uterine factor	3%
Unstimulated	<1%	Used PGD	13%	Ovulatory dysfunction	21%	Male factor	32%
Used gestational carrier	2%			Diminished ovarian reserve	34%	Other factor	15%
				Endometriosis	8%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

### 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 451 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	98	42	47	14	4	0
Percentage of cancellations (%)	5.1	4.8	8.5	1 / 14	1 / 4	
Average number of embryos transferred	2.0	2.3	2.3	2.6	4.5	
Percentage of embryos transferred resulting in implantation (%)	29.9	24.3	14.7	7.7	0 / 9	
Percentage of elective single embryo transfers (eSET) (%)	9.6	6.1	0.0	0 / 8	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.3	11.9	12.8	2 / 14	0 / 4	
Percentage of cycles resulting in singleton live births (%)	21.4	16.7	14.9	2 / 14	0 / 4	
Percentage of cycles resulting in twin live births (%)	9.2	11.9	2.1	0 / 14	0 / 4	
Percentage of cycles resulting in live births (%)	30.6	28.6	17.0	2 / 14	0 / 4	
Percentage of cycles resulting in pregnancies (%)	37.8	33.3	25.5	2 / 14	0 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	75	34	33	10	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.7	14.7	18.2	2 / 10	0 / 2	
Percentage of transfers resulting in singleton live births (%)	28.0	20.6	21.2	2 / 10	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.0	14.7	3.0	0 / 10	0 / 2	
Percentage of transfers resulting in live births (%)	40.0	35.3	24.2	2 / 10	0 / 2	
Percentage of transfers resulting in pregnancies (%)	49.3	41.2	36.4	2 / 10	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	69	44	37	6	3	2
Number of transfers	65	42	35	6	2	2
Estimated average number of transfers per retrieval	1.6	2.6	1.7	3.0		
Average number of embryos transferred	1.6	1.7	1.5	1.3	2.5	1.5
Percentage of embryos transferred resulting in implantation (%)	25.8	35.4	29.6	2 / 8	2 / 5	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.5	33.3	25.7	1 / 6	2 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	24.6	40.5	25.7	2 / 6	2 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	3.1	4.8	5.7	0 / 6	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	27.7	45.2	31.4	2 / 6	2 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	40.0	57.1	40.0	2 / 6	2 / 2	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	13	4	7	1	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		21			31	
Number of transfers		19			29	
Average number of embryos transferred		1.8			1.9	
Percentage of embryos transferred resulting in implantation (%)		62.9			24.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 19			24.1	
Percentage of transfers resulting in singleton live births (%)		7 / 19			34.5	
Percentage of transfers resulting in twin live births (%)		6 / 19			3.4	
Percentage of transfers resulting in live births (%)		13 / 19			37.9	
Percentage of transfers resulting in pregnancies (%)		13 / 19			41.4	

### CURRENT SERVICES & PROFILE

Current Name: Georgia Reproductive Specialists, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES

## AUGUSTA, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2013 ART CYCLE PROFILE

Data verified by Larisa Gavrilova-Jordan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	49%	Tubal factor	33%	Uterine factor	2%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	16%	Male factor	23%
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	2%
				Endometriosis	7%	Unknown factor	9%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

### 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 45 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	7	4	3	0	0
Percentage of cancellations (%)	2 / 19	1 / 7	1 / 4	0 / 3		
Average number of embryos transferred	1.8	2.4	2.3	2.3		
Percentage of embryos transferred resulting in implantation (%)	36.7	2 / 12	2 / 7	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	4 / 16	0 / 5	0 / 3	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 19	1 / 7	0 / 4	0 / 3		
Percentage of cycles resulting in singleton live births (%)	5 / 19	2 / 7	0 / 4	0 / 3		
Percentage of cycles resulting in twin live births (%)	3 / 19	0 / 7	1 / 4	0 / 3		
Percentage of cycles resulting in live births (%)	8 / 19	2 / 7	1 / 4	0 / 3		
Percentage of cycles resulting in pregnancies (%)	9 / 19	2 / 7	1 / 4	1 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	17	5	3	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 17	1 / 5	0 / 3	0 / 3		
Percentage of transfers resulting in singleton live births (%)	5 / 17	2 / 5	0 / 3	0 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 17	0 / 5	1 / 3	0 / 3		
Percentage of transfers resulting in live births (%)	8 / 17	2 / 5	1 / 3	0 / 3		
Percentage of transfers resulting in pregnancies (%)	9 / 17	2 / 5	1 / 3	1 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	0	2	0	0	0
Number of transfers	5	0	2	0	0	0
Estimated average number of transfers per retrieval	0.8			0.0		
Average number of embryos transferred	1.6		2.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 8		2 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5		0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 5		0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 5		1 / 2			
Percentage of transfers resulting in live births (%)	2 / 5		1 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 5		1 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			0		
Number of transfers	2			0		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	4 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2					
Percentage of transfers resulting in singleton live births (%)	1 / 2					
Percentage of transfers resulting in twin live births (%)	1 / 2					
Percentage of transfers resulting in live births (%)	2 / 2					
Percentage of transfers resulting in pregnancies (%)	2 / 2					

### CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SERVY MASSEY FERTILITY INSTITUTE**  
**SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY**  
**AUGUSTA, GEORGIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Edouard Servy, MD						
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>						
IVF	100%	With ICSI	58%	Tubal factor	22%	Uterine factor	2%	Multiple Factors: Female factors only 9% Female & male factors 7%		
Unstimulated	0%	Used PGD	5%	Ovulatory dysfunction	10%	Male factor	33%			
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	10%			
				Endometriosis	7%	Unknown factor	4%			
2013 ART SUCCESS RATES <sup>c</sup>				Total number of cycles <sup>d</sup> : 284 (includes 1 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				98	38	30	15	6	6	
Percentage of cancellations (%)				12.2	21.1	6.7	1 / 15	1 / 6	0 / 6	
Average number of embryos transferred				2.1	2.2	2.3	2.2	2.0	2.4	
Percentage of embryos transferred resulting in implantation (%)				25.7	27.3	7.0	7.7	1 / 10	0 / 12	
Percentage of elective single embryo transfers (eSET) (%)				1.5	0.0	8.3	0 / 6	0 / 4	0 / 5	
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)				14.3	15.8	10.0	2 / 15	1 / 6	0 / 6	
Percentage of cycles resulting in singleton live births (%)				17.3	15.8	10.0	2 / 15	1 / 6	0 / 6	
Percentage of cycles resulting in twin live births (%)				5.1	10.5	0.0	0 / 15	0 / 6	0 / 6	
Percentage of cycles resulting in live births (%)				22.4	26.3	10.0	2 / 15	1 / 6	0 / 6	
Percentage of cycles resulting in pregnancies (%)				29.6	31.6	16.7	2 / 15	1 / 6	0 / 6	
Outcomes per Transfer										
Number of transfers				72	26	26	12	5	5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				19.4	23.1	11.5	2 / 12	1 / 5	0 / 5	
Percentage of transfers resulting in singleton live births (%)				23.6	23.1	11.5	2 / 12	1 / 5	0 / 5	
Percentage of transfers resulting in twin live births (%)				6.9	15.4	0.0	0 / 12	0 / 5	0 / 5	
Percentage of transfers resulting in live births (%)				30.6	38.5	11.5	2 / 12	1 / 5	0 / 5	
Percentage of transfers resulting in pregnancies (%)				40.3	46.2	19.2	2 / 12	1 / 5	0 / 5	
Frozen Embryos from Nondonor Eggs										
Number of cycles				40	13	8	2	0	1	
Number of transfers				38	13	8	1	0	1	
Estimated average number of transfers per retrieval				1.5	1.3	4.0				
Average number of embryos transferred				1.8	2.2	2.1	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)				26.9	7.7	2 / 17	0 / 2		1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				15.8	1 / 13	1 / 8	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)				21.1	2 / 13	2 / 8	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)				5.3	0 / 13	0 / 8	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)				26.3	2 / 13	2 / 8	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)				39.5	3 / 13	2 / 8	0 / 1		1 / 1	
Number of Egg/Embryo Banking Cycles				2	1	0	0	0	0	
Donor Eggs				Fresh Embryos <sup>f</sup>			Frozen Embryos <sup>f</sup>			
Number of cycles				13			10			
Number of transfers				10			10			
Average number of embryos transferred				2.1			1.9			
Percentage of embryos transferred resulting in implantation (%)				42.9			6 / 17			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				4 / 10			2 / 10			
Percentage of transfers resulting in singleton live births (%)				4 / 10			2 / 10			
Percentage of transfers resulting in twin live births (%)				2 / 10			1 / 10			
Percentage of transfers resulting in live births (%)				6 / 10			3 / 10			
Percentage of transfers resulting in pregnancies (%)				6 / 10			5 / 10			
CURRENT SERVICES & PROFILE				Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology						
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes			
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)				

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



# COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC COLUMBUS, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Prakash J. Thiruppathi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	90%	Tubal factor	46%	Uterine factor	26%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	82%	Male factor	58%
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	0%
				Endometriosis	36%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 78 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	34	17	6	1	0	0
Percentage of cancellations (%)	8.8	2 / 17	0 / 6	0 / 1		
Average number of embryos transferred	1.9	2.0	2.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	48.0	21.4	0 / 12	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	23.1	1 / 12	0 / 5	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.4	3 / 17	0 / 6	0 / 1		
Percentage of cycles resulting in singleton live births (%)	35.3	5 / 17	0 / 6	0 / 1		
Percentage of cycles resulting in twin live births (%)	11.8	0 / 17	0 / 6	0 / 1		
Percentage of cycles resulting in live births (%)	47.1	5 / 17	0 / 6	0 / 1		
Percentage of cycles resulting in pregnancies (%)	55.9	5 / 17	0 / 6	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	28	14	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.3	3 / 14	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	42.9	5 / 14	0 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	14.3	0 / 14	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	57.1	5 / 14	0 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	67.9	5 / 14	0 / 5	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	7	1	2	1	0	0
Number of transfers	7	1	2	1	0	0
Estimated average number of transfers per retrieval	2.3		1.0	1.0		
Average number of embryos transferred	2.0	3.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 12	2 / 3	0 / 4	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 7	1 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 7	1 / 1	0 / 2	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			2		
Number of transfers	5			2		
Average number of embryos transferred	2.0			2.5		
Percentage of embryos transferred resulting in implantation (%)	7 / 8			2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5			1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 5			2 / 2		
Percentage of transfers resulting in twin live births (%)	3 / 5			0 / 2		
Percentage of transfers resulting in live births (%)	4 / 5			2 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 5			2 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE BIOLOGY ASSOCIATES SANDY SPRINGS, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Daniel Shapiro, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	83%	Tubal factor	9%	Uterine factor	3%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	13%	Male factor	29%
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	18%
				Endometriosis	9%	Unknown factor	8%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,648 (includes 304 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	171	66	91	30	23	3
Percentage of cancellations (%)	11.1	18.2	20.9	13.3	39.1	1 / 3
Average number of embryos transferred	1.4	1.7	2.4	3.0	3.2	1.5
Percentage of embryos transferred resulting in implantation (%)	37.1	22.6	12.2	21.3	5.3	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	60.0	42.6	7.6	9.5	0 / 13	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.6	18.2	12.1	23.3	4.3	0 / 3
Percentage of cycles resulting in singleton live births (%)	27.5	21.2	13.2	26.7	8.7	0 / 3
Percentage of cycles resulting in twin live births (%)	5.3	0.0	2.2	3.3	0.0	0 / 3
Percentage of cycles resulting in live births (%)	32.7	21.2	15.4	30.0	8.7	0 / 3
Percentage of cycles resulting in pregnancies (%)	42.1	25.8	25.3	43.3	13.0	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	150	50	69	23	13	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.0	24.0	15.9	30.4	1 / 13	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.3	28.0	17.4	34.8	2 / 13	0 / 2
Percentage of transfers resulting in twin live births (%)	6.0	0.0	2.9	4.3	0 / 13	0 / 2
Percentage of transfers resulting in live births (%)	37.3	28.0	20.3	39.1	2 / 13	0 / 2
Percentage of transfers resulting in pregnancies (%)	48.0	34.0	33.3	56.5	3 / 13	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	221	131	102	38	18	4
Number of transfers	220	131	101	37	15	3
Estimated average number of transfers per retrieval	1.5	2.0	1.3	0.9	1.0	0.6
Average number of embryos transferred	1.5	1.5	1.8	2.0	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	56.4	42.2	25.6	22.9	21.6	2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.4	29.8	21.8	18.9	4 / 15	1 / 3
Percentage of transfers resulting in singleton live births (%)	46.8	35.9	27.7	21.6	4 / 15	2 / 3
Percentage of transfers resulting in twin live births (%)	11.4	9.2	3.0	2.7	2 / 15	0 / 3
Percentage of transfers resulting in live births (%)	58.6	45.0	30.7	27.0	6 / 15	2 / 3
Percentage of transfers resulting in pregnancies (%)	70.0	55.7	43.6	40.5	6 / 15	2 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	97	48	59	35	13	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		6		184		
Number of transfers		6		182		
Average number of embryos transferred		1.2		1.4		
Percentage of embryos transferred resulting in implantation (%)		5 / 7		41.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 6		24.7		
Percentage of transfers resulting in singleton live births (%)		5 / 6		36.3		
Percentage of transfers resulting in twin live births (%)		0 / 6		4.4		
Percentage of transfers resulting in live births (%)		5 / 6		40.7		
Percentage of transfers resulting in pregnancies (%)		5 / 6		53.8		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Biology Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Patrick L. Blohm, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	62%	Tubal factor	19%	Uterine factor	3%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	21%	Male factor	56%
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	1%
				Endometriosis	10%	Unknown factor	1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 145 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	51	21	16	3	0	0
Percentage of cancellations (%)	2.0	0.0	3 / 16	1 / 3		
Average number of embryos transferred	1.9	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	54.3	31.6	29.2	1 / 4		
Percentage of elective single embryo transfers (eSET) (%)	6.4	0 / 19	0 / 13	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.4	23.8	4 / 16	0 / 3		
Percentage of cycles resulting in singleton live births (%)	35.3	38.1	5 / 16	1 / 3		
Percentage of cycles resulting in twin live births (%)	15.7	9.5	1 / 16	0 / 3		
Percentage of cycles resulting in live births (%)	56.9	47.6	6 / 16	1 / 3		
Percentage of cycles resulting in pregnancies (%)	66.7	52.4	7 / 16	1 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	49	20	13	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.6	25.0	4 / 13	0 / 2		
Percentage of transfers resulting in singleton live births (%)	36.7	40.0	5 / 13	1 / 2		
Percentage of transfers resulting in twin live births (%)	16.3	10.0	1 / 13	0 / 2		
Percentage of transfers resulting in live births (%)	59.2	50.0	6 / 13	1 / 2		
Percentage of transfers resulting in pregnancies (%)	69.4	55.0	7 / 13	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	19	9	5	1	0	1
Number of transfers	19	9	4	1	0	1
Estimated average number of transfers per retrieval	3.8	9.0	2.0	1.0		
Average number of embryos transferred	2.0	1.8	1.3	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	15.8	3 / 15	0 / 5	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 19	1 / 9	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 19	2 / 9	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 9	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	4 / 19	2 / 9	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 19	4 / 9	0 / 4	0 / 1		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	12			6		
Number of transfers	12			6		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	82.6			3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 12			1 / 6		
Percentage of transfers resulting in singleton live births (%)	6 / 12			1 / 6		
Percentage of transfers resulting in twin live births (%)	5 / 12			1 / 6		
Percentage of transfers resulting in live births (%)	12 / 12			2 / 6		
Percentage of transfers resulting in pregnancies (%)	12 / 12			2 / 6		

## CURRENT SERVICES & PROFILE

Current Name: The Georgia Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Christopher T. Huang, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	87%	Tubal factor	19%	Uterine factor	2%
Unstimulated	1%	Used PGD	3%	Ovulatory dysfunction	3%	Male factor	78%
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	2%
				Endometriosis	16%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 169 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	21	22	21	13	14	4
Percentage of cancellations (%)	14.3	4.5	14.3	1 / 13	1 / 14	0 / 4
Average number of embryos transferred	1.8	2.0	2.7	2.8	3.5	2.0
Percentage of embryos transferred resulting in implantation (%)	46.7	35.0	25.6	3.6	0.0	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	2 / 16	1 / 19	0 / 14	0 / 9	0 / 11	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.1	18.2	28.6	1 / 13	0 / 14	0 / 4
Percentage of cycles resulting in singleton live births (%)	47.6	18.2	33.3	1 / 13	0 / 14	0 / 4
Percentage of cycles resulting in twin live births (%)	4.8	13.6	4.8	0 / 13	0 / 14	0 / 4
Percentage of cycles resulting in live births (%)	52.4	31.8	38.1	1 / 13	0 / 14	0 / 4
Percentage of cycles resulting in pregnancies (%)	61.9	45.5	52.4	1 / 13	1 / 14	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	18	21	18	10	12	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8 / 18	19.0	6 / 18	1 / 10	0 / 12	0 / 3
Percentage of transfers resulting in singleton live births (%)	10 / 18	19.0	7 / 18	1 / 10	0 / 12	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 18	14.3	1 / 18	0 / 10	0 / 12	0 / 3
Percentage of transfers resulting in live births (%)	11 / 18	33.3	8 / 18	1 / 10	0 / 12	0 / 3
Percentage of transfers resulting in pregnancies (%)	13 / 18	47.6	11 / 18	1 / 10	1 / 12	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	11	4	7	3	1	1
Number of transfers	10	4	5	2	1	1
Estimated average number of transfers per retrieval	0.7	0.5	0.8		0.2	1.0
Average number of embryos transferred	1.7	2.0	2.2	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	8 / 17	8 / 8	2 / 11	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10	1 / 4	0 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 10	1 / 4	0 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 10	3 / 4	1 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	5 / 10	4 / 4	1 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 10	4 / 4	1 / 5	0 / 2	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	7	6	0	4	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	11			4		
Number of transfers	10			4		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	11 / 18			6 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10			1 / 4		
Percentage of transfers resulting in singleton live births (%)	4 / 10			2 / 4		
Percentage of transfers resulting in twin live births (%)	3 / 10			2 / 4		
Percentage of transfers resulting in live births (%)	7 / 10			4 / 4		
Percentage of transfers resulting in pregnancies (%)	8 / 10			4 / 4		

## CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC. HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by John L. Frattarelli, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	87%	Tubal factor	23%	Uterine factor	8%
Unstimulated	0%	Used PGD	<1%	Ovulatory dysfunction	29%	Male factor	90%
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	<1%
				Endometriosis	9%	Unknown factor	7%
				Multiple Factors:			
				Female factors only			
				Female & male factors			
				<1%			
				71%			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 335 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	27	21	15	2	2
Percentage of cancellations (%)	6.5	11.1	4.8	2 / 15	0 / 2	0 / 2
Average number of embryos transferred	2.0	2.2	2.6	2.9	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	41.9	31.9	27.1	12.9	0 / 4	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	2.4	0.0	0 / 19	0 / 12	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.8	40.7	28.6	1 / 15	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	45.7	40.7	33.3	1 / 15	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	10.9	7.4	9.5	1 / 15	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	56.5	48.1	42.9	2 / 15	0 / 2	0 / 2
Percentage of cycles resulting in pregnancies (%)	65.2	51.9	52.4	5 / 15	0 / 2	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	43	22	19	13	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.2	50.0	6 / 19	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	48.8	50.0	7 / 19	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	11.6	9.1	2 / 19	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	60.5	59.1	9 / 19	2 / 13	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	69.8	63.6	11 / 19	5 / 13	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	15	17	4	3	3
Number of transfers	33	15	17	3	3	3
Estimated average number of transfers per retrieval	1.0	0.8	0.9	0.8	0.5	0.2
Average number of embryos transferred	1.9	1.8	1.6	2.0	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	68.5	76.0	53.8	1 / 2	2 / 2	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.4	7 / 15	8 / 17	1 / 3	1 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	54.5	8 / 15	10 / 17	1 / 3	1 / 3	1 / 3
Percentage of transfers resulting in twin live births (%)	24.2	2 / 15	2 / 17	0 / 3	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	78.8	11 / 15	12 / 17	1 / 3	1 / 3	1 / 3
Percentage of transfers resulting in pregnancies (%)	90.9	13 / 15	13 / 17	3 / 3	3 / 3	1 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	26	18	15	4	5	19
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			45		
Number of transfers	2			43		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	4 / 4			64.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			27.9		
Percentage of transfers resulting in singleton live births (%)	0 / 2			44.2		
Percentage of transfers resulting in twin live births (%)	2 / 2			30.2		
Percentage of transfers resulting in live births (%)	2 / 2			74.4		
Percentage of transfers resulting in pregnancies (%)	2 / 2			88.4		

## CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.



**INTERNATIONAL FERTILITY CENTER OF HAWAII  
HONOLULU, HAWAII**

---

This clinic provided ART services during 2013 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2013 ART cycle data or the clinic's Medical Director did not approve the clinic's 2013 ART cycle data for inclusion in this report.

# IVF HAWAII HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Benton H.H. Chun, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	79%	Tubal factor	19%	Uterine factor	0%
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	17%	Male factor	63%
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	7%
				Endometriosis	56%	Unknown factor	0%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 135 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	36	23	19	18	8	1
Percentage of cancellations (%)	8.3	30.4	1 / 19	5 / 18	3 / 8	0 / 1
Average number of embryos transferred	1.3	1.7	2.4	3.3	2.8	1.0
Percentage of embryos transferred resulting in implantation (%)	67.6	30.8	16.7	13.9	0 / 6	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	75.0	4 / 14	0 / 13	1 / 11	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	26.1	4 / 19	3 / 18	0 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	41.7	30.4	4 / 19	3 / 18	0 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	2.8	0.0	1 / 19	0 / 18	0 / 8	0 / 1
Percentage of cycles resulting in live births (%)	44.4	30.4	5 / 19	3 / 18	0 / 8	0 / 1
Percentage of cycles resulting in pregnancies (%)	55.6	34.8	5 / 19	5 / 18	1 / 8	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	27	15	15	11	5	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	44.4	6 / 15	4 / 15	3 / 11	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	55.6	7 / 15	4 / 15	3 / 11	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	3.7	0 / 15	1 / 15	0 / 11	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	59.3	7 / 15	5 / 15	3 / 11	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	74.1	8 / 15	5 / 15	5 / 11	1 / 5	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	8	4	5	2	0	0
Number of transfers	7	4	3	2	0	0
Estimated average number of transfers per retrieval	1.8	4.0				
Average number of embryos transferred	1.3	1.5	2.7	2.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 9	3 / 6	1 / 8	0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7	3 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 7	3 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 4	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	1 / 7	3 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 7	3 / 4	1 / 3	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			4		
Number of transfers	5			4		
Average number of embryos transferred	1.5			1.8		
Percentage of embryos transferred resulting in implantation (%)	0 / 5			5 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5			1 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 5			1 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 5			1 / 4		
Percentage of transfers resulting in live births (%)	0 / 5			2 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 5			3 / 4		

## CURRENT SERVICES & PROFILE

Current Name: IVF Hawaii

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2013 ART CYCLE PROFILE

Data verified by Thomas S. Kosasa, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>			
IVF	100%	With ICSI	79%	Tubal factor	15%	Uterine factor	1%
Unstimulated	0%	Used PGD	2%	Ovulatory dysfunction	6%	Male factor	30%
Used gestational carrier	1%			Diminished ovarian reserve	43%	Other factor	6%
				Endometriosis	33%	Unknown factor	<1%
				Multiple Factors:			
				Female factors only			
				Female & male factors			

## 2013 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 492 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	50	42	41	36	20	11
Percentage of cancellations (%)	6.0	16.7	7.3	22.2	25.0	2 / 11
Average number of embryos transferred	2.0	2.5	3.1	3.3	3.3	2.3
Percentage of embryos transferred resulting in implantation (%)	37.2	14.5	12.8	4.9	3.3	0 / 18
Percentage of elective single embryo transfers (eSET) (%)	10.5	0.0	0.0	0 / 19	0 / 7	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.0	14.3	12.2	2.8	0.0	0 / 11
Percentage of cycles resulting in singleton live births (%)	20.0	14.3	14.6	2.8	0.0	0 / 11
Percentage of cycles resulting in twin live births (%)	14.0	2.4	2.4	2.8	0.0	0 / 11
Percentage of cycles resulting in live births (%)	34.0	16.7	19.5	5.6	0.0	0 / 11
Percentage of cycles resulting in pregnancies (%)	40.0	19.0	24.4	8.3	5.0	0 / 11
<b>Outcomes per Transfer</b>						
Number of transfers	39	24	32	25	9	8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.5	25.0	15.6	4.0	0 / 9	0 / 8
Percentage of transfers resulting in singleton live births (%)	25.6	25.0	18.8	4.0	0 / 9	0 / 8
Percentage of transfers resulting in twin live births (%)	17.9	4.2	3.1	4.0	0 / 9	0 / 8
Percentage of transfers resulting in live births (%)	43.6	29.2	25.0	8.0	0 / 9	0 / 8
Percentage of transfers resulting in pregnancies (%)	51.3	33.3	31.3	12.0	1 / 9	0 / 8
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	23	16	9	5	1
Number of transfers	24	21	14	8	5	1
Estimated average number of transfers per retrieval	1.6	3.0	2.0	2.7	5.0	1.0
Average number of embryos transferred	2.0	2.0	2.2	1.9	2.4	1.0
Percentage of embryos transferred resulting in implantation (%)	35.4	42.5	16.1	6 / 15	2 / 7	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.5	33.3	1 / 14	1 / 8	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	12.5	47.6	2 / 14	2 / 8	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	4.8	0 / 14	1 / 8	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	25.0	52.4	2 / 14	3 / 8	2 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	61.9	4 / 14	4 / 8	4 / 5	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	0	4	0	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		117			87	
Number of transfers		105			80	
Average number of embryos transferred		1.9			1.9	
Percentage of embryos transferred resulting in implantation (%)		44.6			42.6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		21.0			17.5	
Percentage of transfers resulting in singleton live births (%)		28.6			27.5	
Percentage of transfers resulting in twin live births (%)		22.9			18.8	
Percentage of transfers resulting in live births (%)		51.4			46.3	
Percentage of transfers resulting in pregnancies (%)		60.0			55.0	

## CURRENT SERVICES & PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2013 ART CYCLE PROFILE				Data verified by Nia Middleton, MD						
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>						
IVF	100%	With ICSI	87%	Tubal factor	32%	Uterine factor	0%	Multiple Factors: Female factors only 8% Female & male factors 16%		
Unstimulated	0%	Used PGD	0%	Ovulatory dysfunction	18%	Male factor	42%			
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	8%			
				Endometriosis	8%	Unknown factor	12%			
2013 ART SUCCESS RATES <sup>c</sup>				Total number of cycles <sup>d</sup> : 51 (includes 0 cycle[s] using frozen eggs)						
Type of Cycle				Age of Woman						
				<35	35–37	38–40	41–42	43–44	>44	
Fresh Embryos from Nondonor Eggs										
Number of cycles				20	19	4	2	0	0	
Percentage of cancellations (%)				5.0	2 / 19	1 / 4	0 / 2			
Average number of embryos transferred				1.9	2.4	2.3	2.0			
Percentage of embryos transferred resulting in implantation (%)				29.7	21.6	1 / 7	0 / 4			
Percentage of elective single embryo transfers (eSET) (%)				0 / 17	0 / 16	0 / 3	0 / 1			
Outcomes per Cycle										
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)				25.0	1 / 19	1 / 4	0 / 2			
Percentage of cycles resulting in singleton live births (%)				25.0	2 / 19	1 / 4	0 / 2			
Percentage of cycles resulting in twin live births (%)				15.0	1 / 19	0 / 4	0 / 2			
Percentage of cycles resulting in live births (%)				40.0	4 / 19	1 / 4	0 / 2			
Percentage of cycles resulting in pregnancies (%)				40.0	6 / 19	1 / 4	0 / 2			
Outcomes per Transfer										
Number of transfers				19	16	3	2	0	0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				5 / 19	1 / 16	1 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)				5 / 19	2 / 16	1 / 3	0 / 2			
Percentage of transfers resulting in twin live births (%)				3 / 19	1 / 16	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)				8 / 19	4 / 16	1 / 3	0 / 2			
Percentage of transfers resulting in pregnancies (%)				8 / 19	6 / 16	1 / 3	0 / 2			
Frozen Embryos from Nondonor Eggs										
Number of cycles				2	3	0	0	0	0	
Number of transfers				2	2	0	0	0	0	
Estimated average number of transfers per retrieval				1.0	1.0					
Average number of embryos transferred				2.0	2.0					
Percentage of embryos transferred resulting in implantation (%)				0 / 2	2 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 2	0 / 2					
Percentage of transfers resulting in singleton live births (%)				0 / 2	0 / 2					
Percentage of transfers resulting in twin live births (%)				0 / 2	1 / 2					
Percentage of transfers resulting in live births (%)				0 / 2	1 / 2					
Percentage of transfers resulting in pregnancies (%)				1 / 2	1 / 2					
Number of Egg/Embryo Banking Cycles				1	0	0	0	0	0	
Donor Eggs				Fresh Embryos <sup>f</sup>			Frozen Embryos <sup>f</sup>			
Number of cycles				0			0			
Number of transfers				0			0			
Average number of embryos transferred										
Percentage of embryos transferred resulting in implantation (%)										
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)										
Percentage of transfers resulting in singleton live births (%)										
Percentage of transfers resulting in twin live births (%)										
Percentage of transfers resulting in live births (%)										
Percentage of transfers resulting in pregnancies (%)										

CURRENT SERVICES & PROFILE				Current Name: Tripler Army Medical Center IVF Institute			
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.